

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
3 May 2001 (03.05.2001)

PCT

(10) International Publication Number  
**WO 01/30992 A2**

- (51) International Patent Classification<sup>7</sup>: **C12N 15/00**
- (21) International Application Number: **PCT/US00/29139**
- (22) International Filing Date: 20 October 2000 (20.10.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/161,092 22 October 1999 (22.10.1999) US  
60/227,951 25 August 2000 (25.08.2000) US
- (71) Applicant (*for all designated States except US*): **UNIVERSITY OF PITTSBURGH OF THE COMMONWEALTH SYSTEM OF HIGHER EDUCATION** [US/US]; 200 Gardner Steel Conference Center, Pittsburgh, PA 15260 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (*for US only*): **KOIKE, Chihiro** [US/US]; 5628 Hempstead Street, Pittsburgh, PA 15206-1520 (US).
- (74) Agents: **HEFNER, M., Daniel et al.**; Leydig, Voit & Mayer, Ltd., Two Prudential Plaza, Suite 4900, 180 North Stetson, Chicago, IL 60601-6780 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**  
— *Without international search report and to be republished upon receipt of that report.*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



**WO 01/30992 A2**

(54) Title:  **$\alpha$ 1-3 GALACTOSYLTRANSFERASE GENE AND PROMOTER**

(57) Abstract: The present invention provides a recombinant expression cassette comprising an  $\alpha$  1-3 galactosyltransferase promoter operably linked to a polynucleotide for expression. The invention also provides a recombinant mutating cassette comprising a region of homology to an  $\alpha$  1-3 galactosyltransferase genomic sequence. The cassettes can be employed to express foreign genes or to disrupt the native  $\alpha$  1-3 galactosyltransferase genomic sequence, particularly within an animal. Thus, the invention also provides transgenic animals and methods for their production and use.

## **$\alpha$ 1-3 GALACTOSYLTRANSFERASE GENE AND PROMOTER**

### **TECHNICAL FIELD OF THE INVENTION**

This invention relates to the  $\alpha$ 1-3 galactosyltransferase gene, promoters  
5 therefor, and the use thereof to create transgenic animals.

### **BACKGROUND OF THE INVENTION**

The current shortage of acceptable organs for transplantation is a major  
health concern. Because the demand for acceptable organs exceeds the supply,  
10 many people die each year while waiting for organs to become available. To help  
meet this demand, research has been focused on developing alternatives to  
allogenic transplantation. Thus, for example, dialysis has been available to  
patients suffering from kidney failure, artificial heart models have been tested, and  
other mechanical systems have been developed to assist or replace failing organs.  
15 Such approaches, however, are quite expensive, and the need for frequent and  
periodic access to such machines greatly limits the freedom and quality of life of  
patients undergoing such therapy.

Xenograft transplantation represents a potentially attractive alternative to  
artificial organs for human transplantation. The potential pool of nonhuman  
20 organs is virtually limitless, and a successful xenograft transplantation would not  
render the patient virtually tethered to machines as is the case with artificial organ  
technology. Host rejection of such cross-species tissue, however, remains a major  
concern in this area. Some noted xenotransplants of organs from apes or old-  
world monkeys (e.g., baboons) into humans have been tolerated for months  
25 without rejection. However, such attempts have ultimately failed due to a number  
of immunological factors. Even with heavy immunosuppression to suppress  
hyperacute rejection, a low-grade innate immune response, attributable in part to  
failure of complement regulatory proteins (CRPs) within the graft tissue to control  
activation of heterologous complement on graft endothelium, ultimately leads to  
30 destruction of the transplanted organs (see e.g., Starzl, *Immunol. Rev.*, 141, 213-44  
(1994)). In an effort to develop a pool of acceptable organs for  
xenotransplantation into humans, researchers have engineered animals producing  
human CRPs, an approach which has been demonstrated to delay, but not  
eliminate, xenograft destruction in primates (McCurry et al., *Nat. Med.*, 1, 423-27  
35 (1995); Bach et al., *Immunol. Today*, 17, 379-84 (1996)).

In addition to complement-mediated attack, human rejection of discordant  
xenografts appears to be mediated by a common antigen: the galactose- $\alpha$ (1,3)-

galactose (gal- $\alpha$ -gal) terminal residue of many glycoproteins and glycolipids (Galili et al., *Proc. Nat. Acad. Sci. (USA)*, 84, 1369-73 (1987); Cooper et al., *Immunol. Rev.*, 141, 31-58 (1994); Galili et al., *Springer Sem. Immunopathol.*, 15, 155-171 (1993); Sandrin et al., *Transplant Rev.*, 8, 134 (1994)). This antigen is  
5 chemically related to the human A, B, and O blood antigens, and it is present on many parasites and infectious agents, such as bacteria and viruses. Most mammalian tissue also contains this antigen, with the notable exception of old world monkeys and apes (including humans) (see Joziassse et al., *J. Biol. Chem.*, 264, 14290-97 (1989) and references cited therein)). The antigen is highly  
10 immunogenic in humans, and many individuals show significant levels of circulating IgG with specificity for gal- $\alpha$ -gal carbohydrate determinants (see, e.g., Galili et al., *J. Exp. Med.*, 162, 573-82 (1985), Galili et al., *Proc. Nat. Acad. Sci. (USA)*, 84, 1369-73 (1987)). Thus, in hopes of better understanding barriers to xenotransplantation, recent attention has turned to the enzyme mediating the  
15 formation of gal- $\alpha$ -gal moieties:  $\alpha$ 1-3 galactosyltransferase.

The expression of  $\alpha$ 1-3 galactosyltransferase is regulated both developmentally and in a tissue-specific manner. The cDNA for this enzyme has been isolated from many species, including pigs (Hoopes et al., poster presentation at the 1997 Xenotransplantation Conference, Nantes France; Katayama et al., *J.*  
20 *Glycoconj.*, 15(6), 583-99 (1998); Sandrin et al., *Xenotransplantation*, 1, 81-88 (1994), Strahan et al., *Immunogenics*, 41, 101-05 (1995)), mice (Joziassse et al., *J. Biol. Chem.*, 267, 5534-41 (1992)), and cows (Joziassse et al., *J. Biol. Chem.*, 264, 14290-97 (1989)). While authors have proposed to eliminate the gene from xenograft donor animals (Sandrin et al. (1994), *supra*; U.S. Patent 5,821,117  
25 (Sandrin et al.)), gene knock-out procedures generally require knowledge of the genomic structure and sequence beyond the cDNA of a given gene. The genomic organization of the mouse  $\alpha$ 1-3 galactosyltransferase homologue has been deduced (Joziassse et al., *J. Biol. Chem.*, 267, 5534-41 (1992)), and human homologues are known to be inactive pseudogenes (see Joziassse et al., *J. Biol.*  
30 *Chem.*, 266, 6991-98 (1991); Larsen et al., *J. Biol. Chem.*, 265, 7055-61 (1990)). However, the genomic organization of an  $\alpha$ 1-3 galactosyltransferase homologue from a species that could serve as a xenograft donor for human recipients has yet to be deduced, and no promoter for any  $\alpha$ 1-3 galactosyltransferase homologue gene is known. As such, there exists a need for methods and reagents for  
35 facilitating xenotransplantation between species, particularly between species exhibiting differential expression of the gal- $\alpha$ -gal epitope.

### BRIEF SUMMARY OF THE INVENTION

The present invention provides a recombinant expression cassette comprising an  $\alpha$ 1-3 galactosyltransferase promoter operably linked to a polynucleotide for expression. The invention also provides a recombinant  
5 mutating cassette comprising a region of homology to an  $\alpha$ 1-3 galactosyltransferase genomic sequence. The cassettes can be employed to express foreign genes or to disrupt the native  $\alpha$ 1-3 galactosyltransferase genomic sequence, particularly within an animal. Thus, the invention also provides transgenic animals and methods for their production and use. These aspects of the  
10 invention, as well as additional inventive features, will be apparent from the accompanying drawing, sequence listing, and the following detailed description.

### BRIEF DESCRIPTION OF THE DRAWINGS

Figures 1A through 1I depict the genomic organization porcine  $\alpha$ 1-3  
15 galactosyltransferase gene. Figure 1A depicts all introns and exons of the gene, indicating the size of the respective elements. Figures 1B through 1I depict alternatively spliced variants isolated from pig aortic endothelial cells.

Figure 2 depicts the organization of a portion of the porcine  $\alpha$ 1-3 galactosyltransferase promoter.

20 Figure 3 depicts the organization of the alternate splicing patterns observed in the expression of the human untranslated  $\alpha$ 1,3 galactosyltransferase pseudogene.

### DETAILED DESCRIPTION OF THE INVENTION

25 In a first aspect, the present invention provides a recombinant expression cassette in which an  $\alpha$ 1-3 galactosyltransferase promoter is operably linked to a polynucleotide for expression. The expression cassette is "recombinant" in that within the inventive cassette, the polynucleotide for expression is other than one encoding  $\alpha$ 1-3 galactosyltransferase. The promoter and the polynucleotide are  
30 "operably linked" in that an event at the promoter (e.g., binding of cellular transcription factors and other DNA binding proteins) precipitates expression (i.e., transcription) of the polynucleotide. So long as this operable linkage is maintained, the cassette can include elements other than the  $\alpha$ 1-3 galactosyltransferase promoter and the polynucleotide for expression. For  
35 example, the cassette can contain polyadenylation sequences, repressors, enhancers, splice signals, signals for secretion (see, e.g., U.S. Patent 4,845,046 and European Patent EP-B-319,641), etc. Moreover, the expression cassette can

include more than one polynucleotide operably linked to the  $\alpha$ 1-3 galactosyltransferase promoter, (e.g., multiple coding sequences separated by internal ribosome entry sites).

The  $\alpha$ 1-3 galactosyltransferase promoter can be derived from any species normally expressing the gene. Thus, for example, the promoter can be derived from the bovine, porcine, or murine  $\alpha$ 1-3 galactosyltransferase genes. Examples of such promoters are set forth at SEQ ID Nos:1-6. However, the  $\alpha$ 1-3 galactosyltransferase promoter is not limited to one of these sequences, as it can be an active fragment of one of these sequences or a derivative of one of these sequences having one or more mutations (e.g., point mutations, substitutions, insertions, deletions, etc.). Furthermore, given the instant disclosure, it is within the ordinary skill of the art to assay regions of the  $\alpha$ 1-3 galactosyltransferase gene unrelated to SEQ ID NOS:1-6 for promoter activity, and the inventive expression cassette can include any  $\alpha$ 1-3 galactosyltransferase promoters so identified. Suitable promoters can be readily identified by construction an expression cassette in which the derivative sequence is operably linked to a desired reporter gene (e.g., RNA for detection by Northern hybridization, or DNA encoding CAT, luciferase, green-fluorescent peptide,  $\beta$ -galactosidase, etc.) and introducing the cassette into a suitable environment for transcription and (where appropriate) translation. Subsequently, promoter activity is detected by assaying for the presence of the reporter by standards methods (e.g., Northern hybridization, Southern hybridization, enzymatic detection, immunohistochemistry, etc.).

Within the expression cassette, the  $\alpha$ 1-3 galactosyltransferase promoter can be operably linked to any desired coding polynucleotide. Generally, where expression of a given gene or factor is desired, the skilled artisan will be in possession of the sequence of the coding polynucleotide. Thus, the polynucleotide can be expressed as a bioactive RNA molecule (e.g., an antisense RNA or a ribozyme). Alternatively, the polynucleotide can encode a protein of interest, and in this embodiment, the polynucleotide can be or comprise cDNA or genomic DNA.

Where the polynucleotide encodes a protein, any desired protein can be so encoded, and it need not be syngenic to the species from which the promoter is derived. Thus, for example, the cassette can be employed in animals to produce proteins facilitating growth or bulking of the animal (e.g., bovine or human growth factor) for conferring resistance to disease or parasites. Other encoded proteins can be enzymes such as sulfo- or glycosyltransferases, (e.g., a fucosyltransferase, a galactosidase, a galactosyltransferase, a  $\beta$ -acetylgalactosaminyltransferase, an

N-acetylglycosaminyltransferase, an N-acetylglucosaminyltransferase, a sialyltransferase, etc.). Where the expression cassette is employed to generate tissue or organs for xenotransplantation into an organism lacking gal- $\alpha$ -gal antigens (as described below), preferably the polynucleotide encodes a Type I fucosyltransferase, a Type II fucosyltransferase, an  $\alpha$  2-3 sialyltransferase, or an  $\alpha$  2-6 sialyltransferase from any species, the coding sequences of which are known (see, e.g., Larsen et al., *Proc. Nat. Acad. Sci. (USA)*, 87, 6674-78 (1990); Kelly et al., *J. Biol. Chem.*, 270(9), 4640-49 (1995), *J. Biol. Chem.*, 268(30), 22782-87 (1993), Weinstein et al., *J. Biol. Chem.*, 262(36), 17735-43 (1987)).

The expression cassette can be constructed by conventional methods of molecular biology (e.g., direct cloning by ligation, site specific recombination using recombinases, such as the flp recombinase or the cre-lox recombinase system (reviewed in Kilby et al. *Trends Genet.*, 9, 413-21 (1993)), homologous recombination, and other suitable methods). Typically, the promoter sequence is introduced into a vector 5' (i.e., "upstream") of the coding polynucleotide and any other elements (e.g., ribosome entry sites, polyadenylation sequences, etc.), after which the construct is subcloned and grown in a suitable host organism (e.g., yeast, bacteria, etc.) from which it can be isolated or substantially (and typically completely) purified by standard methods. Thus, the invention provides a vector (preferably an isolated or substantially purified vector) including a recombinant expression cassette as set forth above. Such a vector can be any desired type of vector, such as naked DNA vectors (e.g., oligonucleotides or plasmids); viral vectors (e.g., adeno-associated viral vectors (Berns et al., *Ann. N.Y. Acad. Sci.*, 772, 95-104 (1995)), adenoviral vectors (Bain et al., *Gene Therapy*, 1, S68 (1994)), bacteriophages, baculovirus vectors (see, e.g., Luckow et al., *Bio/Technology*, 6, 47 (1988)), herpesvirus vectors (Fink et al., *Ann. Rev. Neurosci.*, 19, 265-87 (1996)), packaged amplicons (Federoff et al., *Proc. Nat. Acad. Sci. USA*, 89, 1636-40 (1992)), papilloma virus vectors, picornavirus vectors, polyoma virus vectors, retroviral vectors, SV40 viral vectors, vaccinia virus vectors) or other vectors (e.g., a cosmid, a yeast artificial chromosome (YAC), etc.). Of course, the vector can (and typically does) contain elements in addition to the expression cassette that are appropriate to the type of vector (e.g., origins of replication, marker genes, genes conferring resistance to antibiotics, etc.). The insertion of the expression cassette can disrupt one or more of these elements, if desired, or the cassette can be inserted between genetic elements to minimize perturbation of the backbone vector.

Where the vector is a viral vector, preferably it is replication incompetent. Thus, for example, an adenoviral vector preferably has an inactivating mutation in at least the E1A region, and more preferably in region E1 (i.e., E1A and/or E1B) in combination with inactivating mutations in region E2 (i.e., E2A, E2B, or both E2A and E2B), and/or E4 (see, e.g., International Patent Application WO 95/34671). An AAV vector can be deficient in AAV genes encoding proteins associated with DNA or RNA synthesis or processing or steps of viral replication (e.g., capsid formation) (see U.S. Patents 4,797,368, 5,354,768, 5,474,935, 5,436,146, and 5,681,731). Where the vector is a retroviral vector, the cis-acting encapsidation sequence (E) essential for virus production in helper cells can be deleted upon reverse transcription in the host cell to prevent subsequent spread of the virus (see, e.g., U.S. Patent 5,714,353). Where the vector is a herpesvirus, inactivation of the ICP4 locus and/or the ICP27 cassette renders the virus replication incompetent in any cell not complementing the proteins (see, e.g., U.S. Patent 5,658,724, see also DeLuca et al., *J. Virol.*, 56, 558-70 (1985); Samaniego et al., *J. Virol.*, 69(9), 5705-15 (1996)).

To use the inventive recombinant expression cassette, it is introduced into a eukaryotic cell in a manner suitable for the cell to express the coding polynucleotide. A vector harboring the recombinant expression cassette is introduced into a eukaryotic cell by any method appropriate for the vector employed, which generally are well-known in the art. Thus, plasmids are transferred by methods such as calcium phosphate precipitation, electroporation, liposome-mediated transfection, microinjection, viral capsid-mediated transfer, polybrene-mediated transfer, protoplast fusion, etc. Viral vectors are best transferred into the cells by infecting them.

Depending on the type of vector, it can exist within the cell as a stable extrachromosomal element (which can even be heritable, see e.g., Gassmann, M. et al., *Proc. Natl. Acad. Sci. (USA)*, 92, 1292 (1995)) or it can integrate into the host cell's chromosomes. Thus, the invention provides a chromosome including a recombinant expression cassette such as described above, as well as a cell including such a cassette (and such a chromosome). The  $\alpha 1$ -3 galactosyltransferase promoter of the expression cassette can be native to such a cell or chromosome, or it can be exogenous to the cell or chromosome. Where the promoter is native to the cell or chromosome, preferably the polynucleotide for expression within the cassette (the non-native polynucleotide) displaces the operable linkage between the native polynucleotide encoding  $\alpha 1$ -3 galactosyltransferase such that it is no longer operably linked to the native  $\alpha 1$ -3

galactosyltransferase promoter. Such displacement can be accomplished where the non-native polynucleotide is cloned between the promoter and the native polynucleotide (i.e., upstream of the native polynucleotide), especially where the non-native polynucleotide contains one or more transcriptional termination signals (preferably in all three putative reading frames). Of course, the non-native polynucleotide also can be introduced into the locus such that it destroys the native exon/intron boundaries and/or introduces inactivating mutations (e.g., deletions, insertions, frame-shifts, etc.) into the native coding sequence.

Preferably, the transgenic cell presents a suitable microenvironment for the coding polynucleotide within the expression cassette to be expressed. In many instances, the transgenic cells can be used to study the tissue specificity, dynamics, and kinetics of the promoter, for example by assaying for the expression of the polynucleotide within the cells. However, as the absence of activity is as useful as the presence of promoter activity in these contexts, any cell can be employed for such purposes; such a cell can be *in vivo* or *in vitro*. Preferably, the cell is derived from a species syngenic to the source of the promoter so that, by virtue of the properties of the  $\alpha$ 1-3 galactosyltransferase promoter present within the expression cassette, the polynucleotide within the cassette is expressed within such transgenic tissues, organs, or animals with the same kinetics and tissue specificity as the native  $\alpha$ 1-3 galactosyltransferase gene in wild-type animals. Where the cells are *in vivo*, they are typically cells of a mammal (e.g., human cells), and can be any type of cells. Suitable cells for use *in vitro* include yeast, protozoa (e.g., *T. cruzi* epimastigotes), cells derived from any mammalian species (e.g., VERO, CV-1, COS-1, COS-7, CHO-K1, 3T3, NIH/3T3, HeLa, C1271, BS-C-1 MRC-5, etc.), insect cells (e.g., *Drosophila* Snyder cells), or other such cells. In other applications, the cell can be employed to construct transgenic tissues, organs, or animals, as described below, in which case the cell typically is a spermatozoon, ovum, zygote, primordial germ cells, or embryonic stem cell.

In another embodiment, the invention provides a method of mutating a region of a chromosome comprising an  $\alpha$ 1-3 galactosyltransferase gene. In accordance with the inventive method, a recombinant mutating cassette comprising a region of homology to the  $\alpha$ 1-3 galactosyltransferase gene is recombined with a chromosome which has an  $\alpha$ 1-3 galactosyltransferase gene such that homologous recombination occurs between the cassette and the chromosome. As a result of the homologous recombination, a mutation is introduced into the native  $\alpha$ 1-3 galactosyltransferase chromosomal gene sequence.



Thus, the final step of the method involves screening for successful recombination.

The inventive method employs a recombinant mutating cassette including at least a first region of homology to an  $\alpha$ 1-3 galactosyltransferase genomic sequence, and the invention provides such a cassette. Within such a cassette, this first region of homology is adjacent to either to at least one polynucleotide for insertion or to a second region of homology. The mutating cassette is "recombinant" in that neither the second region of homology nor the polynucleotide for insertion is adjacent to the first  $\alpha$ 1-3 galactosyltransferase genomic sequence in its native state (i.e., within a chromosome).

The insertion cassette can include more than one polynucleotide for insertion and/or more than one region of homology to all or a portion of the  $\alpha$ 1-3 galactosyltransferase genomic sequence. Indeed, where the cassette includes a region for insertion, preferably it has at least two regions of homology flanking the region for insertion. Where more than one region of homology is present, whether adjacent to each other or flanking a region for insertion, the cassette can be used to replace any span of the target chromosomal genomic sequence that lies between the two homologous chromosomal regions. Where multiple regions of homology are present, they should generally be arrayed in the same 5' to 3' orientation relative to one another.

A region of homology can be homologous to any portion of the genomic sequence of an  $\alpha$ 1-3 galactosyltransferase gene or the antisense strand thereof. The region can be homologous to the gene of any desired species, such as those discussed above, and it can be homologous to an intron, an exon, a promoter sequence, or any other desired sequence from the genomic DNA. To this end, regions of homology can be selected from the promoter sequences disclosed in SEQ ID NOs:1-6. Alternatively (or additionally) a region of homology can be selected from a portion of the genomic sequence from an  $\alpha$ 1-3 galactosyltransferase homologue. In this light, some of the murine sequences have been published (see, e.g., Joziase et al., *J. Biol. Chem.*, 267, 5534-41 (1992)), and additional portions are set forth as SEQ ID NOs: 17-25. Portions of the porcine genomic sequence are disclosed herein as SEQ ID NOs: 7-16. Portions of the human  $\alpha$ 1,3 galactosyltransferase pseudogene genomic sequences are set forth at SEQ ID NOs: 35-42, and various (untranslated) human cDNA transcripts are set forth as SEQ ID NOs: 27-34, and those from Rhesus monkeys are set forth at SEQ ID NOs: 43-44. These sequences disclosed herein, as well as the published murine sequences, include the intron/exon boundaries from which one of skill in

the art can isolate additional intronic genomic sequences by techniques such as genome walking, 5' RACE, 3' RACE, etc.

A region of homology to the genomic sequence of an  $\alpha 1$ -3 galactosyltransferase gene need not be an exact complement to the genomic sequence; however, the region must be sufficiently homologous to the  $\alpha 1$ -3 galactosyltransferase gene to permit homologous recombination between the cassette and the genomic DNA *in vivo*. Indeed, in some embodiments (e.g., for introducing point mutations into the genomic sequence), a region of homology preferably contains some mismatched bases. Thus, typically, the region of homology will bear at least about 75 % homology to a portion of the  $\alpha 1$ -3 galactosyltransferase gene or its antisense strand (such as at least about 85 % homology to a portion of the  $\alpha 1$ -3 galactosyltransferase gene or its antisense strand), and more typically the region of homology will bear at least about 90 % homology to a portion of the  $\alpha 1$ -3 galactosyltransferase gene or its antisense strand (such as at least about 95 % or even at least about 97 % homology to a portion of the  $\alpha 1$ -3 galactosyltransferase gene or its antisense strand). Any commonly employed method (e.g., BLAST database searching) for calculating percent homology can be used to select a suitable region of homology. Similarly, while the length of the region of homology is not critical, it should be sufficiently long to facilitate homologous recombination between the cassette and the genomic DNA *in vivo*. Thus, typically the region of homology will be at least about 50 nucleotides long (such as at least about 75 or 100 bases long), and more typically it will be at least several hundred bases long (such as at least about 250, 500, or even 750 bases long). Indeed, in many applications, the region of homology preferably is several thousand bases long to maximize the likelihood of homologous recombination *in vivo*. The ideal length of a region of homology depends in part on the number of such regions within the cassette – where one or few regions of homology are present, they should be longer to facilitate recombination between the cassette and the genomic DNA; conversely, where the cassette contains several regions of homology, they can be shorter without reducing the likelihood of recombination events.

Where present within the cassette, a region for insertion can be or comprise any DNA which is desired to be introduced into the genomic sequence of an  $\alpha 1$ -3 galactosyltransferase gene. Thus, the region can comprise genetic regulatory elements (e.g., enhancers, promoters, repressors, etc., the sequences of which are known) or consensus binding sites for DNA-binding proteins (e.g., restriction endonucleases, transcription factors, etc.). In many applications, a region for

insertion can comprise a polynucleotide for expression, such as those set forth above, or even expression cassettes. A preferred polynucleotide for insertion is an expression cassette for expressing a positive marker flanked by FRT sites, thus facilitating the identification of chromosomes into which the polynucleotide for  
5 insertion has integrated as well as excision of the cassette.

The mutating cassette can be constructed by any desirable molecular techniques, and typically, the mutating cassette will be engineered within a vector, such as those set forth above. Typically, the vector is a gene transfer vector suitable for introducing the cassette into a host cell. In addition to the region(s) of  
10 homology and the polynucleotide for insertion elements, the mutating cassette can have other components, such as, for example, an expression cassette, a region of homology to other genes or chromosomal regions, a polyadenylation sequence, etc., and it is preferred that the insertion cassette comprises a cassette for expressing at least one marker gene (which may be or comprise the polynucleotide  
15 for insertion). Such a marker can be either positive (conferring a visible phenotype to the cells) or negative (killing cells or rendering non-recombinant cells growth-impaired), and both can be used in conjunction. Examples of such positive and negative selection markers are the neosporin resistance ( $neo^R$ ) gene, the hydromycin resistance ( $hyg^R$ ) gene, and a thymidine kinase gene (e.g., HSV  
20 tk); other suitable markers are known in the art (see, e.g., Mansour et al., *Nature*, 336, 348-52 (1988); McCarrick et al., *Transgen. Res.*, 2, 183-90 (1993)). A marker gene sequence can be bordered at both ends by FRT DNA elements, and/or with stop codons for each of the three putative reading frames being inserted 3' to the desired DNA sequence. Presence of the FRT elements permits the marker to  
25 be deleted from the targeted chromosome, and the stop codons ensure that the  $\alpha 1,3$  galactosyltransferase gene remains inactivated following deletion of the selectable marker, if inactivation is the desired result of the use of the mutating cassette. The relative orientations of the positive and negative selectable markers are not critical. However, where a positive marker is employed, it should be  
30 located between regions of homology, while any negative marker should be outside the regions of homology, either 5' or 3' to those regions.

In accordance with the inventive method, homologous recombination occurs between the  $\alpha 1-3$  galactosyltransferase genomic chromosomal DNA and the region (or regions) of homology in the mutating cassette. Where more than  
35 one region of homology is present in the cassette, any portion of the genome lying between the homologous target sequences is replaced by whatever sequence lies between the regions of homology in the cassette. Thus, where the mutating

cassette contains a region for insertion flanked by two regions of homology, it will be introduced into the genomic sequence adjacent to the sites of homology, replacing that portion of the genomic sequence. Of course, where the two flanking regions of homology are normally adjacent to each other in the chromosomal sequence, the region for insertion is introduced into the chromosome without replacing any native sequence. Similarly, where no region for insertion is present within the cassette, that portion of the chromosome lying between the two regions of homology in the cassette is deleted as a result of the recombination events. Where the cassette contains a region of homology that differs slightly from the homologous sequence within the genome, it can be employed to introduce point mutations into the genomic sequence.

While the recombination event can occur *in vitro*, typically such homologous recombination occurs within a host cell between an exogenous vector containing the cassette and a chromosome within the host cell containing an  $\alpha 1$ -3 galactosyltransferase genomic sequence. Thus, the present invention provides a cell harboring a mutating cassette, as described above. The vector can be introduced into the host cell by any appropriate method, such as set forth above. Commonly, however, the vector is introduced into small cells (e.g., embryonic stem cells) by electroporation and into large cells (e.g., ova or zygotes) by microinjection. Where microinjection is employed, the vector preferably is injected directly into a nucleus or pronucleus of the cell.

The last step in the method is to screen for successful recombination events. Any assay to detect such events can be employed in the context of the inventive method. In accordance with one such assay, chromosomal DNA is screened by PCR or Southern hybridization. For example, where the mutating cassette is designed to delete a portion of the  $\alpha 1$ -3 galactosyltransferase genomic sequence, the absence of signal using a probe or primer directed against the region to be deleted indicates a positive recombination event. Conversely, where the cassette includes a region for insertion, a positive result using a probe or primer directed against the region for insertion is indicative of a positive recombination event. Of course, the chromosomal DNA can be sequenced to confirm the correct insertion/deletion/replacement. Where recombination is directed within cells, the events can be screened by assaying for any markers present in the mutating cassette.

By employing the inventive method, one of skill in the art can use the inventive mutating cassette to introduce targeted deletions, insertions, or replacement mutations into any predefined site within the  $\alpha 1$ -3

galactosyltransferase genomic sequence. Any desired amount or portion of the gene can be thus deleted, which can lead to complete inactivation of the gene. For introducing inactivating mutations into the gene, preferably at least one region of homology is selected to recombine with the promoter (to inactivate it) or exons 4-9, which contain the coding sequences. Similarly, the inventive method can introduce functional expression cassettes in place of the  $\alpha$ 1-3 galactosyltransferase gene, which can be under the control of the native  $\alpha$ 1-3 galactosyltransferase promoter or an exogenous promoter within the cassette (especially where the native  $\alpha$ 1-3 galactosyltransferase promoter is destroyed). Thus, the present invention provides a recombinant chromosome containing such a mutation, and a recombinant cell comprising such a chromosome.

As mentioned above, the invention provides recombinant cells and chromosomes comprising a recombinant expression cassette comprising an  $\alpha$ 1-3 galactosyltransferase promoter or a mutating cassette, as described above. Indeed, as a result of using these reagents and methods, the invention also provides a cell having a mutant  $\alpha$ 1-3 galactosyltransferase genomic sequence, as described above. While any cell having such exogenous genetic sequences is within the scope of the invention, preferably the cells are suitable for constructing a recombinant animal, and are most preferably totipotent cells. Thus, preferred cells are embryonic stem (ES) cells, ova, primordial germ cells (PGCs), and zygotes. ES cells and PGCs are especially preferred because such cells can be obtained and cultured in relatively large numbers relative to ova and zygotes. Using such cells, a transgenic animal having an expression cassette comprising an  $\alpha$ 1-3 galactosyltransferase promoter or a disruption in this gene can be constructed by methods known in the art (see e.g., U.S. Patents 5,850,004 (MacMicking et al.), 5,942,435 (Wheeler), 5,523,226 (Wheeler), and 5,175,383; White et al., *Transplant. Int.*, 5, 648-50 (1992); McCurry et al., *Nat. Med.*, 1, 423-427 (1995); Hogan et al., *Manipulating the Mouse Embryo*, Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y. (1986); Hammer et al., *Nature*, 315, 680 (1985); Murray et al., *Reprod. Fert. Devl.*, 1, 147, (1989); Purselet et al., *Vet. Immunol. Histopath.*, 17, 303 (1987); Rexroad et al., *J. Reprod. Fert.*, 41, (suppl.), 119 (1990); Rexroad et al., *Molec. Reprod. Devl.*, 1, 164 (1989); Simonset al., *BioTechnology*, 6, 179 (1988); Vizeet al., *J. Cell. Sci.*, 90, 295 (1988); Wagner, J. *Cell. Biochem.*, 13B (suppl.), 164 (1989); Thomas et al., *Cell*, 51, 503 (1987); Capecchi, *Science*, 244, 1288 (1989); Joyner et al., *Nature*, 338, 153 (1989); Ausubelet al., *Cur. Prot. Mol. Biol.*, John Wiley & Sons (1987)).

Where ova and zygotes are employed, after the introduction of the cassette, they can be implanted into surrogate mothers to develop into adult animals.

Where ES cells or PGCs are employed, after the introduction of the cassette, they typically are further manipulated (e.g., by injection into a blastocyst or morula, co-culture with a zona pellucida-disrupted morula, fusion with an enucleated zygote, etc.) such that their mitotic descendants are found in a developing embryo. Such an embryo typically is a chimera composed of normal embryonic cells as well as mitotic descendants of the introduced ES cells or PGCs. Alternatively, the genome of an ES cell or PGC can be incorporated into an embryo by fusing the ES cell/PGC with an enucleated zygote to create a non-chimeric embryo in which all nuclei are mitotic descendants of the fused ES cell/PGC nucleus. In any event, to produce a transgenic animal, the embryo or zygote is implanted into a pseudopregnant animal, which, after suitable gestation, gives birth to an animal containing the mutant chromosome containing the cassette in its germ line (if a chimera) or possibly all of its cells. Of course, as mentioned above, where the animal is engineered to include a non-mutating expression cassette, it can be inherited as an extrachromosomal plasmid (Gassmann, M. et al., *supra*). However constructed, the presence of the recombinant allele can be confirmed by performing Northern hybridization or rt-PCR on RNA isolated from the animal in question.

After birth and sexual maturation, a chimeric animal can be mated to generate a heterozygous animal comprising a disrupted  $\alpha$ 1-3 galactosyltransferase gene or recombinant expression cassette (integrated or extrachromosomal) including a  $\alpha$ 1-3 galactosyltransferase promoter. Heterozygotes can be crossed to produce a homozygous strain. Such animals having a recombinant expression cassette including an  $\alpha$ 1-3 galactosyltransferase promoter, as discussed above, will express the polynucleotide for expression of such cassette within the same tissue types and with the same kinetics as a wild-type animal of the same species and strain expresses the  $\alpha$ 1-3 galactosyltransferase gene. Of course, homozygous transgenic animals of the present invention having a disruption in the  $\alpha$ 1-3 galactosyltransferase gene will produce altered forms of the protein or no functional protein at all. Desirably, the phenotype of such "knock out" animals relative to an animal having a wild type  $\alpha$ 1-3 galactosyltransferase gene is a markedly increased time of survival of cells isolated or derived from the transgenic animal in the presence of human serum, which can be assessed by any desired method (see, e.g., Osman et al., *Proc. Nat. Acad. Sci. (USA)*, 94, 14677-82 (1997)).

The inventive transgenic animals are useful for any use to which animals can be put, and they can be any desired species (e.g., pigs, cows, mice, cats, dogs, etc.). Transgenic mice in which a reporter gene is operably linked to the  $\alpha 1$ -3 galactosyltransferase promoter are valuable reagents for assessing the activity and specificity of the promoter. Transgenic livestock (e.g., pigs, cows, goats, and the like) having an inventive expression cassette in which a growth hormone is expressed under the control of the  $\alpha 1$ -3 galactosyltransferase promoter can be matured or bulked better than commonly employed strains. Tissue obtained from a transgenic animal according to the present invention can be implanted into a host according to standard surgical methods, and the invention concerns a method of xenotransplantation from a transgenic animal as described herein. The invention also provides a transgenic organ consisting essentially of transgenic cells engineered as described above (e.g., a lung, a heart, a liver, a pancreas, a stomach, an intestine, a kidney, a cornea, skin, etc.), particularly for use in the method of transplantation. The host can be any animal host, such as a pig, a dog, a cat, a cow, a goat, etc. Of course, the recipient can be a human as well, in which case the source animal preferably is a pig.

Transgenic animals lacking a functional  $\alpha 1$ -3 galactosyltransferase gene are attractive sources of organs and tissues for xenotransplantation into primates, especially humans, because the tissues of such animals lack the highly antigenic gal- $\alpha$ -gal epitope. Similarly, transgenic pigs having a recombinant expression cassette in which a coding sequence for Type I fucosyltransferase, a Type II fucosyltransferase (especially  $\alpha(1,2)$  fucosyltransferase), an  $\alpha 2$ -3 sialyltransferase, or an  $\alpha 2$ -6 sialyltransferase is operably linked to the  $\alpha 1$ -3 galactosyltransferase promoter also are suitable sources of xenotransplantation tissues, as these encoded enzymes compete for the same substrate as  $\alpha 1$ -3 galactosyltransferase, and their presence can reduce (preferably below an antigenic threshold) the gal- $\alpha$ -gal antigens in tissues derived from such animals. Indeed,  $\alpha(1,2)$  fucosyltransferase converts this substrate into the universally-tolerated H antigen (i.e., the "O" blood-type antigen) and also blocks the addition of the  $\alpha 1,3$  gal moiety. As such, a gene encoding  $\alpha(1,2)$  fucosyltransferase is an especially preferred polynucleotide for expression to be included within the inventive recombinant expression cassette. A preferred source animal for xenotransplantation tissues (and by extension the tissues themselves) preferably contains a disruption in the  $\alpha 1$ -3 galactosyltransferase gene as well as having a recombinant expression cassette in which a coding sequence for Type I fucosyltransferase, a Type II fucosyltransferase (especially  $\alpha(1,2)$

fucosyltransferase), an  $\alpha$  2-3 sialyltransferase, or an  $\alpha$  2-6 sialyltransferase is operably linked to the  $\alpha$ 1-3 galactosyltransferase promoter. More preferably, the animal contains a disruption in the native promoter of  $\alpha$ 1-3 galactosyltransferase and an  $\alpha$ (1,2) fucosyltransferase coding sequence under the control of its own  
5 promoter. Most preferably, the source animal also expresses exogenous human complement regulatory proteins, as discussed above, to further minimize host resistance of the xenograft tissue.

It will be apparent that a transgenic animal created in accordance with the invention can have the exogenous gene cloned in place of the native  $\alpha$ 1,3  
10 galactosyltransferase gene (i.e., a "knock-in" approach). Indeed, in many embedment such a "knock-in" approach is preferable, for example to avoid the potential of the development of congenital cataracts in purely "knock-out" animals (e.g., as a result of opportunistic infections of microbes bearing the gal- $\alpha$ -gal motif). Indeed, such an approach can afford a safe alternative to broadband  
15 antibiotics in livestock and pets, a current public health concern. In this respect, the invention can be employed to create heartier and healthier livestock and pets.

While one of skill in the art is fully able to practice the instant invention upon reading the foregoing detailed descriptions, in conjunction with the drawing and the sequence listing, the following examples will help elucidate some of its  
20 features. In particular, these examples indicate how the genomic structure of the porcine  $\alpha$ 1-3 galactosyltransferase gene is elucidated, and how the identity and activity of the  $\alpha$ 1-3 Galactosyltransferase promoter is assessed. As these examples are presented for purely illustrative purposes, they should not be used to construe the scope of the invention in a limited manner, but rather should be seen  
25 as expanding upon the foregoing description of the invention as a whole.

Many experiments described in these examples employed well known techniques and reagents (see, e.g., Sambrook et al., *Molecular Cloning: A Laboratory Manual*, 2d edition, Cold Spring Harbor Press (1989)). Accordingly, in the interest of brevity, the examples do not present the experimental protocols in  
30 detail. In the experiments, enzymatic isolation and culture of porcine aortic endothelial cells (PAEC) was performed. PAEC were maintained in Dulbecco's modified essential medium (DMEM) supplemented with 10% fetal bovine serum (FBS), 10,000 units of Heparin (ELKINS-SINN, Inc., Cherry Hill, NJ), 15 mg of endothelium growth supplement (Collaborative Biomedical Product Inc., Bedford,  
35 MA), L-glutamine, and penicillin-streptomycin. RNA was obtained from the organs of pigs (Brain, Heart, Spleen, Gut, and Thymus) and PAEC using Trizol reagent



(Gibco Ltd.,). Primers used to clone and identify regions of the porcine, murine, human, and Rhesus monkey genes are set forth at SEQ ID NOs: 45-96.

### Example 1

5           This example describes the identification of the 5' untranslated region and genomic structure of the porcine  $\alpha$ 1-3 galactosyltransferase gene.

          A comparison of published sequences for the  $\alpha$ 1-3 galactosyltransferase cDNA (Hoopes et al., *supra*, Katayama et al., *supra*; Sandrin et al., *supra*; and Strahan et al., *supra*) revealed a divergence in the 5' boundary. Some of these  
10 cDNA contain putative 5' untranslated sequences that bear a high (> 70 %) homology to murine sequences identified as the second exon, and it was hypothesized that this region is conserved as an exon in the porcine genome as well.

          Further 5' sequence was cloned using 5' RACE, and the putative  
15 transcription initiation site was probed by S1 protection assay, using standard protocols. Briefly, a plasmid containing the upstream genomic sequence was digested with restriction enzyme, Pml I, and linearized. The DNA was phosphorylated with shrimp alkaline phosphatase, heated to inactivate the enzyme, and then precipitated with ethanol. The linearized plasmid was digested again  
20 with Bgl II to yield a probe fragment, which was then end-labeled with  $\gamma$ -<sup>32</sup>P-ATP.

          The probe was purified using G-25 sephadex, and about 16  $\mu$ l was mixed with 20  $\mu$ g of total RNA from pig aortic endothelial cells (PAEC), pig brain, and yeast (control), and the aliquots were coprecipitated using NH<sub>4</sub>OAc and ethanol. Pellets were resuspended in a standard hybridization buffer, heated to 95 °C for 3-  
25 4 minutes, and then incubated at 42 °C overnight.

          After incubation, the yeast sample was split into two aliquots, and to each was added a standard S1 nuclease buffer. S1 nuclease was added to one aliquot, while the other did not receive the enzyme. The PAEC and brain samples each received the enzyme and the buffer. All samples were incubated for 30 minutes at  
30 37 °C, after which the reactions were stopped by the addition of a standard S1 inactivation buffer. Following the reaction, the samples were then precipitated, resuspended in 5  $\mu$ l of a standard gel loading buffer, and resolved using a 6% denaturing polyacrylamide gel.

          The data revealed at least 8 separate alternatively spliced transcripts from  
35 PAEC, and additional splicing patterns from brain transcripts. Analysis of these sequences revealed three potential upstream exons (1, 1A, and 2), the boundaries of which comply with the AG-GT consensus, and six coding exons (4-9) also were

identified, which agreed with published results. Interestingly, the pig sequence seemingly lacks upstream exon 3 of the mouse 5' untranslated region. The overall organization of the pig genome is depicted in Figure 1. Alternatively spliced forms isolated from PAED are indicated in Figures 1B through 1I. Exon 1A is  
5 observed in transcripts isolated from brain tissue.

As mentioned, the transcripts obtained from PAEC and brain revealed several alternative splicing patterns. Using the genomic clone, intronic sequences were identified by "gene walking" using the method and reagents supplied with the UNIVERSAL GENEOMEWALKER™ KIT (Clontech Labs., Inc.). Primers  
10 (Seq ID NOs:41-56) were designed to hybridize with the cDNA, and also to the adapter sequence supplied with the Clontech kit. A series of nested PCR reactions was then performed to clone SEQ ID NOs:7-16, which were sequenced. From these results, the intron/exon boundaries were elucidated.

Summing the nucleotides of all identified exons predicts a transcript of  
15 about 3.8 kb. This prediction was assessed by Northern analysis. 20 µg of total RNA from PAEC, and pig brain, heart, spleen, gut, and thymus, were respectively separated on formamide agarose gels, and electrotransferred onto nylon membrane. The blots were hybridized with radiolabeled probes ( $2.5-4.0 \times 10^4$  cpm/ml) specific for pig GT exon 1 and exon 9 identified. The blots were exposed  
20 to Bio-MAX films (Eastman Kodak Co., Rochester, NY) for 6 days with intensifying screen. The results revealed primary transcripts of between 3.5-3.8 kb, in accordance with the predicted size and the published size for the bovine transcript.

## 25 Example 2

This example describes the identification of the 5' untranslated region and organization of the murine  $\alpha$ 1-3 galactosyltransferase gene.

To identify the 5' and 3' ends of  $\alpha$ 1,3GT gene transcripts, 5'- and 3'- RACE procedures were performed using the Marathon cDNA Amplification Kit  
30 (Clontech) with the spleen poly A<sup>+</sup> RNA of Balb/C adult male as template. To identify exon-intron boundaries or 5'- and 3'-flanking region of the transcripts, Murine GenomeWalker libraries were constructed using the Universal GenomeWalker Library Kit (Clontech) with Balb/C genomic DNA.

The results of these experiments revealed several genomic sequences,  
35 which are set forth at SEQ ID NOs: 17-25. The deduced 5' untranslated nucleotide sequences are longer by 56 bp than previously reported (Joziassse et al., *J. Biol. Chem.*, 267, 5534-41 (1992)). The relative intensity of Luciferase activity

by the pGL3/1280 construct was 15-fold higher than that of pGL3-Basic. The 3'-RACE revealed an extended 3'-UTR sequence 30 bp more than previously reported (*Id.*), but no other 3' UTR exon usage. The overall length of the transcript was 2586 bp, 89 bp longer than previously reported (*Id.*).

- 5           An overall comparison of 5'-UTR of cDNA sequences of the porcine (747 bp) and murine (492 bp)  $\alpha$ 1,3GT gene indicates that the homology is observed only in the region of exon 2 (71.7%). Exon 3 observed in mice is not observed in the pig. Murine exon 1 shows no homology with porcine exon 1.

### 10   **Example 3**

This example describes the identification of the organization of the human and Rhesus monkey  $\alpha$ 1-3 galactosyltransferase untranslated pseudogene.

- Working from published partial sequence of the human  $\alpha$  1,3 GT ninth exon, primers were designed to identify the start and end of the gene by 5'-RACE,  
15   3'RACE and rtPCR, as described above. Several alternate transcripts were identified, and these are set forth as SEQ ID NOs:27-34. The sequences were compared to those of other species employing a formula based on the consensus motif of the splicing acceptor junction: total number of pyrimidines plus 1 (for a branched A) among forty nucleotides per junction. Intron exon boundaries were  
20   confirmed as discussed above (see SEQ ID NOs: 35-42). The organization of the alternative splicing patterns observed is indicated in Figure 3.

- Using similar techniques, primers were designed based on a partial published sequence (Genbank Accession No. M73306) having homology to exon 9. Initially, 3'RACE showed only poly-A tails, evidence that transcripts exist. 5'-  
25   RACE results revealed sequences of high homology to those  $\alpha$ 1,3 sequences previously identified (e.g., porcine, bovine and murine), consistent with the identity of the sequence as the Rhesus pseudogene. The sequence of the Rhesus monkey transcripts are set forth at SEQ ID NOs: 43 and 44.

### 30   **Example 4**

This example describes the identification of the porcine, murine, and bovine  $\alpha$ 1-3 galactosyltransferase promoters.

- Using PCR and restriction digestions, various sized fragments between nucleotides 1981 and 2992 of SEQ ID NO:7 (porcine) and between nucleotides  
35   375 and 1325 (murine) were generated. The fragments were cloned into a plasmid such that they were operably linked to a luciferase coding sequence. PAEC were then transfected with these constructs and probed for luciferase activity, along

with a positive and a negative (no promoter) control. All fragments exhibited significantly greater promoter activity over the negative control (between about 15% and 90 % relative light units, as compared to the positive control, the negative control exhibiting no luciferase activity). These results indicate that the regions are promoters and that the 5'-RACE results discussed in Examples 1 and 2 most likely represent the potential transcription initiation site (TIS). Moreover, sequence analysis of these regions reveals the presence of at least 8 SP1 or GC boxes within it and potentially seven AP-2 consensus binding motifs see also Figure 2). This suggests that the gene may contain alternative start sites, and that sequences within exon 1 may also contain promoter activity. Other sequences from which  $\alpha$  1,3 GT promoters can be derived are set forth as SEQ ID NOs:1-6.

All of the references cited herein, including patents, patent applications, and publications, are hereby incorporated in their entireties by reference.

While this invention has been described with an emphasis upon preferred embodiments and illustrative examples, it will be obvious to those of ordinary skill in the art that variations of the preferred embodiments may be used and that it is intended that the invention may be practiced otherwise than as specifically described herein. Accordingly, this invention includes all modifications encompassed within the spirit and scope of the invention as defined by the following claims.

## WHAT IS CLAIMED IS:

1. A recombinant expression cassette comprising an  $\alpha$ 1-3 galactosyltransferase promoter operably linked to a polynucleotide for expression, other than a polynucleotide encoding  $\alpha$ 1-3 galactosyltransferase.
- 5        2. The recombinant expression cassette of claim 1, wherein said promoter is derived from the bovine, porcine, or murine  $\alpha$ 1-3 galactosyltransferase genes.
3. The recombinant expression cassette of claim 1 or 2, wherein said promoter comprises any of SEQ ID Nos:1-6.
4. The recombinant expression cassette of any of claims 1-3, wherein said  
10 promoter comprises an active derivative of any of SEQ ID Nos:1-6.
5. The recombinant expression cassette of any of claims 1-4, wherein said polynucleotide for expression encodes an antisense RNA molecule or a ribozyme.
6. The recombinant expression cassette of any of claims 1-5, wherein said polynucleotide for expression encodes a protein.
- 15        7. The recombinant expression cassette of claim 6, wherein said protein is a fucosyltransferase, a galactosyltransferase, a  $\beta$ -acetylgalactosaminyltransferase, an N-acetylglycosaminyltransferase, an N-acetylglucosaminyltransferase, a sialyltransferase, or a sulfotransferase.
8. The recombinant expression cassette of claim 6, wherein said protein is a  
20 Type I fucosyltransferase, a Type II fucosyltransferase, an  $\alpha$  2-3 sialyltransferase, or an  $\alpha$  2-6 sialyltransferase.
9. The recombinant expression cassette of any of claims 6-8, wherein said polynucleotide for expression is heterogenic to said promoter.
10. The recombinant expression cassette of claim 9, wherein said  
25 polynucleotide for expression is human and wherein said promoter is porcine.
11. The recombinant expression cassette of any of claims 6-8, wherein said polynucleotide for expression is a cDNA.
12. The recombinant expression cassette of any of claims 6-8, wherein said polynucleotide for expression is genomic DNA.
- 30        13. A recombinant mutating cassette comprising a first region of homology to an  $\alpha$ 1-3 galactosyltransferase genomic sequence adjacent to either a second region of homology to said  $\alpha$ 1-3 galactosyltransferase genomic sequence or a polynucleotide for insertion.
14. The recombinant mutating cassette of claim 13, comprising first and  
35 second regions of homology to an  $\alpha$ 1-3 galactosyltransferase genomic sequence flanking a polynucleotide for insertion.

15. The recombinant mutating cassette of claim 13 or 14, wherein a region of homology is homologous to an exon, an intron, or a promoter of said  $\alpha$ 1-3 galactosyltransferase genomic sequence.

16. The recombinant mutating cassette of any of claims 13-15, wherein a  
5 region of homology is homologous to all or a portion of any one of SEQ ID NOs: 1-42.

17. The recombinant mutating cassette of any of claims 13-16, wherein said polynucleotide for insertion comprises an expression cassette.

18. The recombinant mutating cassette of claim 17, wherein said  
10 expression cassette encodes a marker.

19. A vector comprising the recombinant cassette of any of claims 1-18.

20. The vector of claim 19, which is an oligonucleotide, a plasmid, a cosmid, or a virus.

21. A transgenic cell harboring the vector of claim 19 or 20.

22. A chromosome comprising the recombinant expression cassette of any  
15 of claims 1-18.

23. A transgenic cell harboring the chromosome of claim 22.

24. The transgenic cell of claim 23, wherein said  $\alpha$ 1-3 galactosyltransferase promoter is native to said cell.

25. The transgenic cell of claim 23 or 24, wherein said polynucleotide for  
20 expression displaces a native polynucleotide encoding  $\alpha$ 1-3 galactosyltransferase.

26. The transgenic cell of claim 23 or 24, wherein said polynucleotide for expression is cloned between said promoter and a native polynucleotide encoding  $\alpha$ 1-3 galactosyltransferase.

27. The transgenic cell of claim 26, wherein said polynucleotide for  
25 expression comprises a stop codon.

28. The transgenic cell of any of claims 21, or 23-27, which is an embryonic stem cell, an ovum, a primordial germ cell, a spermatozoon, or a zygote.

29. The transgenic cell of any of claims 21, or 23-27, which expresses said  
30 polynucleotide for expression.

30. The cell of claim 29, wherein said polynucleotide for expression encodes a Type I fucosyltransferase, a Type II fucosyltransferase, an  $\alpha$  2-3 sialyltransferase, or an  $\alpha$  2-6 sialyltransferase, and wherein said cell produces said  
35 protein.

31. The transgenic cell of any of claims 21 or 23-30, wherein said cell produces a heterogenic complement regulatory protein (CRP).

32. The transgenic cell of claim 31, wherein said CRP is human and wherein said cell is nonhuman.

33. An embryo consisting essentially of transgenic cells according to any of claims 21 or 23-32.

5        34. An organ consisting essentially of transgenic cells according to any of claims 21 or 23-32.

35. The organ of claim 34, which is a lung, a heart, a liver, a pancreas, a stomach, an intestine, a kidney, or skin.

10       36. A transgenic animal consisting essentially of transgenic cells according to any of claims 21 or 23-32.

37. The transgenic animal of claim 30, which is a cattle, a mouse, a pig, a cat or a dog.

15       38. A transgenic knockout animal comprising a homozygous disruption in an endogenous  $\alpha$ 1-3 galactosyltransferase gene, wherein said disruption prevents the expression of a functional  $\alpha$ 1-3 galactosyltransferase protein.

39. The transgenic knockout animal of claim 38, wherein cells isolated from said knockout animal exhibit an increased time of survival in the presence of human serum relative to comparable cells isolated from an animal having a wild type  $\alpha$ 1-3 galactosyltransferase gene.


20       40. The transgenic knockout animal of claim 38 or 39, wherein the insertion replaces DNA at the start of the coding region of said  $\alpha$ 1-3 galactosyltransferase protein.

41. The transgenic knockout animal of claim 38 or 39, wherein the insertion replaces the promoter of said wild type  $\alpha$ 1-3 galactosyltransferase gene.

25       42. The transgenic knockout animal of any of claims 38-41, which produces at least one human protein selected from the group of proteins consisting of  $\alpha$ 1-3 galactosyltransferase,  $\alpha$ (1,2) fucosyltransferase, and complement regulatory proteins.


30       43. The transgenic knockout animal of any of claim 38-42, which is a pig.

1 / 4





2 / 4



SUBSTITUTE SHEET (RULE 26)

HNFB  
 ttgtcacactgggcactaaagcaccaactctgaaataataatttttgattatgttcctcctaaataactaaagcacaaactctgaaata  
Oct-1  
NFAT  
 taattttcgtttacgttctctccctctactaataattccagcagagaacagagcccgccagggtgtccagtaccagccctcatatccc  
Oct-1  
 aagctcaggactgggggttcgggagagagcggctccagcgctcggtttagctactgcatctgtgtctcttccccaggaaaca  
Xk  
 aatggtgatcggaacctccaggctcttcgcccccgccacccctccccgtgtagcaggGCGCAGGGCTCCGGGCCCTCCCTGCAGT  
NF1  
SPI1/GC-box  
 +554  
 +541  
SPI1/GC-box  
NFAT  
Xh  
 ACTGGGTGATAGACCCCACTCCACCCCTCCGGGTCCCTCCACCCCACTGCGAGGCCAGAGAAGGCAAGAGGCCAGCCCTCAC  
GATA-box  
NFAT  
 CAGGGAAATTCTTTTCTTTTCTGCTGTTTCAGGCTTTTCTGCTGAGTGAAATGAACAACACCCCTCGCCCTCCCGGCCACC  
NFB  
HNFB  
 +271  
 AGACACACACGGCACCGGCACTCGGCACTCGGCCCTCGGCTCCTAGCGGCCGTGTCTGGGGCGGACCCGCTCTGCACAAACAGCC  
AP2  
AP2  
SPI1/GC-box  
 +181  
 GCGGGCCGGTGGAGCGGGAGCTCGCGCCCGCCAGTCCCGCGGCTTCTCGCGCCCTGCCCCCAACCCCGGAGGACAC  
SPI1/GC-box  
SPI1  
AP2  
NFB  
 +91  
 AGCGCGCGCGGGCGGAGCGGAGCGGCACACCCCGCCCGGCGCGGCTCGCGAGCTCAGGAGCAGCGCGCGGCACTGTTCCTCA  
AP2  
SPI1/GC-box  
 +1  
 GCGGAGGACGCGCGGGGGGGAGCGGAGGTGTGGGCCATCCCCGAGCGCCACCCAGCTTCTGCCGATCAGgtgggtcccgctgggc  
AP2  
NFB

265

4 / 4

Schematic genomic organization of human  $\alpha 1, 3$ GT gene




FIG. 3

## SEQUENCE LISTING

<110> University of Pittsburgh of the Commonwealth System of Higher Education

Koike, Chihiro

<120> alpha 1,3-galactosyltransferase gene and promoter

<130> 206780

<150> US 60/227,951

<151> 2000-09-25

<150> US 60/161,092

<151> 1999-10-22

<160> 96

<170> PatentIn version 3.0

<210> 1

<211> 1117

<212> DNA

<213> Sus scrofa

<400> 1

agatctctgt tcttttcaaa tcaggatgaa acagttaaaa ttatacatca cactcaggtt	60
ctgtgccatt ttcatgtcac aattccaatg ccttaaaata ttaagaaac taattttctta	120
gtctctgaag tcccgtggtg aatgatcctg gcaaaagcaa gttctgaatt ttgcagcagt	180
aaaatagatg gtccgggacc ccaaggagtc ttgtaaaggc tgagtgaggg cagccggatg	240
tgcttacacc agtcatcag aagtgaactg ttgtcacact gggcactaaa gcaccaactc	300
tgaaatataa tttttgatta tgttcctcc taaaataact aaagcacaaa ctctgaaata	360

taatttttcgt ttacgtttctc tccctctact aatattccag cagagaacag agcccgcgcc 420  
 aggtgtccag taccagccc ctcatatccg aagctcagga cttggggggtt tcgggagaga 480  
 gcggctccag cgcgtcgggt tgtagctact gcatctgtgc tcttcttcc ccaggaaaca 540  
 aatggtggat cggacctccc aggtctctcg cgcgccgcca cccctccccg tgtagcagg 600  
 gcgcagggct ccggggcccc tccctgcagt actgggtgat agacccact ccacctccg 660  
 ggctcccca cccccaccac gtgcaggcca gagaaggcaa agaggcccag ccacctcac 720  
 cagggaattt cttttctttt ttgctggtt tcaggctttt ttctgcctga gtgaaaatga 780  
 aacaaacacc ccctgcgct cccggccacc agacacacac gcgcaccggc actcgcgcac 840  
 tcgcgcctc ggctcctag cggcgtgtc tggggcgga cccgtctgc acaaacagcc 900  
 gcgggccggg tggagcggg agctgcgcgc ccgccgcca gtgccgcgc gcttctcgc 960  
 gccctgccc gccaccccg aggagcacac agcggccggc gggccggagc gcaggcggca 1020  
 caccgcgcc cggcacgcc tgccgagctc aggagcacgc cgcgcgccac tgttccctca 1080  
 gccgaggacg ccgccgggg gccgggagcc gaggtgt 1117

<210> 2

<211> 900

<212> DNA

<213> Sus scrofa

<400> 2

ttgtcacact gggcactaaa gcaccaactc tgaaatataa tttttgatta tgttccctcc 60  
 taaaataact aaagcacaaa ctctgaaata taattttcgt ttacgtttctc tccctctact 120  
 aatattccag cagagaacag agcccgcgcc aggtgtccag taccagccc ctcatatccg 180

aagctcagga cttggggggt tcgggagaga gcggctccag cgcgtcgggt tgtagctact 240  
gcatctgtgc tcttccttcc ccaggaaaca aatgggtgat cggacctccc aggctcttcg 300  
cgccccgcca cccctccccg tgtagcagg gcgcagggct ccggggcccc tccctgcagt 360  
actgggtgat agacccact ccacctccg ggtccctcca cccccaccac gtgcaggcca 420  
gagaaggcaa agaggcccag ccacctcac cagggaattt cttttctttt ttgctggtt 480  
tcaggctttt ttctgcctga gtgaaaatga aacaaacacc ccctgcgcct cccggccacc 540  
agacacacac gcgcaccggc actcgcgcac tcgcgccctc ggctcctag cggccgtgtc 600  
tggggcggga cccgctctgc acaaacagcc gcgggccggg tggagcggg agctcgccgc 660  
ccgcccacca gtgcccgcg gtttctctgc gcccctgcc gccaccccg aggagcacac 720  
agcggccggc gggccggagc gcaggcggca caccgccccc cggcacgccc tgccgagctc 780  
aggagcacgc cgcgcgccac tgttccctca gccgaggacg ccgcccgggg gccgggagcc 840  
gaggtgtggg ccacccccga gcgcaccag cttctgccga tcaggtgggt cccgctgggc 900

<210> 3

<211> 1938

<212> DNA

<213> Sus scrofa

<400> 3

gaggaagggc aacatcagac ccaatggttc ctagtcagat ttgttaacca ctgagcctcg 60  
atgggaactc ctgggtgctt gtttcttgaa aggaccagtt tatcttagcc cagttcctga 120  
gcctccaaat gctgtgaact ttccctccca gttgaccaca gtccagctgc ctgcatcatt 180

taatgtgaaa gatcttcctt gagtccgtac ttaggtgctc tgtggtgctt ggtattgggg 240

cgttgaaccc aagagaagga aaaaacgggg tctatccacg accctgtggc cctgagaccc 300

tgtagactca ggggaagtca gaattcccaa gagaaggcag cttccagcag gaagatttct 360

gtgcatcttt gtttttaaca cacacactga aagggaatgt ttgtgaggca ttttcccaag 420

gtggacacac ctgcataacc actacctggc tcgagaaaca acatgacaag cccccccccc 480

tccccagca gctctctgag cctccccttc ccagtctcta ccactccac tctgacttct 540

ggcaccacag attgggtttg tctttttttt ttttttgtct ttttagggct acacttgggg 600

catatggaag ttcccaggct aggggtccaa ttggagctgt ggctgttggc ctacaccaca 660

gccacagcaa catgggatcc gagccgcac tgcaacctac accacagctg gtggcaatac 720

tggatcctta acccactgag tgaggccagg gatcgaaactt gcattctcgt acatactggt 780

cagatttggt tctgctgagc caccatggga actccctggt tttgtctatt tttttttttt 840

tttttgtctt ttttgccatt tcttgggccg ctcttgccgc atatggaggt tcccaggcta 900

agggccaat cggagccgta gcccagcct acgccagagc cacagcaacg tgggatccga 960

gccgagtctg caacctacac cacagctcgc ggcaacgcca gatcccttaa cccactgagc 1020

aaggccaggg accgaacccg caacctcatg gttcttagtc ggattcgta accactgcgc 1080

cacgacggga actcccgtt ttgtctattt ttgaacgtta aataaatgca agcatccagg 1140

gctgctttga ctcagtacca tgtgtgagat ttaccctggt gatgtcagca gctgtggctg 1200

gttccttctc acggatgtgt gtgacctca cctggaccac acctgatctg gctgatgatg 1260

ggccttgggg tttttccagc ttttggccc aggtcacgctc tctgtttgaa cttaaagtca 1320

cttgctttca ggtattaatc tggggcggaa tgactggaac atgagggtgtg gttgggttcag 1380  
ctttagtaca tgccagcagg gaggatttca gtagtttatt aagcagatct tgaagactgt 1440  
ggtcaactag ctcatgcccc acaggagggg gcggtgaatt tcttccccag aacaggagtgt 1500  
acaagctaaa ttaggcatcc atccgctgga agctgagggg gcagttcttg gctcctttct 1560  
gtcaggtttc ggccccttct ccttagtctg gggtttctag gctctactcc caggaagtgt 1620  
ctggggccac ttgggaacaa tgggtggggg ggctctgagc ccctacttac ttcatttccc 1680  
tccttcagcc aaagccccct gtgtcctctg ttttacatag tggggttctg agaatgactt 1740  
catttttttt tttttttttt ttaaagcttt agctgttgcg acattttaca atccactgct 1800  
gtgagggtctc ttccaggtag gaaattgtat tttgggagca ggagggtgggt gtggggaggg 1860  
ttaagcatta ttcagccaaa gagttgggtt gggcctcagt gaccttttga agttcttata 1920  
gcttgggttg ccatgcag 1938

<210> 4

<211> 820

<212> DNA

<213> Mus musculus

<400> 4

actaaccagt gagtgtagaa agcaggaggt gtcttttcct actgtagtta ggacagggcg 60  
ggttggctct tcttatggac aagatggaaa aggggtgcag gtaggggcaa agtgagagac 120  
actcgaattt gagagacaga cagactccta acagtgaagg aaggaccaag ccaaaatcaa 180  
gcctgggcaa agtctcaggc actaactttg ctgtgttggg tgatgggagg taatctcgtc 240  
acaacttttc aaaccacctc gttccactg caaggagaca ccatcaagtg tttgaagatg 300



gcaggggaac ctctcaacaa aacacacaca caaacgtttt attattttat atttattttg 360  
catgcaaagt actgtgtttc attatggcat ttccatacat atgcgattgc acaaactctt 420  
gaaaatcatc caagaaacag caaagcggga aataatgttg tggggggggg gcgcggagga 480  
gagagaacag agactggaga gagtgtgtc ctccttgctg cggggggccag gaagaggcta 540  
ggagggcggg gatgtcaacg ccactagctc ctccctcagg aaggaccca gggactctta 600  
ttttttagt tttgcttgct tgggccacta tcggccccag aacagatctg actgcctctt 660  
tcattcgccc ggaggtagat aggtgtgtct taggaggctg gagattctgg gtggagccct 720  
agccctgcct tttcttagct ggctgacacc ttcccttgta gactcttctt ggaatgagaa 780  
gtaccgattc tgctgaagac ctgcgctct caggctctgg 820

<210> 5

<211> 930

<212> DNA

<213> Mus musculus

<400> 5

tgacactgaa gccacgcggg ggcttcagtg gggaggagggt gtgggcgagc gcgagcgccg 60  
ctattccggc ccagccctac ctcggtcctt gcttttgtcc tggtcactcg atcatttcct 120  
ctgtatccac ttctgaactc taggctctgt cccaccctga acagtgtcgc tgcattctgt 180  
tgcttactgg ggtctccgc caccttcct cgctatccga atagctgata ttcagggcag 240  
cacagggcag ggcagggcag ggcagggcga gtagggcaga tcagatcctg ggaccaccgg 300  
tactaaccag tgagtgtaga aagcaggagg tgtcttttcc tactgtagtt aggacagggc 360

gggttggtc ttcttatgga caagatggaa aaggggtgca ggtaggggca aagtgagaga 420  
cactcgaatt tgagagacag acagactcct aacagtgaag gaaggaccaa gccaaaatca 480  
agcctgggca aagtctcagg cactaacttt gctgtgttgg gtgatgggag gtaatctcgt 540  
cacaactttt caaaccacct cgttcccact gcaaggagac accatcaagt gtttgaagat 600  
ggcaggggaa cctctcaaca aaacacacac acaaacgttt tattatttta tatttatttt 660  
gcatgcaaag tactgtgttt cattatggca ttttcataca tatgcgattg cacaaactct 720  
tgaaaatcat ccaagaaaca gcaaagcggg aaataatgtt gtgggggggg ggcgcggagg 780  
agagagaaca gagactggag agagtgtgt cctccttgct gcggggggcca ggaagaggct 840  
aggagggcgg ggatgtcaac gccactagct cctccctcag gaaggacccc agggactctt 900  
atttttgtag ttttgcttgt ctgggccact 930

&lt;210&gt; 6

&lt;211&gt; 501

&lt;212&gt; DNA

&lt;213&gt;.. bovine

&lt;400&gt; 6

cctccctgtc catcaccaac tcccgagct cactcagact catgtccatc gagtcggtga 60  
tgccatccag ccattctatc ctctgtcgtc gccttctcct cttgtcccca atccgcaca 120  
gcatcagagt cttttcaat gagtcaactc ttcgcatggg gtggccaaag tactggagtt 180  
tcagcttttag catcatcccc tccaaagaaa tcccagcggc cgagtccggg gcgggacccg 240  
ctctgcacaa acaccggggg ccggggccgag ctgggagcgt cgagcccgt gccagcgcc 300  
cgccggctcc ctgcgcccc tgcccgcgc cccggaggag cgcccgcgcg ccggccgacg 360

ggagcgcagc ggcacacccc gccccggcac gcccgcgggg ctcgaggagga ggcagcgcgc 420  
cgactgttcc ggcagccgag gacgccgccg gggagccgag gcgccggcca gccccagcg 480  
cgcccagctt ctgcggatca g 501

<210> 7

<211> 3976

<212> DNA

<213> Sus scrofa

<220>

<221> misc\_feature

<222> (580)..(580)

<223> "n" is a gap of from about 600 to about 800 nucleotides

<220>

<221> promoter

<222> (1863)..(2992)

<223> fragments and derivatives of this region have promoter activity.

<220>

<221> 5'UTR

<222> (2463)..(3016)

<223> Untranslated exon 1 runs from about nucleotide 2436 to about nucleotide 3016

<220>

<221> Intron

<222> (1)..(2462)

<220>

<221> Intron

&lt;222&gt; (3017)..(3976)

&lt;400&gt; 7

aggcctaaac ctagaactcc tgaccctgaa gctaaggaat ataatcttga aggtgttttc	60
cagtcagtag aataacacag agtttccaca catgcgtggg tctctttcta ggttgcttat	120
tctgttccat tggccaata aaccatcctg ggcctaagc tatactgagt tcaactgcgtt	180
tcatggtctg tcttggtatc tgggtgaaca agagcccaac tctccctcc ctgctttgtc	240
aagactgcct tgggttatatc tggcccttc ccgctgctgt ccaaatttta agaatactg	300
gccaagctcc cccaaaactc tgttggtatt tgtcttgagt ttataggttg atgcatggag	360
aattgttgcc ttcgtgatgc tgatgctttc cagtgtcac tcgggggtct ctttcttcc	420
acctaagac ttctgcacat ggttctgctt gggctactct tcccaagcc ttcacctagt	480
gaactcctcc tctcctggt ctcagggctt cctgcaccct tatttcttcc ttagagccct	540
gatcacaatg gtctgaaat cactcattgc gtgggtcttn gtgacagata gtaggtccca	600
gtaaatatct gttaaaagaa tgaaggaagt ttaggttaga aggtcttcgg gacctggagc	660
accttgcca tagttagagg gatggtgacc agaggtactt aacttgctg tgccttggt	720
ttcttctac aaaaccgga tgtgatcaga atgtgtataa gatgaagtga gctcagctag	780
gccgtgaggc aagtggagca aagcctggca agggatcaga gctacttggt tacctgcct	840
gcccttctgc tcagtgaatc ttcagtctg cactcctgtg atgctcctgg aggtccaac	900
actctttccc cagcagtgat ccgctcttga ctccacctct cctatgaact agtcacctta	960
tttctactca gcatatgaca caaatgagtc tcaggaagaa tgactcataa ggccttaaac	1020
ctagaactcc tgaccctgaa gctaaggaat ataatcttga aggtgttttc cagtcagtag	1080

aattgctagt tagatttggg gagctacata gttctcaaaa gaaaacaaaa cttccggacc 1140  
cgccgtgtta atttgaatta tttttatctt attgttactg aaataggtat aaacctagaa 1200  
ctaagaatga agtcctcatg ctccctagctc tgcacaccta ccatgatacc aaagcaaadc 1260  
ttttaagtag gtgcaattac agccacaaaa ccaataaaat ccaaattagc aacgttaaata 1320  
ttatgcaact gatgacatgg tgctgaaatc aaacctcttg cattgagtct aatggtagca 1380  
gagtgatgtt ttacatgtt tcattccctg tgtcatcatc ttttgatttt gatcctgatg 1440  
agctatcact tcagccatgg tcagaattac cgtcataatt ttactaaaa aaaaaaccca 1500  
aaaaacacat ttattatcca atttgatggg ctgagcaatt taaacactgg atcctcaagt 1560  
gcaataatga caactgggaa atactttgct aacatcactc cttgtgtatt tatttactgc 1620  
atcattaaag acctagtga agtgagttca ccgatgacaa taatggcgca gtttatgctt 1680  
ttgcaaagga tccattgttc ggattgtcat ggagctctc attcctgagc taccctgtgg 1740  
ggctgatgat tcaactctcc caccctttag tccactgaac ccatcaggaa agttcattat 1800  
ccaagctcc aagatgtcac ttggctccct gcagcctctc tgcaaccgtc aagtattcaa 1860  
tcagatctct gttcttttca aatcaggatg aaacagttaa aattatacat cacactcagg 1920  
ttctgtgcca ttttcatgtc acaattccaa tgccttaaaa tatttaagaa actaatttct 1980  
tagtctctga agtcccgtgg tgaatgatcc tggcaaaagc aagttctgaa ttttgcagca 2040  
gtaaaataga tggcccgga cccaaggag tcttgtaaag gctgagtgag ggcagccgga 2100  
tgtgcctaca ccagctcatc agaagtgaac tgttgtcaca ctgggcacta aagcaccaac 2160  
tctgaaatat aatttttgat tatgttcctt cctaaaataa ctaaagcaca aactctgaaa 2220

tataattttc gtttacgttc tctccctcta ctaatatcc agcagagaac agagcccgcg 2280

ccaggtgtcc agtaccacgc cctcatatc cgaagctcag gacttggggg ttccgggaga 2340

gagcggctcc agcgcgtcgg gttgtagcta ctgcatctgt gctcttcctt cccagggaaa 2400

caaatggtgg atcggaacct ccaggctctt cgcgccccgc caccctccc cgtgttagca 2460

gggcgcaggg ctccggggcc cctccctgca gtactgggtg atagaccca ctccaccctc 2520

cgggtccctc cacccccacc acgtgcaggc cagagaaggc aaagaggccc agccaccctc 2580

accagggaat ttcttttctt tttttgctgg ttccaggctt tttctgcct gagtgaataat 2640

gaaacaaaca cccctgcgc ctcccgcca ccagacacac acgcgcaccg gcactcgcgc 2700

actcgcgcc tcggcctcct agcggccgtg tctggggcgg gaccgcctct gcacaaacag 2760

ccgcgggccc ggtggagcgg ggagctcgc gcccgcccgc cagtgcgcc cggttcctc 2820

gcgcccctgc ccgccacccc ggaggagcac acagcgccg gcgggcccga gcgcaggcgg 2880

cacacccgc cccggcacgc cctgccgagc tcaggagcac gccgcgcgc actgttcct 2940

cagccgagga cgcgcgcgg gggcgggag ccgaggtgtg ggccatccc gagcgcaccc 3000

agcttctgcc gatcaggtgg gtccgctgg gcgctgccg agccctgga ggccgcgagt 3060

ccgcccggc ccggggctgc gggcgccgtg gaggcagcgc ggggagagga caggccaccg 3120

cgcgggccct gccctgttgc tgccctgcc tgtcccgc tttgttctc tcgttacctc 3180

tgtgctcaac tctgacccc tctctgtccc catcttctc ggccagagg gctgcgggct 3240

tccacggggc ccgcgggatg gaggcgggag aggggaggct cggggcgcgc agaggaggag 3300

gactgcccgg gaagtctcga aaggaggag gggctctgtt cccaatgtgg ggcaggggag 3360

gcggaggcct ccctcgcccg ggactaggtg ggaagaggat gcctccgcaa gagggaaacct 3420  
gagagtgaag tggggggcac agaaaccctg aacgcacaga gagggagaag tcggggaact 3480  
cagagagcgg aggaccgaac ccgaaacccg gccgggggaa actttggaac gccgaaactt 3540  
tggcggcgaa aaaggccgct gtatcgggtg acaggaagca aagggtcctt cagactttaa 3600  
gccacacgtt ccaggaggga gggaggcgcg gagaccgtct gcgggcgcg ctcctcccc 3660  
caggaaagac aagagaccog gacggttgct tttgtggtt tgcttgctgt cgtttgcct 3720  
cctcttgcc cctgagcggg ccttgctgcc ttgttctgt gcttggaat ggggggtct 3780  
cggagcgtg gacgtgcggg gaccggggg gtgggggcga ggaggagtcg gggccgggac 3840  
gcctcctagc tggcaaacc tttccaggg agaatccgtt tccacaaacc tgaaatagag 3900  
agactgctgg aagtaaggaa atgccaaagt cgaagaggtt gtgtgtgtgt gtgggtgggg 3960  
gggatgtgga tgcttt 3976

<210> 8

<211> 8989

<212> DNA

<213> Sus scrofa

<220>

<221> Intron

<222> (1)..(4731)

<220>

<221> misc\_feature

<222> (4732)..(4814)

<223> untranslated exon 1A found in some transcripts

&lt;220&gt;

&lt;221&gt; Intron

&lt;222&gt; (4815)..(5241)

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (5242)..(5353)

&lt;223&gt; untranslated exon 2 found in some transcripts

&lt;220&gt;

&lt;221&gt; Intron

&lt;222&gt; (5354)..(8989)

&lt;400&gt; 8

aaaatctgat tttgatctga tttggctagt ttatcacagt ccataccttac ctgggtcaa	60
tcacatactt ctgctgcctg cctggctcct gtaggctttc actcagcatt aattcagcaa	120
atatttactg aacatctgat agatgtcaaa tactgttcca ggtaccagga aagcccagaa	180
gtgaccaaga cagaagacaa gtgctccctc ccacccccca aagagcttgg gttctagtgg	240
aatctgggtc atgaccctct tcttggtctg cctccgtag catccccagc ttgggtctgac	300
ttcaccacca ccaggggtgt acaaggctga ggtgggacag actcacagaa agacctcaaa	360
cttgtcttcc attccagggc tgctgactca taccatacga ctctgtaagt ttcttcctg	420
atcttcagtt ccctttctta taacttgggg cttgtaatat ttcacctact tagcctctat	480
gttatgtggc ttttgtggat ggcagtgggc tctaaacggg gcgtgggtgt gaccttgacg	540
gaagatgagc ttatcacgtg ttcaaaaagc agtcctgctt tgaggcaggg agctgactta	600
cctgactttg aggttctctc tgctgaggaa agagtgagaa cttctgtggg gggtcggggg	660



caaggggtacc ccctggcacc tactgccc aa ttgtgaataa ggagcaggtg cctctttctc	720
acctccatct ggggtacttg gcctgaggaa ggggtgagaa ggaccaagag agggtaggaa	780
tagagcggtt tccttgggtg gggaaatcct ccagtcacct gtgctggtgc tcaagcccag	840
gctgtcatca gtaccggggc ctgcacctc cgtgggagcg cctcacatct cccagctgt	900
caacaaagcc agcttctttc ttctctagga agagtctgac ctatagagct tgaaggactg	960
acatgagccc cagagagggg cttcctgggtg tgcaggagga gggctgaggc tcaggatgga	1020
tgcttgca ga ggcaggagtg cttcagcatg gctttgggtg agtctgtcct ggagttacct	1080
ggggcagagg cagatctcaa gatgattagc aatgtactgg cctggaaaga gtcacatga	1140
tttcattttt ccagctcttc tcaaggaaat agacttatag atgcaacctc tcttgactgc	1200
cgttat ttat tatgtgggct ttgccaaga tcgtttcagc tctgatactc acaggcgtgt	1260
gtggggggca gtacttaaca gtaacggaaa cgtcgtgcca ggaacccttc cctccgtacc	1320
tttccccacc tgcagggtta catggtcaaa atgactat tt gatacacaaa tgtaaactcc	1380
aaggagctgc agcctcggat taatagaaca gcagagacgg acaatgattg agcacctcaa	1440
gcacttttcc gggcgtgtct ccttacttct tgcaatattg ggtaatacgt atctctagac	1500
acttaccatg tgccagctac catccagctg ctgttggtcc cattgtgcag ccgtagaaac	1560
agagacacag agagggttaag cacattgccc aggatcgcat atgggcaggc ctgggactcg	1620
aactccggca gcctggggcc agagtccaca ttcataacca cgggtgctcta ggcccctcac	1680
ccaccccgag cgggtgggat tataattatc ctcaccacac ggaagaggaa accaactaaa	1740
ctgctccatc actcacaagt gacagcaaga atgtcttata cctgccttaa acgtatttag	1800

gattaaaagt gacagctgca acctttgtat ctgtagcact ttttgccaag aacacttaat 1860

cctccctctc ccacaggggtg ggaatccgga cctttgtgtt tctcagctgg aaggggtctg 1920

gggcatgaag ccgggaccct tcacacctgg gctgcagctg ctgagccgca gctccaaggc 1980

cctgcactcc tctgcagggg acatggcaga tggacaggct ctgaatgctg gctgtcatct 2040

gacaggccta tggactgtta gggctggaag gggccttggg gaacattgag tgatgagatt 2100

agtcggcctg gctgggctgg gaaacgtgcc aaactcctac ctggatggcc actggcctcc 2160

tttgatcagc agacctgagg ctcaacttgt acagttccct gcctctccat gaaggaatgg 2220

ccggaagtac atgcttcctt gttttgagag tctgggcatac aggttatgtc ggagaaggag 2280

gaaggatcatg tcggatcctc tggaagttga attttctgcc ttccaagttt gcatactctg 2340

tcgtgctctg attcatgaac ctggagcctc taattccacg aacctgtagg gtgttcccca 2400

gaggcagctc aggaggaagg gcagcatcag acccaccagc cggcaacttt gagcaagtca 2460

cagaggctcc cagtgcctcc ctcccttccc tgaccggggg cgggtgagcc tgaggatttg 2520

ctgagttaaa ggagagaggc tgctttgtaa actggaaggt ggcaaccatg atgggtgctt 2580

gctttttttt gttgttggtg ttttgttttt ttgtcttttt gccttttcta gggccgctcc 2640

tgcagcatat ggaggttccc agcaggctag gggatcaagt ggagctgtag ctgccagcct 2700

acgccagagc cacagcaacg tgggatctga gccgcgtctg caacctacac cgcagttcac 2760

ggcaaacctg gatccttaac cactgagcg aggcaggga ttggaccgcg aacctcatgg 2820

ttcctagtca gatttgtaa cactgagcc tcgatgggaa ctctgggtg cttgcttctt 2880

gaaaggacca gtttatctta gccagttcc tgagcctcca aatgctgtga actttccctc 2940

ccagttgacc acagtcacgc tgcctgcacg atttaattgtg aaagatcttc cctgagtcgc 3000

tacttaggtg ctctgtggtg cttggtattg gggcgttgaa cccaagagaa ggaaaaaacg 3060

gggtctatcc acgaccctgt ggccctgaga ccctgtagac tcaggggaag tcagaattcc 3120

caagagaagg cagcttccag caggaagatt tctgtgcacg tttgttttta acacacacac 3180

tgaaagggaa tgtttgtgag gcattttccc aaggtggaca cacctgcata accactacct 3240

ggctcgagaa acaacatgac aagccccccc ccctcccccgc gcagctctct gagcctcccc 3300

ttcccagttc ctaccactcc cactctgact tctggcacca cagattgggtt ttgtcttttt 3360

tttttttttg tcttttttagg gctacacttg gggcatatgg aagttcccag gctaggggtc 3420

caattggagc tgtggctggt ggcctacacc acagccacag caacatggga tccgagccgc 3480

atctgcaacc tacaccacag ctggtggcaa tactggatcc ttaaccact gagtgaggcc 3540

agggatcgaa cttgcattct cgtacatact ggtcagattt gtttctgtg agccaccatg 3600

ggaactccct ggttttgtct attttttttt tttttttgt cttttttgcc atttcttggg 3660

ccgctcttgc ggcatatgga ggttcccagg ctaagggtcc aatcggagcc gtagccccag 3720

cctacgccag agccacagca acgtgggacg cgagccgagt ctgcaacctc caccacagct 3780

cgcggaacg ccagatccct taaccactg agcaaggcca gggaccgaac ccgcaacctc 3840

atggttctta gtcggattcg ttaaccactg cgccacgacg ggaactcccg gttttgtcta 3900

tttttgaacg ttaaataaat gcaagcatcc agggctgctt tgactcagta ccatgtgtga 3960

gatttacctt gttgatgtca gcagctgtgg ctggttcctt ctcacggatg tgtgtgacct 4020

tcacctggac cacacctgat ctggctgatg atgggccttg gggtttttcc agcttttggg 4080

cccaggtcac gtctctgttt gaacttaaat gcacttgctt tcaggtatta atctggggcg 4140

gaatgactgg aacatgaggt gtgggttggt cagctttagt acatgccagc agggaggatt 4200

tcagtagttt attaagcaga tcttgaagac tgtggtcaac tagctcatgc cccacaggag 4260

ggggcggtga atttcttccc cagaacagga gtgacaagct aaattaggca tccatccgct 4320

ggaagctgag ggggcagttc ttggctcctt tctgtcaggt ttcggcccct tctccttagt 4380

ctgggggttc taggctctac tcccaggaag tgtctggggc cacttgggaa caatgggtgg 4440

gggggctctg agcccctact tacttcattt cctccttca gccaaagccc cctgtgtcct 4500

ctgttttaca tagtgggggt ctgagaatga cttcattttt ttttttttt tttttaaaagc 4560

tttagctgtt gcgacattta caaatccact gctgtgaggt ctcttccagg taggaaattg 4620

tattttggga gcaggagggt ggtgtgggga gggttaagca ttattcagcc aaagagttgg 4680

gttgggcctc agtgaccttt tgaagttctt atagcttggc ttgccatgca ggagatctca 4740

gaacattcta taaaaatagt gttcaaacag aacaacttct gaagcctaaa ggatgcgaac 4800

aagaggctcg gaaggtagca tttcaacggg agttttgagg atgctctcct ttagccaccc 4860

ctctccattt tctgccccct tctttttaaa ttctccattg gctgtccctg ctagtgtgca 4920

tttgggggtg tttgggttca gaatggttct cattttcgcc gaggagtggg tgatgtgggc 4980

ggcctgtgtg tctctcccaa gggtggtggc tgccctcct ccaccaccag gcctagtttg 5040

gacctgtagt ttcgcttagt gaaggaggcc gggccgatcc tgggccggag agagacgtct 5100

ctgccttggc atgcagctct gagtcaacag gcctgataaa cagcccactt cccagggcga 5160

gcaaggagga acaaggcccc tggctgctgt gggatccgtc tgcgctcctc ttcgtgaaac 5220

cgctgtttat tcttttgaca ggagttggaa cgcagcacct tcccttcctc ccagccctgc 5280

ctccttctgc agagcagagc tcactagaac ttgtttcgcc ttttactctg gggggagaga 5340

agcagaggat gaggtacgtg aaacgttgaa atgatttacc tccgctttgc tggggtcacc 5400

gggggggtgg gtatcatgag ctggctgcag cgtggagaga ggagcccccc tctccccctg 5460

acttcttgct gctcccccca gttgttctga aagaagacaa agtcctccag tccccggcat 5520

cggatctagg agtgggagct ggcaggatgc tggctcagtc actgttggtt ctgctttcgt 5580

tggctgcccc gcaggacctc acgggggtgtg gctacagcct ggggttctct gtgtgggcca 5640

cacagtgcca ttgtggggcc aggaggacga gtctcaggcc cgggacctgt gctgggggcg 5700

gacatagtgc cctctcaggg cagcaccgat ccttcatgta cctcgcccta tttctcttgg 5760

aaaaactctt gcaccatgat ttctgagcca ggcagcaagg agaagctggc tggatccagg 5820

cttcagattt ttgaagggga ttcaagaaag gggcctacaa gatgtccctc cgagaacagg 5880

tctgtgatgg ctggagcgac agctgtgaaa aaaataagtg gaaagagcct tcggtgcggt 5940

actccccccc caccctgcc ccccaaatta taccatgttt cttccaacag ggagcatttc 6000

cctgtaatgc aagccaattt aaattcttga gggtcacat tttggtttta tttcaactga 6060

ttattagtgt agaggagtat aagataacat ttctttaaaa accatcaaca caaaccctc 6120

actcgtgatt caattgttta ggagaggagg gaactccgcc tcgtatacca aatacagtct 6180

gctctcggtg cagcgtgcag tcccagcaag gccctctcct cgaactcaca cagctcttgt 6240

ctccagcggc ttccttccca tgtcttggct aggctgggct ttcttagtaa ccccaaaggc 6300

ggagaatcaa attcacagat ttttttttcc tggatattta gatcttgtat ttttaagccac 6360

actatttata aggcacagag atacatttaa actctgacta gggcttctta taaaagtgat 6420

atctggaaag aaggtctggc tttaacagag taagggtcag accccccctt ttcccattaa 6480

tgactccagg aatgctctgg aagactgaag tggaggcaaa gaaggacttg aatttgcatg 6540

acctgatctt gaatccaggc taaatttttc ctggctgtgc gccttttaggt gggtcattta 6600

cctcccctaa ttctcagggtg gctcacttca tcctctattc ttttactgag gcagagaggt 6660

ccctctacca ccagggtgaa tgagctcagt gacctctgaa aactccaaag tgctgcacag 6720

atcaagggtg tatgaggtag aagaggaagg gaaaaaggaa tgagtaggat caaagaaaga 6780

aggagtgaag agaagcagag tggagagaca gagccaacac aaggatctgg gtaccacttc 6840

tggattaggg tcagggtcta gaagatgaca ttgatggttg ggtctttttc actacacaga 6900

gaatagagct gaccattaga cttggcccgg agccagtcct tgtgaaagaa atcaatattc 6960

agattatcat gacaactacc atttgtgtaa ttttaattca caggatcact ttttctggcc 7020

cacgaggttg aaataagaat ggctgggtcag attgactggg gcggtccgac tggcctgtgc 7080

ttgagagttg accatgagct ccctgccatc tagcgtgtat gtcacccaga cttttaactc 7140

accatctgga ctgaccctcg agaacttgat gccatttgag agcacccaag ggggtccagag 7200

gaccttatca aatcctctga ctctctgtg caggctgttg gccagcttat actccttccc 7260

atccaacgtg atgttccttt ggcaatttgc tttgccaccc tgccaaccac tgctccaaag 7320

tagggatgct tttggaggtg cccttccaat tcagcaaagc caagcaccac atctgaggct 7380

ctgccttgcc tgtctttgac ctccagggcc gtgatggtgc agcccgagga gatgatttcc 7440

actcccagtg ttgttcagcc cgaggagatg atttccaatt ccagttggt ctgcttgag 7500

ctggaatttt tccatgttcc ttgccccaa ggggagttct ccaaacacag atcttgtaac 7560

tgaaaccatg aggaaagctt ggggtgtgta ggtgctccag gtccttcaaa cgccccatct 7620

tttggcagtt tcttgctcag gtgggtccag ccagagtcct ggagaattca gctctttgat 7680

cctggctgga gtggggggtg caccaccagg tgattgtgag gtctggatcg tgacctgtga 7740

gcaggagacc aagtagcatc atgttcagct ccttctcctt gggatcaaag tgagaggctc 7800

caaggagctc agcaaggtct acctggatgg ggcaggttgc tcctaggacc caggtaggtg 7860

cggggagcag ggtcagtacc tgggctccac ctgcagcccc aggacaggca cccaggctgg 7920

aacgattccc ccaggcaggg gcagcacctc acctggagga agcatttggg ccttgcccac 7980

tccacacccc aggctgcct gggggcctga cccggaggct tctgggtgaa gtggcctgag 8040

ggctcaacac attttgtggg caatcctatc tcttttttta tttttatatt tttatttttt 8100

gcttttttagg gccgtaccgc ctgcatatag aagtttctct gctaggggtc aaatcggagc 8160

tacagctgcc agcctacacc acagccacag caacacagga tccaagccgc gtctgtgacc 8220

tacaccacag ctcatggcaa tgccggatcc ttaaccact gagcgaggcc agggatcgaa 8280

cccgcaacct catggttcct agtcagatcc atttccgttg cgtcatgacg gaaactctgg 8340

caatcctatc ttttgatcac cacttctagg aatctgtggc cactgcagca agttgagctc 8400

cagtgaacct gtcctcataa aaggagcctt cagctctgtg gctgccttct catacaggctc 8460

ttggctcatt caggggaagt taagcccaca ggacatgttt caaaggacgg gaaatgcact 8520

gggttttagc acagtctgca cgaggcccg gagtgggggt gcaagtgggt tcttttgaa 8580

accgctgcag gggctgagtt gtgggagtg cccaggagca gagagaaatg gcaaacgcct 8640

tggcaggagg gcctgtggga tgggtgggagg gctcagggtg aactggggccc gctggggtca 8700  
cctgatcctc tgagggctgg ggcccagggtg gtgctgaggt ggttacactc tcccttataa 8760  
gacaggatgc tagtgctctc taggctctaa tcctgtgctc tccctcttcc atgagaaatg 8820  
tagaagcaac ccccaactttt cctatttggt gggtgaagata gtcaaccacc aatcttgaga 8880  
attagagagt tttgaaaatt ctgtgacaaa cacatccgtg aagggtttt agaccacatg 8940  
ggctgccaaa tgcctcatTTT taatccagag agaaaaataa aattgtttt 8989

<210> 9

<211> 240

<212> DNA

<213> Sus scrofa

<220>

<221> Intron

<222> (1)..(29)

<220>

<221> misc\_feature

<222> (30)..(118)

<220>

<221> Intron

<222> (119)..(240)

<220>

<221> 5'UTR

<222> (30)..(38)

<220>

<221> misc\_feature

<222> (39)..(41)

<223> This "atg" is the translation start codon



&lt;400&gt; 9

aattttccct tctccttttc ttttcccagg agaaaataat gaatgtcaaa ggaagagtgg 60

ttctgtcaat gctgcttgtc tcaactgtaa tgggtgtggt ttggaatac atcaacaggt 120

aattatgaaa catgatgaaa tgatgttgat gaaagtctcc tctaattctcc tagttatcag 180

ccaagtcacc agcttgcat aaagtagga ttactgaca ccgtaaagaa agcattccag 240

&lt;210&gt; 10

&lt;211&gt; 2685

&lt;212&gt; DNA

&lt;213&gt; Sus scrofa

&lt;220&gt;

&lt;221&gt; Intron

&lt;222&gt; (1)..(2140)

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (2141)..(2176)

&lt;223&gt; This region defines exon 5

&lt;220&gt;

&lt;221&gt; Intron

&lt;222&gt; (2177)..(2685)

&lt;400&gt; 10

aagcttttaa ggactctaag ccttcatttt tctttttttt tttcctatct tcgacttggt 60

tgctaggaag cttagagcaa agtattgtgc ttaaagtgtt gcattttcct tggccttcac 120

tttttttaaa acattttttc ttattaaagt atagctgatt tatagtagcc ttcatctgat 180

atgatttatc ccctgggtgtt aaatcctggc ttttggtaga tgccatggga tcttggcaat 240

ttgctcaaac tcattttgcc aatatcttag ctatgaagta aaaataaagt taaagatttt 300

gttctcacag agtggctggg atgaccaaag tcatgtgaaa acacccgagt gactaaaatg 360

tttctctgtt tcgttttggt ttgttttgat tcttgtattg ttttctatt tatcgtaacc 420

acactttctt cataagccat ttcaagcact tcctgaaagt agatggactt taagtttctt 480

ggacttccag ttgtggcgca gtgcaaaca atctgactag tatccatgag gatgcatctt 540

cgatccctgg ccttgctcag tgggttaagg atctggtgct gctgtgacct gtggtgtagg 600

tcacagaggc ggctcagatt ccaagttgct gtggctgtgg cgtaggcgg cagctacagc 660

tccaattaga cccctagcct gggaacttcc acatgccgca gggtgcaacc ccaaaagata 720

aatgaataaa taaataaata tgcgaccttc ctttcttggg gcccttgcat gtttttctct 780

ctgttaggca cactcttgct aatccctctt cactgggcct cctatgtatc cttcagaact 840

cagctaaaac atcatcccct cccctgggga gccttcgagg tcttctgtt aagtgtcct 900

atgctttctt ggagttttga agtcctataa tgatgtgtt atcaaaatag ggtccacct 960

ccctgccagc ttctttacac cacagacaca tgggtgtctgt ttcagtcaac actgtatgtc 1020

tggcacttga catgtaacgc atgctcagca ggtatttggt gaatgaatgg aggcggtctg 1080

ctagagtcgt catatattta ctgatccgt cttgtaggat ggtctcactg cttttgtag 1140

cttaagaagt acctttttt ttttttttt tttaatggcc acacccatgg catatagaaa 1200

ttccacgaag gaaggaagaa agaaagaaag aaagaaggaa attcctgggt cagggattga 1260

atccaagcca caggtgcaac ctgagctgca gttgcggcaa caccacatct tttaaccac 1320

tgtgctgggc cagggatcat acctgtgcat ctacagcgac ccaagccacg gcagtcagat 1380

tctttttctg cctttctttc tttcttttct tttttttttt tttttttttt tttgtctttt 1440

tgccttttct aggtgcgga tatggaggtt cccaggctag gtgtcgaatc agagctgtag 1500

acgccggcct aaaccacggc cacagcaaca caggatccaa gccttgtctg tgacctacac 1560

cacagctcaa cggcaacgtt ggatccttaa cccgttgagc gaggccaggg attgaacccg 1620

caacctcatg gttcttagtt ggattcgtta accactgagc catgatggga actcctgcag 1680

tcagattctt aaccacccat gccacagcag gaactcctag aagtgccctt tgaggctact 1740

ctgtagacag ctttgagcca gcgaggcaag acctgttttt ctggaggaag ataaatcctg 1800

ggtgagggat ggggtgggctg tggcttctct gggacccatc tctggagcct ctctccctca 1860

gcaaagccac cttggacaat aagagctgcc atctattttt tttttcttta aactaagatt 1920

tgatattttc cagagacctc cctcccaccg ttcgatctga gtaattctga aatgacgaga 1980

gccccgtgat atcatttttt cgatctcgaa ggtggaaacc tgggagtagc cacaaccag 2040

gctctcagct cagcctaggg tttcaatgat aatgattgca aaatagcttt tctctgcgtt 2100

ccaagtaaca tgatatgttt ttatttccat ttgcttttag ccagaaggt tctttgttct 2160

ggatatacca gtcaaagtaa gtgctttgaa ttccaaatat ctctaggtca ccttccatgt 2220

gacctggtg gccctacagt ccattcttaa catggcaggt ggtgacgcac ttgtggtcct 2280

aggtggagga gagggatggg gttccagggg tctgagctgt acttctccag cccctagact 2340

tgcctttcta gagcatgagt tgtgtttttc ctttgcttct catcaagtat ctatctcttt 2400

aagtgatgtt gtttgagaa cattcctgcc ttgctcataa aaaagaatca gagtagatat 2460

tatccattat gctacctact acatgtggta taaagaccct tgcccagaaa ttttgccaag 2520  
acaaaggatt aggaagaaaag gctgggtgtc ctgataaact aagtgtgtgt attattatta 2580  
tttaatatta ttactaatac tgggtgattt aagggactcc taaggccttc aatttttcct 2640  
tttttctttt tttttcccta atcttcogac ctttggtttg cctaa 2685

<210> 11

<211> 180

<212> DNA

<213> Sus scrofa

<220>

<221> Intron

<222> (1)..(37)

<220>

<221> misc\_feature

<222> (38)..(100)

<223> This region defines exon 6

<220>

<221> Intron

<222> (101)..(180)

<400> 11

tttctaaaaa atgtttgtca tctttttcat ttcttagaaa cccagaagtt ggcagcagtg 60

ctcagagggg ctggtggttt ccgagctggt ttaacaatgg gtaagactgg gaaacggcca 120

tctgtgtatc tgctcaaggc tgtagagtcc aaataaaatg gtttcacagc catgaccttc 180

<210> 12

<211> 242

<212> DNA

<213> Sus scrofa

<220>

<221> Intron

<222> (1)..(100)

<220>

<221> misc\_feature

<222> (101)..(205)

<223> This region defines exon 7

<220>

<221> Intron

<222> (206)..(242)

<400> 12

atgaccttct ccagtcgcgt cgtccttctg gcttattgga cattctggca catgggtcac .60

cctccctgcc ttcctcagct tgttttccgt ttgtacgtag gactcacagt taccacgaag 120

aagaagacgc tataggcaac gaaaaggaac aaagaaaaga agacaacaga ggagagcttc 180

cgctagtgga ctggtttaat cctgagtaag aaaagaagcg ttgccctatt tcagtaaadc 240

ca 242

<210> 13

<211> 720

<212> DNA

<213> Sus scrofa

<220>

<221> Intron

<222> (1)..(257)

<220>

<221> misc\_feature

<222> (258)..(394)

<223> This region defines exon 8

<220>

<221> Intron

<222> (395)..(720)

<400> 13

agcagaacag ggggacggaa gtacatacac gttgtacagg tacgatcccc aaagggccac 60

cagggcagcc cgcagaggca cttgggccag agcctcctgt ccttccccca gaagatgccg 120

caatgtcaca ccaccagctg actggggcta aaatacagtc aggattcaag gccagtccca 180

caagccatga ctgacccatg ttccccaga ctgtcgtacc ttagcaaagc catcctgact 240

ctatgttttg tcaccaggaa acgccagag gtcgtgacca taaccagatg gaaggctcca 300

gtggtatggg aaggcactta caacagacgt cttagataat tattatgcca aacagaaaat 360

taccgtgggc ttgacggttt ttgctgtcgg aaggtaggtg ttgctaataa aactggcctt 420

gagtttttcc cttccacta tcagaggatg ggtgaggggc ccctgggttt acagaggctg 480

ttcatgtcat gtctgaatta gtggagagga gaatggtgtc acagggccat tttagactcc 540

cttctgctga ggtccccaaa ggctaagaat aaaactagtc agaggggtcaa ctctttccca 600

cctcaggggtg aggggcttgg gttgcaggga agaaaatctg ctatacccac tgcacccaaa 660

gtcgacagta caccacagc cacctccacc ctgacctcca cgccctctg tggaaattcc 720

<210> 14

<211> 2964

<212> DNA

<213> Sus scrofa

<220>

<221> Intron

<222> (1)..(318)

<220>

<221> misc\_feature

<222> (319)..(2904)

<223> This region defines exon 9

<220>

<221> terminator

<222> (1010)..(1012)

<223> This is the translation termination signal

<220>

<221> 3'UTR

<222> (1012)..(2964)

<220>

<221> terminator

<222> (2858)..(2863)

<223> This is one transcription termination signal

<220>

<221> terminator

<222> (2883)..(2888)

<223> This is one transcription termination signal

<220>

<221> polyA\_signal

<222> (2904)..(2904)

<400> 14  
tgcaatgccc agagcagctg aaaacacatg ttctctctgc ctggttggct tccaagagtg 60  
agagaggaag gagcagggct gagcatgccc agccaccctg ccagaatcac cagtcaggta 120  
agccactcca cctccccaaa gctgaatgac tgaatgggtg agagtagctg ggaatgttac 180  
agcaacagac gtctctcatc caggatgggg aaaaatcatt cctttcctaa actgcaaaat 240  
acagactaga tgataatagc atattgtctc ctctagaaat ccagagggtt acatttaccc 300  
cattcttctt tatttcagat acattgagca ttacttggag gagttcttaa tatctgaaa 360  
tacatacttc atgggtggcc acaaagtcac cttttacatc atgggtggatg atatctccag 420  
gatgcctttg atagagctgg gtcctctgcg ttcctttaaa gtgtttgaga tcaagtccga 480  
gaagagggtg caagacatca gcatgatgag catgaagacc atcggggagc acatcctggc 540  
ccacatccag cagcaggtgg acttctctct ctgcatggac gtggatcagg tcttccaaaa 600  
caactttggg gtggagaccc tgggccagtc ggtggctcag ctacaggcct ggtggtacaa 660  
ggcacatcct gacgagttca cctacgagag gcggaaggag tccgcagcct acattccgtt 720  
tggccagggg gatttttatt accacgcagc catttttggg ggaacaccca ctgaggttct 780  
aaacatcact caggagtgtc tcaaggaat cctccaggac aaggaaaatg acatagaagc 840  
cgagtggcat gatgaaagcc atctaaacaa gtatttcctt ctcaacaaac ccactaaaat 900  
cttatcccca gaatactgct gggattatca tataggcatg tctgtggata ttaggattgt 960  
caagatagct tggcagaaaa aagagtataa tttggttaga aataacatct gactttaaat 1020  
tgtgccagca gttttctgaa ttgaaagag tattactctg gctacttctc cagagaagta 1080



gcacctaatt ttaactttta aaaaaatact aacaaaatac caacacagta agtacatatt 1140

attcttcctt gcaactttga gccttgtcaa atgggggaat gactctgtgg taatcagatg 1200

taaattccca atgattttctt atctgttctg gggtgagggg gtatatacta ttaactgaac 1260

caaaaaaaaa attgtcatag gcaaagaaaa agtcagagac actctacatg tcatactgga 1320

gaaaagtatg caaaggggaag tgtttggcaa caaaataaga ttgggagggg tcgtcctctt 1380

gattttagcg tcttcctgtc tctgctaagt ctaaagcaac agagttgctt tgcagcagga 1440

gatcagagtc taccttagca atcctcagat gatttcaaca gcagaggact tcaggttatt 1500

tgaagtccat gtccttttcg catcagggtt ttgtttggct tctgcgcagg atactgatca 1560

agattcccaa tgtgaatggt ggagttacag ggaatccgaa tgaaccaatg ggagctcagc 1620

acgaaataaa agcacagctt ctaagtaagt ttgccatgaa gtagcgaaga cagattggaa 1680

agagaggggg ctgatcactg tggggcaatg ccattttctaa gagacacagg gcatggagtt 1740

ggcatgtaca tacagcttgg atccaggcac tgaatgggag gcaatgagag tggctccagc 1800

ctcctcaacc atatgacaac tagagcagca ctgtcttaga agatgcttct tgctttggcc 1860

aagtcattat cagtctgcca gactctggaa cttgtgtcta caaatccttg ctgagaggaa 1920

gtggatgatg tcagagtgga cagaggccta cattgggttg aagtgacttc ctagaccttg 1980

gcttcatgac aatcaggcat cagcaagccc tgctgccacc tgctctaact ctgagagtcc 2040

ctcagcccat catgggcaac ttgagagcca ccgtcaagga gtggactaga ggaaaagcct 2100

gcttatcagg gaacctctca tttccctgc ccagctgca ctactgaagt gtaactgccg 2160

gacatgttta ataaagtggg taattgattt tatatcaaag tagagaggat ggcaatggga 2220

gaccagtc tcatgactaa acagcttttc aatccctttc tctaagaaaa gctatgagat 2280  
cttacatgta atttaaagtt aagcagtttg gtgtaaagga agttaggagg caatatttac 2340  
atctgcaggt atgtgatata cttttgcttg tgttccagtt taggtcattt gtgtccattt 2400  
tcaaatgatt tacttgaaga gccattgcac tgacttgatg ttcagcacga tgggcttctt 2460  
tgataaaatg aaacctacat tttctctact gtttccctgg gcctcctact cttcaattct 2520  
tgctaaaaat ttttgcaacc cagcaaaaata actcaacaaa ataaccaac aaaataactc 2580  
aacaaaaatc ctggagaagt agtcttgtaa aagaaaaagg aaatcacaag tcaattagga 2640  
ctcttgtttc tctataacgc aagtttatgg aatccattct ggagtgcaga gacttcatgg 2700  
tgcaagttcc aaactacaga aatgattcgt tctcaaagat taaagaaaag gactgatatt 2760  
tccttttgaa ggaatcttga tttttaaaaa aaaaatcatt taaatttaaa tttcaaatgg 2820  
acaaattcaa gatcttatta atagttcaat attaaaaaat aaaaattcct gatttaaaat 2880  
taaataaatt attttctcag tatattctgg tctggtcatg gattgtggct tttttcccaa 2940  
agatgttcag aactgtcatt taca 2964

<210> 15

<211> 1500

<212> DNA

<213> Sus scrofa

<220>

<221> misc\_feature

<222> (1)..(1500)

<223> genomic sequence between exons 2 and 4

&lt;400&gt; 15

ggatccttaa gccactgagc aaggccaggg atggaaccca caacctcatg tttcctagtc	60
agattcggtta accacagagc cagcagggga actcccacac attatattatt gacggccttc	120
tctgctctct gtggggcact ggggaattcag gggatgatcaa gaagtcattc ctctgccct	180
caggaagctc aaaccactca ttatttattg acggccttct catgctctct gtggggcact	240
gggaattcag gggatgacga gaagtcattc ctctgccct cacgaagctc aaacaagcag	300
gtagaggagg cagagcaaaa tgcaggctct atccggatgag ccgactccca gggcgatgtg	360
tacagcaaag gaatagagg atgggggccc gaggagagaa aagggttca gccgtggtca	420
gggtgggggt gggaagtggc ttcacaaagg cagtacatt ggctcccagg tgtccactct	480
tctgtctctg ctacctctg gtctctctct tgtgggcct cctctatct acctctaaag	540
cttcagccca gcacctctc cctcctcttt ctctctctgc attctctct gggtaatcaa	600
attcgttccc ttcacgtcag atccggtatc ttcttggtc catgaacaac ttctccgatt	660
gcacggtctg cctacatctc tctgatgaac tttagacttg aatgtccact tgtctccctg	720
tcccctttta ggtattogca cactccccga cattcacacg tccaaaagg aattcatgat	780
tattatctc caagcctggt cctcctccag cccatctgag aaaatactac aacccccctg	840
cttaagcaga aatcttgggt cttccctgtc tcctctctga taacaaaatt accaaccacg	900
tcctatcaat tctctctcca aagtatatat atatataatt tttttaattt tttcccgctg	960
tacagcatgg ggaatcaagt attcttacat gtatatattt cccccacct ttgttccgtt	1020
gcaatatgag tatctagaca tagttctcaa tgctactcag caggatctcc ttgtaaatct	1080
aagttgtatc tgataacccc aagctccga tccctccac tccctccctc tcctgtcggg	1140

cagccacaag tctattctcc aagtccatga ttttcttttc tgtggggatg gtcatttgtg 1200  
ctggatatta gattccagtt ataagtgata tcatatggta tttgtcaaag tatatatattt 1260  
atTTTTcttt gtctttttgt cttttgtctt ttttttgttg ttgttgttgt tgtcgttgtt 1320  
gttgttgcta ttacttgggc cgctcccgcg gcatatggag gttcccaggc taggagttga 1380  
atcggagctg tagccaccgg cctacgccag agccacagca acgcgggatt cgagccgcgt 1440  
cggcaaccta cacacagctc acggcaacgc tggattctta acccactgag caagggcagg 1500

<210> 16

<211> 500

<212> DNA

<213> Sus scrofa

<220>

<221> misc\_feature

<222> (1)..(500)

<223> genomic sequence about 4-5 kbp downstream from porcine exon 4.

<400> 16

ggtacccatg aaaagcccaa caacacaggc tagaaggagg atgtcagaga gagagagcaa 60  
aggaacgtga gagttcaggg agggcaaggt tatgtttggc ttggagatgg atctatgttt 120  
tgcatttatt tttttggggg ggggtctttt tgctacttct tgggctgctc ccgaggcata 180  
tggaggttcc caggctaggg gtctaattgg agccgcagcc accagcctat gccagagcca 240  
cagcaacgca ggatctgagc cacgtctgca accttcacca cagctcacgg caacgccaga 300  
tcgttaacct actgagcaag ggcagggacc gaacctgcaa cctcatgggt cctagtcaga 360

34

ttcgttaagc actgcgccac gacgggaact ccctcattta gaaatattta ttgagcacct 420

actgtatgcc aggcattggt ctaggttcac accaaagaag gctcaaaaag atggcatccg 480

aactgttgcc cttgaaagga 500

<210> 17

<211> 1520

<212> DNA

<213> Mus musculus

<220>

<221> Intron

<222> (1)..(1130)

<220>

<221> promoter

<222> (381)..(1321)

<223> Fragments and derivatives have promoter activity.

<220>

<221> 5'UTR

<222> (1131)..(1320)

<223> untranslated exon 1

<220>

<221> Intron

<222> (1321)..(1520)

<400> 17

tcccaatgca tcttttccca gtgggctctt ggattcatgc tgccatatga tctgctgata 60

ccatgcttca gtaccaagtt gattctttgc tcttgtcctg atgctgaaga cctaaaatga 120

tgaaaatgga aaaagaatga agaataagta tacacacacc cggcctgctt ttgcggatca 180

ggtgggtccc gccgggcgtc tgacactgaa gccacgcggg ggcttcagtg gggaggaggt. 240

gtgggcgagc gcgagcgccg ctattccggc ccagccctac ctcggtcctt gcttttgtcc 300

tggtcactcg atcatttctt ctgtatccac ttctgaactc taggctctgt cccaccctga 360

acagtgtcgc tgcattctgt tgcttactgg ggtctccgc caccttcctt cgctatccga 420

atagctgata ttcagggcag cacagggcag ggcagggcag ggcagggcga gtagggcaga 480

tcagatcctg ggaccaccgg tactaaccag tgagtgtaga aagcaggagg tgtcttttcc 540

tactgtagtt aggacagggc gggttggctc ttcttatgga caagatggaa aaggggtgca 600

ggtaggggca aagtgagaga cactcgaatt tgagagacag acagactcct aacagtgaag 660

gaaggaccaa gccaaaatca agcctgggca aagtctcagg cactaacttt gctgtgttgg 720

gtgatgggag gtaatctcgt cacaactttt caaaccacct cgttcccact gcaaggagac 780

accatcaagt gtttgaagat ggcaggggaa cctctcaaca aaacacacac acaaacgttt 840

tattatttta tatttatttt gcatgcaaag tactgtgttt cattatggca tttcataca 900

tatgcgattg cacaaactct tgaaaatcat ccaagaaaca gcaaagcggg aaataatgtt 960

gtgggggggg ggcgcggagg agagagaaca gagactggag agagtgtgt cctccttgt 1020

gcggggggcca ggaagaggct aggagggcgg ggatgtcaac gccactagct cctccctcag 1080

gaaggacccc agggactctt atttttgtag ttttgcttgt ctgggccact atcgcccca 1140

gaacagatct gactgcctct ttcattcgcc cggaggtaga taggtgtgtc ttaggaggct 1200

ggagattctg ggtggagccc tagccctgcc ttttcttagc tggctgacac ctcccttgt 1260

agactcttct tggaatgaga agtaccgatt ctgctgaaga cctcgcgtc tcaggctctg 1320

ggtaggcaaa ggcgaggggg ctcgccatgg ctcggttgt ccagggattg gggcatcagg 1380  
actacgggag tctctgcctt ttgatagtgc ttccttacag ttatTTTTTg gagtagttgc 1440  
ttcttctga tgggagccgc gtgcgggtcc aagctatctt ttgcaagtaa caggtgtctg 1500  
nnnnnnnnnn nnnnnnnnnn 1520

<210> 18

<211> 1207

<212> DNA

<213> Mus musculus

<220>

<221> Intron

<222> (1)..(653)

<220>

<221> 5'UTR

<222> (654)..(773)

<223> untranslated exon 2

<220>

<221> Intron

<222> (774)..(1207)

<400> 18

agccctaggt tgcgttggc tacacagtga gttcataggc tgctagggat cctatctcaa 60

aaaggaaaac aaacaaacaa acaaagggtg ggcagggtta agccttgtcc ctgaggagca 120

ggtatgggtt tctgaggctg tcccaagtgc atatggtaaa ggcttctcta tggagattta 180

caccattttc taaagtgcag tgttccacat aactgtgtgg cttccagagc caggctgtgg 240

aggaagagct tatctcagaa ccacattttg gcgccccatc aaagtgcctt gtccgctaac 300  
ctgcctctgc cccaggctgt gtcatacgea tctccgggga ggcatcactt gagaatgagt 360  
gcatctcaca gggctcccag ttttcccttg ggactgggtg atgtggaggg tggaggcctc 420  
atcgcttggtg actcctggca tggtttggtc ctgcagtttt tcctctgggt gaggaagtca 480  
gaggaccaac ccagagccct gattctgcct tgctgcgtag acctgaatca acagccctga 540  
taaacagccc atttcccggg gctgagggaa caaagcctgt ggctgctgcc gagggatctg 600  
tctgcccacc ccacccctcc tcttcctgaa acagctgttt attattttga caggagttagg 660  
aaccctgtac ctccctttcc tctgctgagc cctgcctcct taggcaggcc agagctcgac 720  
agaagctcgg ttgctttgct gtttgctttg gagggaaacac agctgacgat gaggtatgtt 780  
taaaggattt gtgtctccca gccttgggtc actgcgagct actgttaggt caccaaattg 840  
ttccacctga gggaggaccc ttgctctctt ccgaagcttt ccttggtccc ttctgtgatt 900  
tgttgtcctt tcccttttgt ttctgaaaca ggggctgggtg gaatgctggc tggggacttt 960  
ggatattctgc ttctcttggc agccccggg gctatgccag tcaaggctgc agcctggagt 1020  
tctctgtgtg gggtttggtg tggcggggct gagtcttggg cagggcgcgg tgggaggggtg 1080  
ctgagtcttc tctgctctgg gctgtctcgt acatgtccgt tggtgggtg ttctgggag 1140  
gtatcacttg agattgattg cattccacat gacactgctc ccaggacag cccggcactc 1200  
nnnnnnn 1207

&lt;210&gt; 19

&lt;211&gt; 900

&lt;212&gt; DNA



<213> Mus musculus

<220>

<221> Intron

<222> (1)..(336)

<220>

<221> misc\_feature

<222> (337)..(517)

<223> untranslated exon 3

<220>

<221> Intron

<222> (518)..(900)

<400> 19

ttccggcatc ttttaagatct tgatgtaccc aagtcaactt cagcttcaca gcttcttgtt 60

tcaatgtctg ggatccacac ctgatcttct gggatcctcc aaagggttg ggtcacttct 120

ccatctctgc cctctgtagt actctagget ctagttgact ccactccact gctgctgctg 180

ttcttggtga tcatcctatg gtactggcaa gtaggtgaaa gaagaagagt gaatattcct 240

tcaccaatg tccttatgta ggcctccagc agaagggtg gctcagatta aagggtgtcta 300

cccccatgcc tggatctaaa acttgctttg ttccaggctg actttgaact caagagatct 360

gcttacccca gtctcctgga attaaaggcc tgtactacat ttgcctggac ctaagatttt 420

catgatcact atgcttcaag atctccatgt caacaagatc tccatgtcaa gatccaagtc 480

agaaacaagt cttccatcct caagatctgg atcacagggtg tgcccttctg tttctggatt 540

atagttcatc ccagatgtag tcaagttgac cactaggaat agccatcaca agcccgttgt 600

ggaggctgcc ccctgcccc ccgccccgcgc gccctgagg ctctcaccce tttcttgtgg 660

cagctcttgt cttcatctcc agtgtacaac tgtcattccc actctgcac ttgccttcc 720  
gaacaatcac cgtcccaaag ttcttctcag tcttttgta tcctcttccc tttctttcac 780  
aatcttatgc agaatttaaa aaataacctga ctccttcagt agttccagtt gtttgctggc 840  
ttgtgggggg tgtagtgggg tgaaccaggt ggggctgaaa agtgggtgca nnnnnnnnn 900

<210> 20

<211> 1020

<212> DNA

<213> Mus musculus

<220>

<221> Intron

<222> (1)..(479)

<220>

<221> misc\_feature

<222> (480)..(568)

<220>

<221> 5'UTR

<222> (480)..(489)

<220>

<221> misc\_feature

<222> (490)..(492)

<223> This "atg" is the translation initiation codon

<220>

<221> Intron

<222> (569)..(1020)

<400> 20

40

tctctttcca atgccacat ggatgggctt cagcatcctt tcagatcatg aagcctcatt 60  
aactgtgctg gcctaattgg ccatgactag tttgtgtgct tgagggatag ggggagggga 120  
gacacttgct gctgagttag ttacaaatgt atcctgttag gaaggatgtg ggcagatgcc 180  
tttcattatc tttactgcat caaacatttt atgggtatga gtgttttgcc tgcaagtatg 240  
tatatgtacc acttgatat gtggacccca tggaggccag aagagcatca ggtcctgtga 300  
aaccagagtt atggacacct gtgagctgca aatgtggatg ctgggaactg aatcgagcag 360  
gtgtttcatt gaggtgtttc aaccacacag ctgtttctcc agccccagaa gccatctctc 420  
attccagatt tagtttattt aatctatttc cccctctttt tttctccctg cctctacagg 480  
agaaaataat gaatgtcaag ggaaaagtaa tcctgttgat gctgattgtc tcaaccgtgg 540  
ttgtcgtgtt ttgggaatat gtcaacagggt aattatgaag ccagctagaa aggctgcttt 600  
cattccctgt gactggtgcc agctgagtga ccaatcagtc tgaacataag ggacggagcc 660  
gtgagcagga gtccagtctt cctgtgttcc tgagccccag atggccatta aaactgtaga 720  
ccatccaagt cacttctgcc ttagtaatta tcctctttca tgccgtgctc ctcaaacctc 780  
gaatttctgt aagctagatg gagagagaaa gtacattaag ccaaaaccac catctcaagt 840  
aatttgata agcagatccc agaagattca ggccaggcag ggtagtgcat gtatggagtc 900  
cttggtcttg caaggcagag gcaggagcat catacaaatg gaagaccaag cttgtcttca 960  
tagtgacttc caggccagct gtagccttac aaggagaccc nnnnnnnnnn nnnnnnnnnn 1020

&lt;210&gt; 21

&lt;211&gt; 1020

&lt;212&gt; DNA

<213> Mus musculus

<220>

<221> Intron

<222> (1)..(584)

<220>

<221> misc\_feature

<222> (585)..(620)

<223> exon 5

<220>

<221> Intron

<222> (621)..(1020)

<400> 21

tggccacact agcttttttac cagttcttcc caggcaaatt ccttagccag gatgtatgtt	60
gctgtatgtt gccttctctg ttacattgta tatttttcat gagccccagc actcgggtgtg	120
taggacttgc ctagcacgtg taagactgat gagagctagt gccctaaagt agttgtagct	180
ggcctagcct tctggttaaa gcaacaccca tgggggctgc tcagaagaag ggatctgagc	240
tgaatgtggc ggctatttcc tgtggggaag aatcctcagc ctgaggtggc tggccgtggc	300
gcttccacct tccccgcctt cctcattgcc cagcttctgg gactgtggtg gaagaggacc	360
ttctgtcat gtaacaaaca gctgggtgac tttaaaagag agaaagaggg aaaaaaatcc	420
cccaaataaa aacaagaatt gagagtgttt gggtgccac ttctgttcct cagtgatgct	480
tgtgggaatc ccctgagaac ccaaacgctt aaggaaaacc actgcagtga agcctttctg	540
agaattaaaa gtatatgacg tttctatttc ttatttgtcc ttagcccaga cggctctttc	600
ttgtggatat atcacacaaa gtaagtgttc tgaattctgt gtatctattg gatgtctgga	660

tcacttgatt tttttttttt agcccctaaa gttgatttcc tctcttcaag ccagccaatg 720  
tagtgctcgg gccacagtaa agggaggaga gaggccagga caggaggag gattgctagg 780  
gccctggggt cagggtgca actctgctag tccccaaact ggtctttgta gaatagtgat 840  
gagttttgct ctcggttctg ctgagggac tctcctcaaa tattgtcatg gggaccattt 900  
ttggttgacg tagggaaaga gccagggaa ctgcatgctg tagtgtgtac cctcagtgtt 960  
gctgtgaggc actgaggag gacttacgtt cagttccagt nnnnnnnnnn nnnnnnnnnn 1020

<210> 22

<211> 1020

<212> DNA

<213> Mus musculus

<220>

<221> Intron

<222> (1)..(595)

<220>

<221> misc\_feature

<222> (596)..(661)

<223> exon 6

<220>

<221> Intron

<222> (662)..(1020)

<400> 22

cagatttcct gagctttcat tgattgggca atgggatttt ttctcagat taatctctat 60

aatacatgca tgtatacaga cacacacaga cacacacgca tgcagtcatt ctcggaagg 120

## 43

tgctttttct tatTTtaata ttacccctcg ttacagccgc tttatgttca ccaggctctt 180  
gcatactctgc tgtctcattg gtcattacag atcccttcgt ggacggatta ttattgatta 240  
ccctcttcag agaagaacgt ggcagtttag acagtgtgag tgtatgcaa agtcaactcca 300  
ctagcaggag gagatcgtga ccacaggctc tcagatctgc agggctctcca ccattctgat 360  
ttccctgccc cttatccttc aggggtccca gggatgagca gaggctcag ggctgcccag 420  
aagggcgcag ctgaggcccc tcaagtccac tctctgcctt tagctcagct gccttttgcg 480  
tgtccatgtt tcatgagctg catcttgacg ttcacttttt ctagtgtac ccgaccctta 540  
aagttcagga ccgcctcgat ttctagatgt gtttatattc ttttcatTT cctagaattc 600  
cagaggttgg tgagaacaga tggcagaagg actggtggtt cccaagctgg tttaaaaatg 660  
ggtaagggat caggatgggt tcctaagtc ctgaaacca cagaggacc atggcctcct 720  
ccctcccttc ttctggctca ctggactcac tcatggagtc tccccattgc tgttggttgtt 780  
tttggttgtt ttagcttcta ttgttattgt gaggggtggg gagggtgttt gtgtgtatga 840  
cgtgtgtatg attgcagctg tgtgtacacc atagtactca tcggagggtca gaaggcactt 900  
tcaggaggca attctgcctt tccagtacgg gttccagtgt gtgatcacca gactcagatg 960  
ctcaggcttt caggacaagc agttttacag gatgagccat nnnnnnnnnn nnnnnnnnnn 1020

&lt;210&gt; 23

&lt;211&gt; 912

&lt;212&gt; DNA

&lt;213&gt; Mus musculus

&lt;220&gt;

&lt;221&gt; Intron

<222> (1)..(389)

<220>

<221> misc\_feature

<222> (390)..(491)

<223> exon 7

<220>

<221> Intron

<222> (492)..(912)

<400> 23

cettcttccc actccctcct ccccccttc ctgtctgctt tctccttcc tctgcccttt	60
cttctccagt taagggtgaa gttcaggctg aagtggaaat ttcagaatag acacagaaca	120
gaaatgtccc ttggagtact gttctgaaac atctcaccga cttctgaaat aactgagggg	180
tacaggggtca ctggaacctc agcccctgac ccacatggtg gccagagagg caaatgctgt	240
accttttatc agaagtgtgt agggatcaag gggtcagtgc cctgagtcct ccagtcacc	300
cagtgggtgtg agtgatgcct tctttccctt gagacacgag tcatggaagc cacctgtcct	360
taccaacttt gtctacctt tgtccacagg acccacagtt atcaagaaga caacgtagaa	420
ggacggagag aaaagggtag aaatggagat cgcattgaag agcctcagct atgggactgg	480
ttcaatcaa agtaaggacg gacaggagat tgggggtggg ggtgctgagt ggggttctga	540
ggagatgctg aggggagtg tgaggggggtg ccggcaggag ggggtgctgg caggagaggg	600
tgctggcagg aggggggtgct ggcaggaggg gatgctggca ggaggggggtg ctggcaggag	660
gggatgctgg caggaggggg tgctggcagg aggggatgct ggcaggagtg ggtagacctt	720
cctcaatggg ctttggctaa gaaactaaga tctgggtgct ttgaaccaga ctgaacactg	780

tggttaattgc agcaggaaat ggccagtggg aggttaaaca taaacactgg gtgttaagga 840  
ctttacaggc cacataggat gctgctgaga aaatgacaag gtctaagggt gagccaagaa 900  
nnnnnnnnnn nn 912

<210> 24  
<211> 608  
<212> DNA  
<213> Mus musculus

<220>  
<221> Intron  
<222> (1)..(221)

<220>  
<221> misc\_feature  
<222> (222)..(359)  
<223> exon 8

<220>  
<221> Intron  
<222> (360)..(608)

<400> 24  
catccaggac ctactatctt tgtacttcac tctgtgtcaa gagttggagg taccctacgc 60  
atttgtgcct ggcccttgcc aagactccac cccttctgta cttcctgtct ttcatgcagg 120  
caagattcag tgacagtcac tggcctccct tccttggcca gtctctcacc acacctcagt 180  
gtaatgcttc tgactcgggtg ttgcatgctt cttctcacca ggaaccgccc ggatgttttg 240  
acagtgaccc cgtggaaggc gccgattgtg tgggaaggca cttatgacac agctctgctg 300



46

gaaaagtact acgccacaca gaaactcact gtggggctga cagtgtttgc tgtgggaaag 360  
taagcaccac tgacaaactc acccttgatg atttgttctt gttctagcat caaaggattt 420  
gtgtggggct ccaggggccc acaaaggctg gaatttgaca gtagacttcc cccttctttc 480  
ttataatggc tgagaaaaaa caatgatagt aggtgatgag gtatttctct gccagtgagt 540  
gagccaatcc aagccagagt agattgtatt aaatacaggt ttattgggaa gctgctctca 600  
nnnnnnnn 608

&lt;210&gt; 25

&lt;211&gt; 3240

&lt;212&gt; DNA

&lt;213&gt; Mus musculus

&lt;220&gt;

&lt;221&gt; Intron

&lt;222&gt; (1)..(369)

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (370)..(3010)

&lt;223&gt; exon.9

&lt;220&gt;

&lt;221&gt; terminator

&lt;222&gt; (1088)..(1090)

&lt;220&gt;

&lt;221&gt; 3'UTR

&lt;222&gt; (1091)..(3010)

&lt;220&gt;

&lt;221&gt; Intron

&lt;222&gt; (3011)..(3240)

&lt;400&gt; 25

ttagcagata cactggcctc ttctggatat tcaagagcta gtcctttctc tgacagccag	60
cttctcaatc agagaacaga gccttagcat gaaccttact gcaacgcaga gtagttgaga	120
acaccgagct ctcaagtgtg caggcatcga agagcacgcg gtcggggctg tgcaccccca	180
gtttgcttaa caaagctggc agtgagataa gtcatgccac tttccccaag gacacaatga	240
ccagctagtg tcgagtggta tgtggagaag ccatccctc ctaacataca atacagatca	300
tctactgtaa tgttaagtat ggtattacat gtatatatgt acccatatat aagtgtgata	360
gtccgtggtg gttcaatga gccctctcta tttcaggtac attgagcatt acttagaaga	420
ctttctggag tctgctgaca tgtacttcat ggttggccat cgggtcatat tttacgtcat	480
gatagatgac acctcccga tgctgtcgt gcacctgaac cctctacatt ccttacaagt	540
ctttgagatc aggtctgaga agaggtggca ggatcagc atgatgcgca tgaagaccat	600
tggggagcac atcctggccc acatccagca cgaggtcgac ttcctcttct gcatggacgt	660
ggatcaagtc tttcaagaca acttcggggt ggaaactctg ggccagctgg tagcacagct	720
ccaggcctgg tggtaacaagg ccagtcctga gaagttcacc tatgagaggc gggaactgtc	780
ggccgcgtac attccattcg gagaggggga tttttactac cacgcgcca ttttggagg	840
aacgcctact cacattctca acctcaccag ggagtgcttt aaggggatcc tccaggacaa	900
gaaacatgac atagaagccc agtggcatga tgagagccac ctcaacaaat acttcctttt	960
caacaaaccc actaaaatcc tatctccaga gtattgctgg gactatcaga taggcctgcc	1020
ttcagatatt aaaagtgtca aggtagcttg gcagacaaaa gagtataatt tggttagaaa	1080

taatgtctga cttcaaattg tgatggaaac ttgacactat tactctggct aattcctcaa 1140

acaagtagca acacttgatt tcaactttta aaagaaacaa tcaaaaccaa aaccactac 1200

catggcaaac agatgatttc tctgacacc ttgagcctgt aatatgtgag aaagagtcta 1260

tggcaagtaa tcaggataa attctcaatg atttcttata tattctgggt cttgggaaaa 1320

cttgattcta gaaatcaaaa ttaatttgac aaaggaaaag cagatgccgg aaacttcttc 1380

ccagtctgtc atacaattca ccaactggcca ggtgctgaga gaagcattag ggaacagtgt 1440

gggttggtc agagttggac ggtccatcc ctttggcttc attatcttcc tctcatgga 1500

gattctaaag caaccagag aggtttgca gccagagacc ttaataagg atgccaatgt 1560

gaccatcagt ctgtaaaagc tgatggctcc aggagcgtg gcagtccagg cccactagg 1620

ctattgtttc tgtcctgggc ataaaggagg cagagagtgc caataggtac tttggtggca 1680

catgttcaga gtccaggaaa aatcaagggt gaccacttag agggacatag gacttgggg 1740

tggtgattga actgagttac aaacacagac agctttcttc aggatgacta acagcaggaa 1800

ttgaatggaa agtgtgttca ttttgttttg ccaaattgt attcatgctg ttagctttgt 1860

gtgttgagcc ctgtggagag ggtgtgactg tatcaggga ggagagtacc tcagcggact 1920

gaggaccagc accctattat atcagaagac aatctctcat catcaggctc tacctacaac 1980

ctgctctgaa cctccgagtt cctcagccca tcgtgttcca gtgtgggggc ctgtatggag 2040

caggtgactg aagacaaagc cccctgtcac atgacctcat tccccctgct ctagtactat 2100

gcaagtgtga cagccagcca gccagatgta ctggacaaca taggaaöcga ctttatggca 2160

atgggagccg cagtactac aacggagctg ctgaagggtc tgttccccgc tctgagagcc 2220

tgcaggagcc cctgtatagg tggttctcaa cctatgggtc gcgacccctt tgggaagtgt 2280  
taaatagacc tttcacaggt gtcccctaag acggttaaaa aacatagata tttccactct 2340  
gactggtaac agtagcagaa ttacagttat gaaatagcaa gggaaataat tctgggggttc 2400  
gtgtcatcca taccatgagg agctacatta ggtcacatca ttagggaagt tgagaagcat 2460  
agctctactt gggatattta gcaaattatg caaaggggggt tgtcgctctg tgttctgtgt 2520  
atgcatatat ttatattttg cttgtcttcc agtttaggtc aatctgtttc ttcctttaag 2580  
cagtttattt aaaaggccat tgcaccatct tggatgaacag catgaggggt ttcaataaaa 2640  
aataggatct tacctttgtc cacagggtc tacctcttac ttttcaattg tgaacaaaaa 2700  
aggatgcaca ccagaggca acaaaaccca cagaattcct gaaccaatgg gagatgcaa 2760  
tggaagcaga gcttgacat ctgctaaaaa ttctgcctct ctgtcactgt gctggatccg 2820  
tctaaagtgg gacagttcaa tggcttgaaa gtttcaaaaa ggctggggaa tttgagggga 2880  
ttttttttta aaataaaatt gatccaagtt taaatctcta atgagtaagc ttaggatttt 2940  
attaaaggta atttttagac attcttcaaa ataagaattc ttgtttataa ttgaataaat 3000  
tattttctca gtatattttg gtctggatg gattatgcgt tgtatcctga agatgttcag 3060  
aagtgtcagt tgtgattgtc cataatcata aaggatttta cgataccttg aatgagcttc 3120  
acaaagacaa gattacaaag aacaggcttt attctcaaat tataaagtgt gctctctctc 3180  
aatctctctc tctctctctc nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 3240

&lt;210&gt; 26

&lt;211&gt; 3537

&lt;212&gt; DNA

&lt;213&gt; Mus musculus

&lt;400&gt; 26

atcgccccca gaacagatct gactgcctct ttcattcgcc cggaggtaga taggtgtgtc	60
ttaggaggct ggagattctg ggtggagccc tagccctgcc ttttcttagc tggctgacac	120
cttccttgt agactcttct tggaatgaga agtaccgatt ctgctgaaga cctcgcgctc	180
tcaggctctg ggagttggaa ccctgtacct tcctttctc tgctgagccc tgctctctta	240
ggcaggccag agctcgacag aagctcggtt gctttgctgt ttgctttgga gggaacacag	300
ctgacgatga ggctgacttt gaactcaaga gatctgctta cccagctctc ctggaattaa	360
aggcctgtac tacatttgcc tggacctaa agtttcatga tcaactatgct tcaagatctc	420
catgtcaaca agatctccat gtcaagatcc aagtcagaaa caagtcttcc atcctcaaga	480
tctggatcac aggagaaaaat aatgaatgtc aagggaagaa taatcctggt gatgctgatt	540
gtctcaaccg tggttgtcgt gttttgggaa tatgtcaaca gccagacgg ctctttcttg	600
tggatatatc acacaaaaat tccagagggtt ggtgagaaca gatggcagaa ggactggtgg	660
ttcccaagct ggtttaaaaa tgggaccac agttatcaag aagacaacgt agaaggacgg	720
agagaaaagg gtagaaatgg agatcgcat gaagagcctc agctatggga ctggttcaat	780
ccaaagaacc gcccgatgt tttgacagt accccgtgga aggcgccgat tgtgtgggaa	840
ggcacttatg acacagctct gctggaaaag tactacgcca cacagaaact cactgtgggg	900
ctgacagtgt ttgctgtggg aaagtacatt gagcattact tagaagactt tctggagtct	960
gctgacatgt acttcatggt tggccatcgg gtcataatgt acgtcatgat agatgacacc	1020

tcccggatgc ctgtcgtgca cctgaaccct ctacattcct tacaagtctt tgagatcagg 1080

tctgagaaga ggtggcagga tatcagcatg atgcgcatga agaccattgg ggagcacatc 1140

ctggcccaca tccagcacga ggtcgacttc ctcttctgca tggacgtgga tcaagtcttt 1200

caagacaact tcgggggtgga aactctgggc cagctggtag cacagctcca ggcttgggtg 1260

tacaaggcca gtcccagaa gttcacctat gagaggcggg aactgtcggc cgcgtacatt 1320

ccattcggag agggggattt ttactaccac gcggccattt ttggaggaa gctactcac 1380

attctcaacc tcaccagga gtgctttaag gggatcctcc aggacaagaa acatgacata 1440

gaagcccagt ggcattgatga gagccacctc aacaaatact tccttttcaa caaaccact 1500

aaaatcctat ctccagagta ttgctgggac tatcagatag gcctgccttc agatattaaa 1560

agtgtaagg tagcttgga gacaaaagag tataatttgg ttagaaataa tgtctgactt 1620

caaattgtga tggaaacttg aactattac tctggctaatt tcctcaaaca agtagcaaca 1680

cttgatttca acttttaaaa gaaacaatca aaacaaaac ccactaccat ggcaaacaga 1740

tgatttctcc tgacaccttg agcctgtaat atgtgagaaa gagtctatgg caagtaatca 1800

ggtataaatt ctcaatgatt tcttatatat tctgggtctt gggaaaactt gattctagaa 1860

atcaaaatta atttgacaaa ggaaaagcag atgccggaaa cttcttccca gtctgtcata 1920

caattcacca ctggccagggt gctgagagaa gcattaggga acagtgtggg ttgtgtcaga 1980

gttgacggc tccatccctt tggcttcatt atcttctcc tcatggagat tctaaagcaa 2040

cccagagagg ctttgcagcc agagacctt aataaggatg ccaatgtgac catcagtctg 2100

taaaagctga tggctccagg agcgtggca gtccaggccc cactaggcta ttgtttctgt 2160

cctgggcata aaggaggcag agagtgccaa taggtacttt ggtggcacat gttcagagtc 2220

caggaaaaat caagggtgac cacttagagg gacataggac ttggggttgg tgattgaact 2280

gagttacaaa cacagacagc tttcttcagg atgactaaca gcaggaattg aatggaaagt 2340

gtgttcattt tgttttgcc aaattgtatt catgctgtta gctttgtgtg ttgagccctg 2400

tggagagggt gtgactgtat caggggaagga gagtacctca gcggactgag gaccagcacc 2460

ctattatata agaagacaat ctctcatcat caggtcctac ctacaacctg ctctgaacct 2520

ccgagttcct cagcccatcg tgttccagtg tgggggcctg tatggagcag gtgactgaag 2580

acaaagcccc ctgtcacatg acctcatttc cctgctcta gtactatgca agtgtgacag 2640

ccagccagcc agatgtactg gacaacatag gaaccgactt tatggcaatg ggagccgcag 2700

tcactacaac ggagctgctg aaggttctgt tccccgtct gagagcctgc aggagcccct 2760

gtataggtgg ttctcaacct atgggtcgcg acccctttgg gaagtgttaa atgacccttt 2820

cacaggtgtc ccctaagacg gttaaaaaac atagatattt ccactctgac tggtaacagt 2880

agcagaatta cagttatgaa atagcaaggg aaataattct ggggttcgtg tcatccatac 2940

catgaggagc tacattaggt cacatcatta ggggaagttga gaagcatagc tctacttggg 3000

tatttaagca aattatgcaa agggggttgt cgctctgtgt tctgtgtatg catatattta 3060

tattttgctt gtcttccagt ttaggtcaat ctgtttcttc cttaaagcag tttatttaaa 3120

aggccattgc accatcttgg tgaacagcat gaggggtttc aataaaaaat aggatcttac 3180

ctttgtccac agggctctac ctcttacttt tcaattgtga acaaaaaagg tcgcacaccc 3240

agaggcaaca aaaccacag aattcctgaa ccaatgggag atgccaatgg aagcagagct 3300

tgcacatctg ctaaaaattc tgcctctctg tcactgtgct ggatccgtct aaagtgggac 3360  
agttcaatgg tctgaaagtt tcaaaaaggc tggggaattt gaggggattt ttttttaaaa 3420  
taaaattgat ccaagttaa atctctaag agtaagctta ggattttatt aaaggtaatt 3480  
tttagacatt cttcaaaaata agaattcttg ttataattg aataaattat tttctca 3537

<210> 27

<211> 3135

<212> DNA

<213> Homo sapiens

<400> 27

gtggctgac agagcgcgta gggcttcgcc ggggccggga gctgggcgcg gtctgtctca 60  
gcccagctca ccgcgcgcgc gccctcggcg ccctcggcgc cctgggtctg cggatcagga 120  
gaaaataatg aatgtcaaag gaaaagtaat tctgtcaatg ctggttgtct caactgtgat 180  
cattgtgttt tgggaattta tcaacagcac agaaggctct ttcttggtga tatatcactc 240  
aaaaaaccca gaagttgatg acagcagtgc tcagaagggc tgggtggttc tgagctggtt 300  
taacaatggg atccacaatt atcaacaagg ggaagaagac atagacaaag aaaaaggaag 360  
agaggagacc aaaggaagga aatgacaca acagagcttc ggctatggga ctggtttaat 420  
ccaaaatata atgatcatta cttggaggag ttcataacat ctgctaatag gtacttcatg 480  
gttgccaca aagtcattt ttacatcatg gtggatgatg tctccaagct gccgtttata 540  
gagctgggtc ctctgcattc cttcaaaatg tttgaggtca agccagagaa gaggtggcaa 600  
gacatcagca tgatgcgtat gaagatcact ggggagcaca tcttggccca catccaacac 660  
gaggtcgact tcctcttctg catggatgtg gaccaggtct tccaagacca ttttggggtg 720



gagaccctag gccagtcagt ggctcagcta caggctggcg gtacaaggca gatccctatg 780  
actttaccta ggagaggtgg aaagagtcag caggatacat tccatttggc caggggattt 840  
ttattaccat gcagccattt ctggaggaac acccattcag gttctcaaca tcaccagga 900  
gtgctttaag ggaatcctcc tggacaagaa aaatgacata gaagccaagt ggcattgatga 960  
aagccaccta aacaagtatt tccttctcaa taaaccctct aaaatcttat ccctaaaata 1020  
ctgctgggat tatcatatag gcctgccttc agatattaaa actgtcaagt gatcgtggca 1080  
gacaaaagag tataatttgg ttagaaataa tgtctgactt caaattgtgc cagtagattt 1140  
ctgaatttaa gagagagaat attctggcta cttcctcaga aaagtaacac ttaattttaa 1200  
cttcaaaaaa tactaatgaa acaccaacag ggcaaaaaca taccattcct ccttgtaact 1260  
tggggctttg taatgtggaa gaatgaatct agggcaatca gatataaatt ccagtgatt 1320  
tcttatctat tctgggtttg ggggaaatac tatcaactga accaaaaata acttgtcata 1380  
ggcagagata aagccagaaa cactctacac atgcagatg acatctggag aaaagggcgc 1440  
taagggaagc gtttggcagc aagatatgat tgtaaggggt tgtcccttga gttcaatgtc 1500  
tgcctatttc tgatgggtct aaagcaacat ggagttactg tgcagcagaa ctctcagtaa 1560  
agacaccatt tgccttggca atcctcaaaa agcttcaata gcagattgct tcagaccatc 1620  
tgtagtccgt ccttttctca tctggatgtt gtttggcttc tgtgcgaaag attggtggag 1680  
tgtcccagta gatatcatgg tgggtgtgtga tcagagtccc aaggaacctg aatgagccaa 1740  
ggtgcccagc atgaagtcaa aacaaagcct tgacatgagt ttgccatgaa atagcgaaga 1800  
gagagtggaa gagaggagcc aatcactgtg gggcagtgcc accctgaggg cacttagggg 1860

atgggggttg tgcttaaata catcacagat ccaggtactg aatgggagga agtgtgggtg 1920

atttccaatc tcattgaccc tatgttcagg gacttgaacg gaagatgttt cttgtgttgc 1980

ctaagtggta ttcagtctac cagactctgc aacttgcac ttc aaatcct tggtaaagag 2040

atgtggatgg tgtcagagaa ggcaaaggcc tgcagtggat tgaagaggct tgcaagcagt 2100

tctgtttcta ggatgtgggc ttcacagaa gacactcggc caccacttag ctagtctaaa 2160

cctcagggtt cctcagccca tcatacccca acttggagga ctgacatcaa ggagtagact 2220

ggagaaacag ccctcccatc aagtaacctc ttgttctctc ctgtccatc tgcactatag 2280

aagtgttaata attagacata cttggcaaaa tggctaattg atttggtaac agaagcatga 2340

gccataacaa tggaagatct agttatcatg actgaacagc ttaacattca attcccttct 2400

ctaagagaag ctgtgaaatc ctacatatta tttaaagtta accaaatcaa tgtaaaggga 2460

gtaggagac agtgtgtacc tatgcacgta tatttatgtt ttgcttgtgt tccagtctcg 2520

gtcatttgtt tccattttca agcaatttat ttgaagagcc attgcactag cctgatgtat 2580

actgcaatga gcttctttga taaaatgaaa cttaaatttt tctcgaccat ttcaccgtgc 2640

ctcctacttc attttttgcc agaaaatctc acatccaaca aaacaaaaca aaaaccctga 2700

attagtgggc ttgaaaagg aaaaagcagg gctttgaaaa agtagatcac acatcagtta 2760

agactcctgc ttctctatta gtcaggttgt cttggattca gtctggagta ggcagagctt 2820

aagggttttt aagtctgac ccaaagaaat gatctagcct gaaagttag agcaaaggac 2880

taatgtttac ttttaaagga atttcttgat ttttttaaaa aacttcatta aagtttaa 2940

cccaatgga caaattcata atcttgtaa tcgttattac taaacttttt aaaaaatgtc 3000

ccaatttaca attaaataaa ttactttctc agtatattct ggtctggtca tggattgtgc 3060  
atttctctccc aaagatattc aaaattgtca attagagaat tttaggtttt cagactcaga 3120  
aaagtcctca cgccc 3135

<210> 28

<211> 3558

<212> DNA

<213> Homo sapiens

<400> 28

ctcagactga atacatggcc cactgtcgct ccagccatct caaatggaac gacctgttct 60  
ctgaagtata tcttacagtg ctttctctcg aatccccttt gggaaatcta aaggctgaat 120  
ccagccagct tttccatgct gcttggctcg gaaatcactg caagggtttt tcccagagaa 180  
ccaaagtaag ataaatgaaa gatgctacac aattctgctg agggctctgt ctactcccca 240  
tctctgaaa cagctgttta ttctttcgac aggagttgaa accagcacct tccctttctc 300  
tgagtctctgc ctccttctgc ggaagggagc tcaaaagaac tttgttggtt tgccttttac 360  
tctgggggtga aagcggcagg aggtatgtga gatggtgaaa tgatttgctt ctgccatgct 420  
ggggtcacgg gtggatcgcc ctaaactctc ggtggccccc tcagtagttt tggaagagga 480  
ccaagtcctt gtctctccag cagtggacct ggaagaagga tgccggtca gggacttcac 540  
tgagaaaata atgaatgtca aaggaaaagt aattctgtca atgctgggtg tctcaactgt 600  
gatcattgtg ttttggaat ttatcaacag cacagaaggc tctttcttgt ggatatatca 660  
ctcaaaaaac ccagaagttg atgacagcag tgctcagaag ggctgggtgt ttctgagctg 720

gtttaacaat gggatccaca attatcaaca aggggaagaa gacatagaca aagaaaaagg 780  
aagagaggag accaaaggaa ggaaaatgac acaacagagc ttcggctatg ggactggttt 840  
aatccaaaat ataatgatca ttacttggag gagttcataa catctgctaa taggtacttc 900  
atggttggcc acaaagtcac attttacatc atggtggatg atgtctccaa gctgccgttt 960  
atagagctgg gtcctctgca ttcttcaaa atgtttgagg tcaagccaga gaagaggtgg 1020  
caagacatca gcatgatgag tatgaagatc actggggagc acatcttggc ccacatccaa 1080  
cacgaggtcg acttcctctt ctgcatggat gtggaccagg tcttccaaga ccattttggg 1140  
gtggagaccc taggccagtc agtggctcag ctacaggctg gcggtacaag gcagatccct 1200  
atgactttac ctaggagagg tggaaagagt cagcaggata cattccattt ggccagggga 1260  
tttttattac catgcagcca tttctggagg aacacccatt caggttctca acatcaccca 1320  
ggagtgcctt aagggaatcc tctgggacaa gaaaaatgac atagaagcca agtggcatga 1380  
tgaaagccac ctaaacaagt atttccttct caataaaccc tctaaaatct tatccctaaa 1440  
atactgctgg gattatcata taggcctgcc ttcagatatt aaaactgtca agtgatcgtg 1500  
gcagacaaaa gagtataatt tggtagaaa taatgtctga cttcaaattg tgccagtaga 1560  
tttctgaatt taagagagag aatattctgg ctacttcctc agaaaagtaa cacttaattt 1620  
taacttcaaa aaatactaata gaaacaccaa cagggcaaaa acataccatt cctccttgta 1680  
acttggggct ttgtaatgtg gaagaatgaa tctagggcaa tcagatataa attcccagtg 1740  
atttcttacc tattctgggt ttgggggaaa tactatcaac tgaacaaaaa ataacttgtc 1800  
ataggcagag ataaagccag aaacactcta cacatgccag atgacatctg gagaaaaggg 1860

tgctaaggga agcgtttggc agcaagatat gattgtaagg ggttggtccct tgagttcaat 1920  
gtctgcctat ttctgatggg tctaaagcaa catggagtta ctgtgcagca gaactctcag 1980  
taaagacacc atttgccttg gcaatcctca aaaagcttca atagcagatt gcttcagacc 2040  
atctgtagtc cgtccttttc tcatctggat gttgtttggc ttctgtgcga aagattgggtg 2100  
gagtgtccca gtagatatca tgggtggtgtg tgatcagagt cccaaggaac ctgaatgagc 2160  
caagggtgcc agcatgaagt caaaacaaag ccttgacatg agtttgccat gaaatagcga 2220  
agagagagtg gaagagagga gccaatcact gtggggcagt gccaccctga gggcacttag 2280  
ggtatggggt tgggtgcttaa atacatcaca gatccaggta ctgaatggga ggaagtgtgg 2340  
gtgatttcca atctcattga ccctatgttc agggacttga acggaagatg tttcttgtgt 2400  
tgcctaagtg gtattcagtc taccagactc tgcaacttgc atcttcaa at ccttggtaaa 2460  
gagatgtgga tgggtgtcaga gaaggcaaag gcctgcagtg gattgaagag gcttgcaagc 2520  
agttctgttt ctaggatgtg ggcttcatca gaagacactc ggtcaccact tagctagtct 2580  
aaacctcagg gttcctcagc ccatacatacc ccaacttga ggactgacat caaggagtag 2640  
actggagaaa cagccctccc atcaagtaac ctcttgttct ctctgctcc atctgcacta 2700  
tagaagtgtg ataattagac atacttgga aaatggctaa ttgatttggg aacagaagca 2760  
tgagccataa caatggaaga tctagttatc atgactgaac agcttaacat tcaattccct 2820  
tctctaagag aagctgtgaa atcctacata ttatttaaag ttaaccaa at caatgtaaag 2880  
ggagttagga gacagtgtgt acctatgcac gtatatattat gttttgcttg tgttccagtc 2940  
tcggtcattt gtttccattt tcaagcaatt tatttgaaga gccattgcac tagcctgatg 3000

## 59

tataactgcaa tgagcttctt tgataaaatg aaacttaaat ttttctcgac catttcaccg 3060  
tgctccttac ttcatttttt gccagaaaat ctcacatcca acaaaacaaa acaaaaaccc 3120  
tgaattagtg ggctttgaaa aggaaaaagc agggctttga aaaagtagat cacacatcag 3180  
ttaagactcc tgcttctcta ttagtcaggt tgtcttggat tcagtctgga gtaggcagag 3240  
cttaagggtt ttttaagtct gacccaaaga aatgatctag cctgaaagt tagagcaaag 3300  
gactaatggt tacttttaaa ggaatttctt gattttttta aaaaacttca ttaaagttta 3360  
aatccccaat ggacaaattc ataatcttgt taatcgttat tactaaactt tttaaaaaat 3420  
gtcccaattt acaattaaat aaattacttt ctcaagtatat tctggtctgg tcatggattg 3480  
tgcatctcct cccaaagata ttcaaaattg tcaattagag aatttttaggt tttcagactc 3540  
agaaaagtcc tcacgccc 3558

&lt;210&gt; 29

&lt;211&gt; 852

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 29

gtggctgata agagcgcgta gggcttcgcc ggggcccggga gctgggcgcg gtcctgctca 60  
gcccagctca ccgcgcgccg gccctcggcg ccctcggcgc cctggttctg cggatcagga 120  
gaaaataatg aatgtcaaag gaaaagtaat tctgtcaatg ctggttgtct caactgtgat 180  
cattgtgttt tgggaattta tcaacagcac agaaggctct ttcttgtgga tatatcactc 240  
aaaaaaccca gaagttgatg acagcagtgc tcagaagggc tgggtggttc tgagctgggt 300  
taacaatggg atccacaatt atcaacaagg ggaagaagac atagacaaag aaaaaggaag 360

agaggagacc aaaggaagga aaatgacaca acagagcttc ggctatggga ctggtttaat 420  
ccaaacttga aggaatccga ataactaaac tggactctgg ttttctgact cagtccttct 480  
agaagacctg gactgagaga tcatgcggtt aaggagtgtg taacaggcgg accacctgtt 540  
gggactgcga gattctcaag gggaaggact gggctctcatt tctcccatct cagcgcttag 600  
caggatgacc tggatatagag cagggaaactg ggaaatgtgg gtcaggggat cagacactcc 660  
agttgggtct tttatataaa ttaaatggca aaaggctcca tacccttctc cttctttcct 720  
accctccact ttatctgcaa aatgggaatg atgataacac ccacttcata gaatgggtcat 780  
gaagatcaaa tgagagaata aaagtcaagc acttagcctc tgggtgcacaa taagtattaa 840  
ataagtatac ct 852

<210> 30

<211> 1232

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)..(118)

<223> This is exon 1

<220>

<221> misc\_feature

<222> (119)..(207)

<223> This is exon 4

<220>

<221> .misc\_feature  
<222> (208)..(243)  
<223> This is exon 5

<220>  
<221> misc\_feature  
<222> (244)..(309)  
<223> This is exon 6

<220>  
<221> misc\_feature  
<222> (310)..(425)  
<223> This is exon 7

<220>  
<221> misc\_feature  
<222> (426)..(1232)  
<223> This is exon 8b

<220>  
<221> misc\_feature  
<222> (797)..(802)  
<223> putative polyadenylation signal

<400> 30  
gtggctgata agagcgcgta gggcttcgcc ggggccggga gctgggcgcg gtcctgctca 60  
gcccagctca ccgcgcgccg gccctcggcg ccctcggcgc cctggttctg cggatcagga 120  
gaaaataatg aatgtcaaag gaaaagtaat tctgtcaatg ctggttgtct caactgtgat 180  
cattgtgttt tgggaattta tcaacagcac agaaggctct ttcttggtga tatatcactc 240



62

aaaaaaccca gaagttgatg acagcagtgc tcagaagggc tgggtggttc tgagctggtt 300

taacaatggg atccacaatt atcaacaagg ggaagaagac atagacaaag aaaaaggaag 360

agaggagacc aaaggaagga aatgacaca acagagcttc ggctatggga ctggtttaat 420

ccaaacttga aggaatccga ataactaac tggactctgg ttttctgact cagtccttct 480

agaagacctg gactgagaga tcatgcggtt aaggagtgtg taacaggcgg accacctgtt 540

gggactgcga gattctcaag gggaaggact gggcttcatt tctcccatct cagcgcttag 600

caggatgacc tggatatagag cagggaactg ggaaatgtgg gtcaggggat cagacactcc 660

agttgggtct tttatataaa ttaaatggca aaaggctcca tacccttctc cttctttcct 720

accctccact ttatctgcaa aatgggaatg atgataacac ccacttcata gaatggcat 780

gaagatcaaa tgagagaata aaagtcaagc acttagcctc tgggtgcacaa taagtattaa 840

ataagtatac ctattcctcc ttttcctttt ttaaaaataa tattaccaa tgtccagctt 900

atacacattt acaagactta gctagtgggc tatgtagag ctactaaaag atctttgaca 960

agctaaaact aagatgcaat gaatgaggtg taacgaacaa gagagtttta agttcagaaa 1020

tggttacaga agtataagac agctgtgtgg gtgttttttg gtttttggtt tctggtttac 1080

aatctcgtca ttcaacaaag atgggagttt tatagaacta aaagcaccat gtaagctact 1140

aaaaacaaca acaaaaaagg ctcatcattt ctcagtctga attgacaaaa atgccaatgc 1200

aaataaaaat gattactttt tatttttcaa cg 1232

&lt;210&gt; 31

&lt;211&gt; 1275

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 31

ctcagactga atacatggcc cactgtcgct ccagccatct caaatggaac gacctgttct	60
ctgaagtata tcttacagtg ctttctctcg aatccccctt gggaatcta aaggctgaat	120
ccagccagct tttccatgct gcctggctctg gaaatcactg caagggtttt tcccagagaa	180
ccaaagtaag ataaatgaaa gatgctacac aattctgctg agggctctgt ctactcccca	240
tctcctgaaa cagctgttta ttctttcgac aggagttgaa accagcacct tccctttctc	300
tgagtctctg ctccttctgc ggaagggagc tcaaaagaac tttgttggtt tgccttttac	360
tctggggtga aagcggcagg aggtatgtga gatggtgaaa tgatttgctt ctgccatgct	420
ggggtcacgg gtggatcgcc ctaaactctc ggtggccccc tcagtagttt tggaagagga	480
ccaagtcctt gtctctccag cagtggacct ggaagaagga tgccggctca gggacttcac	540
tgagaaaata atgaatgtca aaggaaaagt aattctgtca atgctggttg tctcaactgt	600
gatcattgtg ttttgggaat ttatcaacag cacagaaggc tctttcttgt ggatatatca	660
ctcaaaaaac ccagaagttg atgacagcag tgctcagaag ggctgggtgt ttctgagctg	720
gtttaacaat gggatccaca attatcaaca aggggaagaa gacatagaca aagaaaaagg	780
aagagaggag accaaaggaa ggaaaatgac acaacagagc ttcggctatg ggactgggtt	840
aatccaaact tgaaggaatc cgaataacta aactggactc tggttttctg actcagtcct	900
tctagaagac ctggactgag agatcatgcg gttaaggagt gtgtaacagg cggaccacct	960
gttgggactg cgagattctc aagggaagg actgggtctc atttctccca tctcagcgt	1020
tagcaggatg acctggtata gagcaggga ctgggaaatg tgggtcaggg gatcagacac	1080

tccagttggg tcttttatat aaattaaatg gcaaaaggct ccataccctt ctcttcttt 1140  
cctaccctcc actttatctg caaaatggga atgatgataa caccacttc atagaatggt 1200  
catgaagatc aaatgagaga ataaaagtca agcacttagc ctctggtgca caataagtat 1260  
taaataagta tacct 1275

<210> 32  
<211> 1655  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)..(272)  
<223> This is exon 1a

<220>  
<221> misc\_feature  
<222> (273)..(541)  
<223> This is exon 2

<220>  
<221> misc\_feature  
<222> (542)..(630)  
<223> This is exon 4

<220>  
<221> misc\_feature  
<222> (631)..(666)  
<223> This is exon 5

<220>

<221> misc\_feature

<222> (667)..(732)

<223> This is exon 6

<220>

<221> misc\_feature

<222> (733)..(848)

<223> This is exon 7

<220>

<221> misc\_feature

<222> (849)..(1655)

<223> This is exon 8h

<400> 32

ctcagactga atacatggcc cactgtcgct ccagccatct caaatggaac gacctgttct 60

ctgaagtata tcttacagtg ctttctctcg aatccccctt gggaaatcta aaggctgaat 120

ccagccagct tttccatgct gcctgggtctg gaaatcactg caagggtttt tcccagagaa 180

ccaaagtaag ataaatgaaa gatgctacac aattctgctg agggctctgt ctactcccca 240

tctctgaaa cagctgttta ttctttcgac aggagttgaa accagcacct tccctttctc 300

tgagtctgc ctccttctgc ggaagggagc taaaagaac tttgttggtt tgccttttac 360

tctgggggtga aagcggcagg aggtatgtga gatggtgaaa tgatttgctt ctgccatgct 420

ggggtcacgg gtggatcgcc ctaaactctc ggtggccccc tcagtagttt tggaagagga 480

ccaagtcctt gtctctccag cagtggacct ggaagaagga tgccgggtca gggacttcac 540

tgagaaaata atgaatgtca aaggaaaagt aattctgtca atgctggttg tctcaactgt 600  
gatcattgtg ttttggaat ttatcaacag cacagaaggc tctttcttgt ggatatatca 660  
ctcaaaaaac ccagaagttg atgacagcag tgctcagaag ggctggtggt ttctgagctg 720  
gtttaacaat gggatccaca attatcaaca aggggaagaa gacatagaca aagaaaaagg 780  
aagagaggag accaaaggaa ggaaaatgac acaacagagc ttcggctatg ggactggttt 840  
aatccaaact tgaaggaatc cgaataacta aactggactc tggttttctg actcagtcct 900  
tctagaagac ctggactgag agatcatgcg gttaaggagt gtgtaacagg cggaccacct 960  
gttgggactg cgagattctc aaggggaagg actgggtctc atttctccca tctcagcgct 1020  
tagcaggatg acctggtata gaggcaggaa ctgggaaatg tgggtcaggg gatcagacac 1080  
tccagttggg tcttttatat aaattaaatg gcaaaaggct ccataccctt ctccttcttt 1140  
cctaccctcc actttatctg caaaatggga atgatgataa caccacttc atagaatggt 1200  
catgaagatc aaatgagaga ataaaagtca agcacttagc ctctggtgca caataagtat 1260  
taaataagta tacctattcc tcttttctt tttttaaaaa taatattacc aaatgtccag 1320  
cttatacaca ttacaagac ttagctagtg ggctatgtta gagctactaa aagatctttg 1380  
acaagctaaa actaagatgc aatgaatgag gtgtaacgaa caagagagtt ttaagttcag 1440  
aatggttac agaagtataa gacagctgtg tgggtgtttt ttggtttttg gtttctggtt 1500  
tacaatctcg tcattcaaca aagatgggag ttttatagaa ctaaaagcac catgtaagct 1560  
actaaaaaca acaacaaaaa aggctcatca tttctcagtc tgaattgaca aaaatgcaa 1620  
tgcaaataaa aatgattact ttttattttt caacg 1655

&lt;210&gt; 33

&lt;211&gt; 3322

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 33

gtggctgata agagcgcgta gggcttcgcc ggggccggga gctgggcgcg gtcctgctca 60

gcccagctca ccgcgcgcgc gccctcggcg cctcgggcgc cctgggttctg cggatcagga 120

gaaaataatg aatgtcaaag gaaaagtaat tctgtcaatg ctggttgtct caactgtgat 180

cattgtgttt tgggaattta tcaacagcac agaaggctct ttcttggtga tatatcactc 240

aaaaaaccca gaagttgatg acagcagtgc tcagaagggc tgggtggttc tgagctggtt 300

taacaatggg atccacaatt atcaacaagg ggaagaagac atagacaaag aaaaaggaag 360

agaggagacc aaaggaagga aaatgacaca acagagcttc ggctatggga ctggtttaat 420

ccaaacttga aggaatccga ataactaac tggactctgg tttctgact cagtccttct 480

agaagacctg gactgagaga tcatgcggtt aaggagtgtg taacaggcgg accacctgtt 540

gggactgcga gattctcaag ggggaaggact gggctctcatt tctccatct cagcgcttag 600

caggatgacc tgatataatg atcattactt ggaggagttc ataacatctg ctaataggta 660

cttcattggtt ggccacaaag tcatatttta catcatggtg gatgatgtct ccaagctgcc 720

gtttatagag ctgggtcctc tgcattcctt caaatgttt gaggtcaagc cagagaagag 780

gtggcaagac atcagcatga tgcgtatgaa gatcactggg gagcacatct tggccacat 840

ccaacacgag gtcgacttcc tcttctgcat ggatgtggac caggtcttcc aagaccattt 900

tggggtggag accctaggcc agtcagtggc tcagctacag gctggcggta caaggcagat 960

ccctatgact ttacctagga gaggtggaaa gagtcagcag gatacattcc atttggccag 1020

gggattttta ttaccatgca gccatttctg gaggaacacc cattcaggtt ctcaacatca 1080

cccaggagtg ctttaaggga atcctcctgg acaagaaaaa tgacatagaa gccaaagtggc 1140

atgatgaaag ccacctaaac aagtatttcc ttctcaataa accctctaaa atcttatccc 1200

taaaatactg ctgggattat catataggcc tgccttcaga tattaaaact gtcaagtgat 1260

cgtggcagac aaaagagtat aatttgggta gaaataatgt ctgacttcaa attgtgccag 1320

tagatttctg aatttaagag agagaatatt ctggctactt cctcagaaaa gtaacactta 1380

attttaactt caaaaaatac taatgaaaca ccaacagggc aaaaacatc cattcctcct 1440

tgtaacttgg ggctttgtaa tgtggaagaa tgaatctagg gcaatcagat ataaattccc 1500

agtgatttct tatctattct gggtttgggg gaaatactat caactgaacc aaaaataact 1560

tgtcataggc agagataaag ccagaaacac tctacacatg ccagatgaca tctggagaaa 1620

agggtgctaa gggaagcggt tggcagcaag atatgattgt aaggggttgt cccttgagtt 1680

caatgtctgc ctatttctga tgggtctaaa gcaacatgga gttactgtgc agcagaactc 1740

tcagtaaaga caccatttgc cttggcaatc ctcaaaaagc ttcaatagca gattgcttca 1800

gaccatctgt agtccgtcct tttctcatct ggatgttgtt tggcttctgt gcgaaagatt 1860

ggtggagtgt ccagtagat atcatggtgg tgtgtgatca gagtccaag gaacctgaat 1920

gagccaaggt gccagcatg aagtcaaac aaagccttga catgagtttg ccatgaaata 1980

gcgaagagag agtgaagag aggagccaat cactgtgggg cagtgccacc ctgagggcac 2040

ttagggtatg gggttggtgc ttaaatacat cacagatcca ggtactgaat gggaggaagt 2100

gtgggtgatt tccaatctca ttgaccctat gttcaggac ttgaacggaa gatgtttctt 2160

gtgttgcccta agtgggtattc agtctaccag actctgcaac ttgcatcttc aaatccttgg 2220

taaagagatg tggatggtgt cagagaaggc aaaggcctgc agtggattga agaggcttgc 2280

aagcagttct gtttctagga tgtgggcttc atcagaagac actcggtcac cacttagcta 2340

gtctaaacct cagggttcct cagcccatca taccccaact tggaggactg acatcaagga 2400

gtagactgga gaaacagccc tcccatcaag taacctcttg ttctctctg ctccatctgc 2460

actatagaag tgtaataatt agacatactt ggcaaaatgg ctaattgatt tggtaacaga 2520

agcatgagcc ataacaatgg aagatctagt tatcatgact gaacagctta acattcaatt 2580

cccttctcta agagaagctg tgaaatccta catattattt aaagttaacc aaatcaatgt 2640

aaaggaggtt aggagacagt gtgtacctat gcacgtatat ttatgttttg cttgtgttcc 2700

agtctcggtc atttgtttcc attttcaagc aatttatitg aagagccatt gcactagcct 2760

gatgtatact gcaatgagct tctttgataa aatgaaactt aaatttttct cgaccatttc 2820

accgtgcctc ctacttcatt ttttgccaga aaatctcaca tccaacaaaa caaaacaaaa 2880

accctgaatt agtgggcttt gaaaaggaaa aagcagggtt ttgaaaaagt agatcacaca 2940

tcagttaaga ctctgcttc tctattagtc aggttgtctt ggattcagtc tggagtaggc 3000

agagcttaag ggtttttaag tctgaccca aagaaatgat ctagcctgaa agtttagagc 3060

aaaggactaa tgtttacttt taaaggaatt tcttgatttt tttaaaaaac ttcattaaag 3120

tttaaatccc caatggacaa attcataatc ttgttaatcg ttattactaa acttttttaa 3180

aatgtccca atttacaatt aaataaatta ctttctcagt atattctggc ctggtcatgg 3240



attgtgcatt tcttcccaaa gatattcaaa attgtcaatt agagaatddd aggttttcag 3300

actcagaaaa gtcctcacgc cc 3322

<210> 34

<211> 3745

<212> DNA

<213> Homo sapiens

<400> 34

ctcagactga atacatggcc cactgtcgtt ccagccatct caaatggaac gacctgttct 60

ctgaagtata tcttacagtg ctttctctcg aatccccttt gggaaatcta aaggctgaat 120

ccagccagct tttccatgct gcctgggtctg gaaatcactg caagggtttt tcccagagaa 180

ccaaagtaag ataaatgaaa gatgctacac aattctgctg agggctctgt ctactcccca 240

tctctgaaa cagctgttta ttctttcgac aggagttgaa accagcacct tccctttctc 300

tgagtcttgc ctctttctgc ggaagggagc tcaaaagaac tttgttgttt tgccttttac 360

tctgggggtga aagcggcagg aggtatgtga gatgggtgaaa tgatttgctt ctgccatgct 420

ggggtcacgg gtggatcgcc ctaaactctc ggtggccccc tcagtagttt tggaagagga 480

ccaagtcctt gtctctccag cagtggacct ggaagaagga tgccggctca gggacttcac 540

tgagaaaata atgaatgtca aaggaaaagt aattctgtca atgctggttg tctcaactgt 600

gatcattgtg ttttggaat ttatcaacag cacagaaggc tctttcttgt ggatatatca 660

ctcaaaaaac ccagaagttg atgacagcag tgctcagaag ggctgggtgt ttctgagctg 720

gtttaacaat gggatccaca attatcaaca aggggaagaa gacatagaca aagaaaaagg 780

aagagaggag accaaaggaa ggaaaatgac acaacagagc ttcggctatg ggactggttt 840

aatccaaact tgaaggaatc cgaataacta aactggactc tggttttctg actcagtcct 900

tctagaagac ctggactgag agatcatgcg gttaaggagt gtgtaacagg cggaccacct 960

gttgggactg cgagattctc aaggggaagg actgggtctc atttctccca tctcagcgct 1020

tagcaggatg acctgatata atgatcatta cttggaggag ttcataacat ctgctaatag 1080

gtacttcatg gttggccaca aagtcattt ttacatcatg gtggatgatg tctccaagct 1140

gccgtttata gagctgggtc ctctgcattc cttcaaaatg tttgaggtca agccagagaa 1200

gaggtggcaa gacatcagca tgatgcgtat gaagatcact ggggagcaca tcttggccca 1260

catccaacac gaggtcgact tcctcttctg catggatgtg gaccaggtct tccaagacca 1320

ttttggggtg gagaccctag gccagtcagt ggctcagcta caggctggcg gtacaaggca 1380

gatccctatg actttaccta ggagaggtgg aaagagtcag caggatacat tccatttggc 1440

caggggattt ttattaccat gcagccattt ctggaggaac acccattcag gttctcaaca 1500

tcaccagga gtgctttaag ggaatcctcc tggacaagaa aaatgacata gaagccaagt 1560

ggcatgatga aagccaccta aacaagtatt tccttctcaa taaacctctt aaaatcttat 1620

ccctaaaata ctgctgggat tatcatatag gcctgccttc agatattaaa actgtcaagt 1680

gatcgtggca gacaaaagag tataatttgg ttagaaataa tgtctgactt caaattgtgc 1740

cagtagattt ctgaatttaa gagagagaat attctggcta cttcctcaga aaagtaacac 1800

ttaattttaa cttcaaaaaa tactaatgaa acaccaacag ggcaaaaaca taccattcct 1860

ccttgtaact tggggctttg taatgtggaa gaatgaatct agggcaatca gatataaatt 1920

cccagtgatt tcttatctat tctgggtttg ggggaaatac tatcaactga accaaaaata 1980

acttgtcata ggcagagata aagccagaaa cactctacac atgccagatg acatctggag 2040

aaaaggggtgc taagggaagc gtttggcagc aagatatgat tgtaaggggt tgtcccttga 2100

gttcaatgtc tgcctatttc tgatgggtct aaagcaacat ggagttactg tgcagcagaa 2160

ctctcagtaa agacaccatt tgccttggca atcctcaaaa agcttcaata gcagattgct 2220

tcagaccatc tgtagtccgt cctttttctca tctggatgtt gtttggcttc tgtgcgaaag 2280

attggtggag tgtcccagta gatatcatgg tgggtgtgtga tcagagtccc aaggaacctg 2340

aatgagccaa ggtgcccgagc atgaagtcaa aacaaagcct tgacatgagt ttgccatgaa 2400

atagcgaaga gagagtggaa gagaggagcc aatcactgtg gggcagtgcc accctgaggg 2460

cacttaggggt atgggggttg tgcttaaata catcacagat ccaggtactg aatgggagga 2520

agtgtgggtg atttccaatc tcattgacct tatgttcagg gacttgaacg gaagatgttt 2580

cttgtgttgc ctaagtggta ttcagtctac cagactctgc aacttgcac ttcaaactct 2640

tggtaaagag atgtggatgg tgtcagagaa ggcaaaggcc tgcagtggat tgaagaggct 2700

tgcaagcagt tctgtttcta ggatgtgggc ttcacagaa gacactcggc caccacttag 2760

ctagtctaaa cctcaggggt cctcagccca tcatacccca acttgagga ctgacatcaa 2820

ggagtagact ggagaaacag cctcccatc aagtaacctc ttgttctctc ctgctccatc 2880

tgactatag aagtgttaata attagacata cttggcaaaa tggctaattg atttggtaac 2940

agaagcatga gccataacaa tggaagatct agttatcatg actgaacagc ttaacattca 3000

attcccttct ctaagagaag ctgtgaaatc ctacatatta tttaaagtta accaaatcaa 3060

73

tgtaaaggga gttaggagac agtgtgtacc tatgcacgta ttttatgtt ttgcttgtgt 3120  
tccagtctcg gtcatttggt tccattttca agcaatttat ttgaagagcc attgcactag 3180  
cctgatgtat actgcaatga gcttctttga taaaatgaaa cttaaatttt tctcgaccat 3240  
ttcaccgtgc ctctacttc attttttgcc agaaaatctc acatccaaca aaacaaaaca 3300  
aaaaccctga attagtgggc ttgaaaagg aaaaagcagg gctttgaaaa agtagatcac 3360  
acatcagtta agactcctgc ttctctatta gtcaggttgt cttggattca gtctggagta 3420  
ggcagagctt aagggttttt aagtcctgac ccaaagaaat gatctagcct gaaagttag 3480  
agcaaaggac taatgtttac ttttaaagga atttcttgat ttttttaaaa aacttcatta 3540  
aagtttaa at cccaatgga caaattcata atcttgtaa tcgttattac taaacttttt 3600  
aaaaaatgtc ccaatttaca attaaataaa ttactttctc agtatattct ggtctggta 3660  
tggattgtgc atttcctccc aaagatatc aaaattgtca attagagaat tttaggtttt 3720  
cagactcaga aaagtcctca cgccc 3745

&lt;210&gt; 35

&lt;211&gt; 244

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)..(60)

&lt;223&gt; 5' flanking sequence

&lt;220&gt;

&lt;221&gt; misc\_feature

<222> (61)..(178)

<223> human untranslated exon 1

<220>

<221> Intron

<222> (179)..(244)

<400> 35

agcccggccg gccggccac gggcgggagg acgcgcctcc gctcgggcgg aggcggcgcg 60

gtggctgata agagcgcgta gggcttcgcc ggggccggga gctgggcgg gtctgtctca 120

gccagctca ccgcgcgcg gccctcggcg ccctcggcgc cctggttctg cggatcaggt 180

gggtcccgcg gggagccgcc caggtccccg gaggccacga gcaggacacg gacggggggc 240

nnnn 244

<210> 36

<211> 217

<212> DNA

<213> Homo sapiens

<220>

<221> Intron

<222> (1)..(60)

<220>

<221> misc\_feature

<222> (61)..(149)

<223> human untranslated exon 4

<220>

<221> Intron

<222> (150)..(217)

&lt;400&gt; 36

ctcttgaagt tcattgattt aatctgttct ctttttttct cccctcttct tttttcctag 60

gagaaaataa tgaatgtcaa aggaaaagta attctgtcaa tgctggttgt ctcaactgtg 120

atcatttgtgt ttgggaatt tatcaacagg taattatgaa acatgatgaa gtgatgtgga 180

tgaaaatact gctttgattc tctcctacta gtatnnn 217

&lt;210&gt; 37

&lt;211&gt; 165

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; Intron

&lt;222&gt; (1)..(60)

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (61)..(96)

&lt;223&gt; human untranslated exon 5

&lt;220&gt;

&lt;221&gt; Intron

&lt;222&gt; (97)..(165)

&lt;400&gt; 37

aatcgccttt ctcagaatta aaagtaacat gatatgtttt tatttctttt ttgcttttag 60

cacagaaggc tctttcttgt ggatatatca ctcaaagtgc ttggaattct agatttctag 120

gggatgtttc ccacagccac tctggcacc cctacagtcc annnn 165

<210> 38  
<211> 193  
<212> DNA  
<213> Homo sapiens

<220>  
<221> Intron  
<222> (1)..(60)

<220>  
<221> misc\_feature  
<222> (61)..(126)  
<223> human untranslated exon 6

<220>  
<221> Intron  
<222> (127)..(193)

<400> 38  
accctaagtt tggggacacc acattttcta aaaatatattg taaacttttt catttcttag 60  
  
aaaccagaa gttgatgaca gcagtgtca gaagggtgg tggtttctga gctggtttaa 120  
  
caatgggtaa ggcggatcag acagcagtcg gtgtttgccc acccgctgg tgcttgcaga 180  
  
gggtccnnnn nnn 193

<210> 39  
<211> 242  
<212> DNA  
<213> Homo sapiens

<220>  
<221> Intron  
<222> (1)..(60)

<220>

<221> misc\_feature

<222> (61)..(176)

<223> human untranslated exon 7

<220>

<221> Intron

<222> (177)..(242)

<400> 39

tctttgacca ccgcaatcac cttccctgcc ttacctggtt tactttccct ttgtacttag 60

gatccacaat tatcaacaag gggaagaaga catagacaaa gaaaaaggaa gagaggagac 120

caaaggaagg aaaatgacac aacagagctt cggctatggg actgggttaa tccaaagtaa 180

gaaaagcggc gtcactccct gtgcagcaaa tccatggccc tgcagggggg ggtgtggcnn 240

nn 242

<210> 40

<211> 487

<212> DNA

<213> Homo sapiens

<220>

<221> Intron

<222> (1)..(60)

<220>

<221> misc\_feature

<222> (61)..(487)

<223> a version of human untranslated exon 8h

<400> 40



78

atagaatatt ttaattttta attcaacata aatttttaag ggtgctgttt tttcttccag 60  
cttgaaggaa tccgaataac taaactggac tctggttttc tgactcagtc cttctagaag 120  
acctggactg agagatcatg cggttaagga gtgtgtaaca ggcggaccac ctgttgggac 180  
tgcgagattc tcaaggggaa ggactgggtc tcattttctcc catctcagcg cttagcagga 240  
tgacctggta tagagcaggg aactgggaaa tgtgggtcag gggatcagac actccagttg 300  
ggtcttttat ataaattaaa tggcaaaagg ctccataccc ttctccttct ttctaccct 360  
ccactttatc tgcaaaatgg gaatgatgat aacacccact tcatagaatg gtcatgaaga 420  
tcaaatgaga gaataaaagt caagcactta gcctctggtg cacaataagt attaaataag 480  
tataacct 487

&lt;210&gt; 41

&lt;211&gt; 454

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)..(380)

&lt;223&gt; a version of the human untranslated exon 8h

&lt;220&gt;

&lt;221&gt; Intron

&lt;222&gt; (381)..(454)

&lt;400&gt; 41

attcctcctt ttcttttttt aaaaataata ttaccaaatg tccagcttat acacatttac 60  
aagacttagc tagtgggcta tgttagagct actaaaagat ctttgacaag ctaaaactaa 120

gatgcaatga atgaggtgta acgaacaaga gagttttaag ttcagaaatg gttacagaag 180  
tataagacag ctgtgtgggt gttttttggt ttttggtttc tggtttaca tctcgtcatt 240  
caacaaagat gggagtttta tagaactaaa agcaccatgt aagctactaa aaacaacaac 300  
aaaaaaggct catcatttct cagtctgaat tgacaaaaat gccaatgcaa ataaaaatga 360  
ttacttttta tttttcaacg ttgtttgttt atttatttat ttcgagatgg agtttcactc 420  
ttgttgccct ggctggagtg cagtggcgcn nnnn 454

<210> 42

<211> 2848

<212> DNA

<213> Homo sapiens

<220>

<221> Intron

<222> (1)..(65)

<220>

<221> misc\_feature

<222> (66)..(2676)

<223> human untranslated exon 9

<220>

<221> misc\_feature

<222> (2677)..(2848)

<223> an inter-gene sequence

<400> 42

ttcagcttgt ggtttctttc aggaatccca gaggataaat gttttgcttt tcttctttgt 60

ttcagatata atgatcatta cttggaggag ttcataacat ctgctaatag gtacttcatg 120

gttggccaca aagtcattatt ttacatcatg gtggatgatg tctccaagct gccgtttata 180

gagctgggtc ctctgcattc cttcaaaatg tttgaggtca agccagagaa gaggtggcaa 240

gacatcagca tgatgcgtat gaagatcact ggggagcaca tcttggccca catccaacac 300

gaggtcgact tctcttcttg catggatgtg gaccaggtct tccaagacca ttttggggtg 360

gagaccctag gccagtcagt ggctcagcta caggctggcg gtacaaggca gatccctatg 420

actttaccta ggagaggtgg aaagagtcag caggatacat tccatttggc caggggattt 480

ttattaccat gcagccattt ctggaggaac acccattcag gttctcaaca tcaccagga 540

gtgctttaag ggaatcctcc tggacaagaa aaatgacata gaagccaagt ggcatgatga 600

aagccaccta aacaagtatt tctttctcaa taaaccctct aaaatcttat cctaaaata 660

ctgctgggat tatcatatag gcctgccttc agatattaaa actgtcaagt gatcgtggca 720

gacaaaagag tataatttgg ttagaaataa tgtctgactt caaattgtgc cagtagattt 780

ctgaatttaa gagagagaat attctggcta cttcctcaga aaagtaacac ttaattttaa 840

cttcaaaaaa tactaatgaa acaccaacag ggcaaaaaca taccattcct ccttgtaact 900

tggggctttg taatgtggaa gaatgaatct agggcaatca gatataaatt cccagtgatt 960

tcttatctat tctgggtttg ggggaaatac tatcaactga accaaaaata acttgtcata 1020

ggcagagata aagccagaaa cactctacac atgccagatg acatctggag aaaaggggtgc 1080

taaggaagc gtttggcagc aagatatgat tgtaaggggt tgtcccttga gttcaatgtc 1140

tgcctatttc tgatgggtct aaagcaacat ggagttactg tgcagcagaa ctctcagtaa 1200

agacaccatt tgccttggca atcctcaaaa agcttcaata gcagattgct tcagaccatc 1260

tgtagtccgt ccttttctca tctggatggt gtttggttc tgtgcgaaag attggtggag 1320

tgtcccagta gatatcatgg tgggtgtgta tcagagtccc aaggaacctg aatgagccaa 1380

ggtgcccagc atgaagtcaa aacaaagcct tgacatgagt ttgcatgaa atagcgaaga 1440

gagagtggaa gagaggagcc aatcactgtg gggcagtgcc accctgaggg cacttagggg 1500

atggggttgg tgcttaaata catcacagat ccaggtactg aatgggagga agtgtgggtg 1560

atttccaatc tcattgacct tatgttcagg gacttgaacg gaagatgttt cttgtgttgc 1620

ctaagtggta ttcagtctac cagactctgc aacttgcac ttcaaatacct tggtaaagag 1680

atgtggatgg tgtcagagaa ggcaaaggcc tgcaagtggat tgaagaggct tgcaagcagt 1740

tctgtttcta ggatgtgggc ttcacagaa gacactcgt caccacttag ctagtctaaa 1800

cctcaggggt cctcagccca tcatacccca acttgaggga ctgacatcaa ggagtagact 1860

ggagaaacag ccctcccatc aagtaacctc ttgttctctc ctgtccatc tgcactatag 1920

aagtgttaata attagacata cttggcaaaa tggctaattg atttggtaac agaagcatga 1980

gccataacaa tggaagatct agttatcatg actgaacagc ttaacattca attcccttct 2040

ctaagagaag ctgtgaaatc ctacatatta tttaaagtta accaaatcaa tgtaaaggga 2100

gttaggagac agtgtgtacc tatgcacgta tatttatgtt ttgcttgtgt tccagtctcg 2160

gtcatttgtt tccattttca agcaatttat ttgaagagcc attgcactag cctgatgtat 2220

actgcaatga gcttctttga taaaatgaaa cttaaatttt tctcgaccat ttcaccgtgc 2280

ctcctacttc attttttgcc agaaaatctc acatccaaca aaacaaaaca aaaaccctga 2340

attagtgggc tttgaaaagg aaaaagcagg gctttgaaaa agtagatcac acatcagtta 2400  
agactcctgc ttctctatta gtcaggttgt cttggattca gtctggagta ggcagagctt 2460  
aagggttttt aagtcctgac ccaaagaaat gatctagcct gaaagtttag agcaaaggac 2520  
taatgtttac ttttaaagga atttcttgat ttttttaaaa aacttcatta aagtttaaatt 2580  
ccccaatgga caaattcata atcttggttaa tcgttattac taaacttttt aaaaaatgtc 2640  
ccaatttaca attaaataaa ttactttctc agtatattct ggtctgggtca tggattgtgc 2700  
atttcctccc aaagatattc aaaattgtca attagagaat ttagggtttt cagactcaga 2760  
aaagtectca cgccttctg aaaatgtgtc cactattaca gaaatagaac agacttgga 2820  
ttcccaaatt tttgtttggt tttnnnnn 2848

<210> 43

<211> 2303

<212> DNA

<213> Rhesus monkey

<220>

<221> misc\_feature

<222> (1)..(44)

<223> This is exon 1

<220>

<221> misc\_feature

<222> (45)..(159)

<223> This is exon 2

<220>

<221> misc\_feature

<222> (160)..(278)  
<223> This is exon 3

<220>  
<221> misc\_feature  
<222> (279)..(367)  
<223> This is exon 4

<220>  
<221> misc\_feature  
<222> (368)..(403)  
<223> This is exon 5

<220>  
<221> misc\_feature  
<222> (404)..(469)  
<223> This is exon 6

<220>  
<221> misc\_feature  
<222> (470)..(584)  
<223> This is exon 7

<220>  
<221> misc\_feature  
<222> (585)..(2260)  
<223> This is exon 9

<220>  
<221> misc\_feature  
<222> (543)..(545)  
<223> This is an early stop codon

<220>

<221> misc\_feature

<222> (1276)..(1278)

<223> This is a stop codon

<220>

<221> misc\_feature

<222> (1225)..(1260)

<223> This is a polyadenylation signal

<400> 43

gctcgctgcg cgccggctcct ggggtgccagg gttctgcgga tcaggagttg aaaccagcat 60

cttccttca tctgagtcct gcctccttct gcagaaggga gtcaaaaga actttgttgt 120

tttgcctttt actctggggt gaaagcaaca gacgataagg atctcactct gtcgccaag 180

ctggagtgca gtggcttgat tacagctcac tgtagcctgg accttccaag gctctgggtg 240

atcttcttac ctcagcttcc ccagtagctg gactacagga gaaaataatg aatgtcaaag 300

gaaaagtaat tctgtcaatg ctggttgtct caactgtgat cattgtgttt tgggaatata 360

tcaatagccc agaaggttct ttcttgggga tgtatcgctc aaaaaacca gaggttgatg 420

acagcagtgc tcagaagagc tgggtggttc cgagctggtt taacaatggg atccacaatc 480

atcaacaaga ggaagaagac atagacaaaa aagaggaaga gaggagacca aagaaaggaa 540

gatgacacaa cagagcttcg gctatgggac tgatttaatc caaaatatat tgagcattac 600

ttggaagagt tcataacacc tgctaataagg tacttcaagg tcggccacaa agtcatattt 660

tacattatag tggatgatgt ctccaaggtg ctgtttatag agctgggtcc tctgcattcc 720

ttaaaagtgt ttgaggtcaa gccagagaag aggtggcaac acatcagcat gatgcctgtg 780

aagatcatca gggagcacat cttggccac atccaacacg aggtcgactt cctcttctgc 840

atggatgtag accaggtctt ccaagacaat tttggggtga agaccctagg tcagtcagtg 900

gctcagctac agccctgggtg gtacaaggca gatcctgatg actttaccta ggagaggcag 960

aaagagtcag cagcatgcat tccatttggc caggaggatt tttattacca cacagccatt 1020

tttgaggaa caccattca ggttctcaac atcccccagg agtgctttaa gagaatcctc 1080

ctggaaaaga aaaatgacat agaagctgag tggcatgatg aaagccacct aaaccagtat 1140

ttccttctca acaaaccctc taaaatctta tccctagaat actgctggga ttatcatatc 1200

agcctgcctt cagatattaa aactgtcaag cggctgtggc agacaaaaga gtataatttg 1260

gttagaaata tcatctgact tcaaattgtg ccagtagatt tctgaatttg agagaggagt 1320

attctggctg ctctctcaga aaagtaacac ttaattttta gttaaaaaaa atactaatga 1380

aacaccaaca tggcaaacac ataccattcc ttcttgtaac ttgaggcttt gtaatgtggg 1440

agaatgaatc tagggtaatc agatgtaaat tcccagtgat ttcttatcta ttttgggttt 1500

gggggaaata ctatcaactg aacaaaaaag aacttgtcat aggcaaagat aaagccagaa 1560

acactctaca catgccacat aacatctgga gaaaagggtg ctaagggaag cgtttggcag 1620

caagatatga ttgtaagggg ttgtcccttg agttcaatgc ctgcctattt ccaatggatc 1680

taaaacaacg tgaagttact gtgcagcaga gctctcagta aggacacat ttgccttggc 1740

aatcctcaaa attcttcaat agcagattgt ttcaggccat ctgtagtctg tccttttctc 1800

atcaggatgt tgtttggctt ctgtgcgaaa aattggtgga gtgtcctggt agatattgaa 1860



actaggcctc atatagaaaa aattaacacc aggtggctct ggatagagtc ccgccctgcc 1920  
tcgatgagga cccaccctga taggggccca ccctgccaat tccgagaaac aacctcatgg 1980  
gggccacccc tgccaattcc ggggggccca ccctgcctcg aagttcccgg aatcaacaac 2040  
tccaggaaaa aacctcataa ggtcctgctc taaccaatta gcataagacg ccttgctcag 2100  
gccatagcta gacccaatca ttttgcgcct taagctttgt ttgaatttcg cgccctaagc 2160  
tgtgtttgaa cttgtgtttg cctatataaa cagcctgtaa caagcagtcg ggggccagg 2220  
gccaaacttag agcttgggac cctagcgcgc tagtaataaa taactctctg ctgcgaaaaa 2280  
aaaaaaaaa aaaaaaaaaa aaa 2303

<210> 44

<211> 2630

<212> DNA

<213> Rhesus monkey

<220>

<221> misc\_feature

<222> (1)..(44)

<223> This is exon 1

<220>

<221> misc\_feature

<222> (45)..(159)

<223> This is exon 2

<220>

<221> misc\_feature

<222> (160)..(278)

<223> This is exon 3

<220>

<221> misc\_feature

<222> (279)..(367)

<223> This is exon 4

<220>

<221> misc\_feature

<222> (368)..(403)

<223> This is exon 5

<220>

<221> misc\_feature

<222> (404)..(469)

<223> This is exon 6

<220>

<221> misc\_feature

<222> (470)..(584)

<223> This is exon 7

<220>

<221> misc\_feature

<222> (585)..(911)

<223> This is exon 8

<220>

<221> misc\_feature

<222> (912)..(2587)

<223> This is exon 9

<220>

<221> misc\_feature

<222> (288)..(290)

<223> This is a putative start codon

<220>

<221> misc\_feature

<222> (543)..(545)

<223> This is a putative stop codon

<220>

<221> misc\_feature

<222> (1603)..(1605)

<223> This is a putative stop codon

<220>

<221> misc\_feature

<222> (2582)..(2587)

<223> polyadenylation signal

<400> 44

gctcgctgcg cgccggctct gggtgccagg gttctgcgga tcaggagttg aaaccagcat 60

cttccttca tctgagtcct gctccttct gcagaaggga gctcaaaaga actttgttgt 120

tttgctttt actctggggt gaaagcaaca gacgataagg atctcactct gtcgcccaag 180

ctggagtgca gtggcttgat tacagctcac tgtagcctgg accttccaag gctctgggtg 240

atcttcctac ctgagcttcc ccagtagctg gactacagga gaaaataatg aatgtcaaag 300

gaaaagtaat tctgtcaatg ctggttgtct caactgtgat cattgtgttt tgggaatata 360

tcaatagccc agaaggttct ttcttgggga tgtatcgctc aaaaaacca gaggttgatg 420

acagcagtgc tcagaagagc tgggtggttc cgagctgggt taacaatggg atccacaatc 480

atcaacaaga ggaagaagac atagacaaaa aagaggaaga gaggagacca aagaaaggaa 540

gatgacacaa cagagcttcg gctatgggac tgatttaatc caaagaaacg cccagagggtg 600

gtgagagtga ccagatggaa ggcaccgggt gtgtggaaag gcacttacia caaagccatc 660

ctaggaaatt attatgccaa acagaaaatt acggtgggat tgaaggcttt tgctattgga 720

agtgggtgtc actgatgaaa ctgtccttga ctatttcttg ttccactgtc aagacatttt 780

tgtggagact cctgaactga tggaggccag ccatgatttt ttgatttatt agatagaaga 840

atgttttcat ggaactgttt tagtctcctt tctgctgagg ccctaaaatg ctgagaacaa 900

aataagagta gatataattga gcattacttg gaagagttca taacacctgc taataggtac 960

ttcaagggtcg gccacaaagt catattttac attatagtggt atgatgtctc caagggtgctg 1020

tttatagagc tgggtcctct gcattcctta aaagtgtttg aggtcaagcc agagaagagg 1080

tggcaacaca tcagcatgat gcctgtgaag atcatcaggg agcacatctt ggcccacatc 1140

caacacgagg tcgacttcct cttctgcatg gatgtagacc aggtcttcca agacaatttt 1200

ggggtgaaga ccctagggtca gtcagtgggt cagctacagc cctgggtggt caaggcagat 1260

cctgatgact ttacctagga gaggcagaaa gagtcagcag catgcattcc atttggccag 1320

gaggattttt attaccacac agccattttt ggaggaacac ccattcaggt tctcaacatc 1380

ccccaggagt gctttaagag aatcctcctg gaaaagaaaa atgacataga agctgagtgg 1440

catgatgaaa gccacctaaa ccagtatttc cttctcaaca aacctctaa aatcttatcc 1500

ctagaatact gctgggatta tcatatcagc ctgccttcag atattaaaac tgtcaagcgg 1560

tcgtaggcaga caaaagagta taatttggtt agaaatatca tctgacttca aattgtgcc 1620

gtagatttct gaatttgaga gaggagtatt ctggctgctt cctcagaaaa gtaacactta 1680

attttaagtt aaaaaaata ctaatgaaac accaacatgg caaacacata ccattccttc 1740

ttgtaacttg aggctttgta atgtgggaga atgaatctag ggtaatcaga tgtaaattcc 1800

cagtgatttc ttatctatct tgggtttggg ggaaatacta tcaactgaac caaaaagaac 1860

ttgtcatagg caaagataaa gccagaaaca ctctacacat gccacataac atctggagaa 1920

aagggtgcta aggaagcgt ttggcagcaa gatatgattg taaggggttg tcccttgagt 1980

tcaatgcctg cctatttcca atggatctaa aacaacgtga agttactgtg cagcagagct 2040

ctcagtaagg acaccatttg ccttggcaat cctcaaaatt cttcaatagc agattgtttc 2100

aggccatctg tagtctgtcc ttttctcacc aggatgttgt ttggcttctg tgcgaaaaat 2160

tggtggagtg tcctggtaga tattgaaact aggcctcata tagaaaaaat taacaccagg 2220

tggctctgga tagagtcccg ccctgcctcg atgaggaccc accctgatag ggtcccaccc 2280

tgccaattcc gagaaacaac ctcatggggc cccaccctgc caattccggg ggtcccaccc 2340

tgctcgaag ttcccgaat caacaactcc aggaaaaaac ctcataaggt cctgctctaa 2400

ccaattagca taagacgcct tgctcaggcc atagctagac ccaatcattt tgcgccttaa 2460

gctttgtttg aatttcgcgc cctaagctgt gtttgaactt gtgtttgcct atataaacag 2520

cctgtaacaa gcagtcgggg tcccagggcc aacttagagc ttgggaccct agcgcgctag 2580

taataaataa ctctctgctg cgaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2630

<210> 45  
<211> 35  
<212> DNA  
<213> Artificial/Unknown

<220>  
<221> misc\_feature  
<222> ()..()  
<223> Antisense primer for cloning porcine exon 4

<400> 45  
ctgttgatgt attcccaaaa cacaaccatt acagt

35

<210> 46  
<211> 27  
<212> DNA  
<213> artificial sequence

<220>  
<221> misc\_feature  
<222> ()..()  
<223> Antisense primer for cloning porcine exon 4

<400> 46  
agacaagcag cattgacaga accactc

27

<210> 47  
<211> 25  
<212> DNA  
<213> artificial sequence

<220>  
<221> misc\_feature

<222> ()..()

<223> Antisense primer for cloning porcine exon 2

<400> 47

ctcatcctct gcttctctcc cccca

25

<210> 48

<211> 26

<212> DNA

<213> artificial sequence

<400> 48

ccccccagag taaaaggcga aacaag

26

<210> 49

<211> 25

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> Sense primer for cloning porcine exon 2

<400> 49

aacgcagcac cttcccttcc tccca

25

<210> 50

<211> 25

<212> DNA

<213> artificial sequence

<400> 50

cttgttttcgc cttttactct ggggg

25

<210> 51

<211> 23

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> Sense primer for cloning porcine exon 1

<400> 51

gccactgttc' cctcagccga gga

23

<210> 52

<211> 24

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> Sense primer for cloning porcine exon 1

<400> 52

cgagcgcacc cagcttctgc cgat

24

<210> 53

<211> 24

<212> DNA

<213> artificial sequence



<220>

<221> misc\_feature

<222> ()..()

<223> Antisense primer for cloning porcine exon 1

<400> 53

tgcgctcggg gatggccctc tcct

24

<210> 54

<211> 24

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> Antisense primer for cloning porcine exon 1

<400> 54

ggcgtcctcg gctgagggaa cagt

24

<210> 55

<211> 28

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> Sense primer for cloning porcine exon 1A

<400> 55

cagaacaact tctgaagcct aaaggatg

28

<210> 56  
<211> 27  
<212> DNA  
<213> artificial sequence  
  
<220>  
<221> misc\_feature  
<222> ()..()  
<223> Sense primer for cloning porcine exon 1

<400> 56  
caaatggtgg atcgacctc ccaggct

27

<210> 57  
<211> 27  
<212> DNA  
<213> artificial sequence  
  
<220>  
<221> misc\_feature  
<222> ()..()  
<223> Sense primer for cloning porcine exon 1

<400> 57  
agtactgggt gatagacccc actccac

27

<210> 58  
<211> 25  
<212> DNA  
<213> artificial sequence

<220>

<221> misc\_feature  
<222> ()..()  
<223> Sense primer for cloning porcine exon 1

<400> 58  
gcgcagggt cccggggcccc tccct

25

<210> 59  
<211> 27  
<212> DNA  
<213> artificial sequence

<220>  
<221> misc\_feature  
<222> ()..()  
<223> Sense primer for cloning porcine exon 9

<400> 59  
ctgggattat catataggca tgtctgt

27

<210> 60  
<211> 27  
<212> DNA  
<213> artificial sequence

<220>  
<221> misc\_feature  
<222> ()..()  
<223> Sense primer for cloning porcine exon 9

<400> 60  
agagtattac tctggctact tctccag

27

<210> 61  
<211> 27  
<212> DNA  
<213> artificial sequence

<220>  
<221> misc\_feature  
<222> ()..()  
<223> primer for identifying 5' flanking region of murine exon 1

<400> 61  
ctgagagcgc gaggtcttca gcagaat

27

<210> 62  
<211> 28  
<212> DNA  
<213> artificial sequence

<220>  
<221> misc\_feature  
<222> ()..()  
<223> primer for identifying 5' flanking region of murine exon 1

<400> 62  
cttctcattc caagaagagt cttacaag

28

<210> 63  
<211> 27  
<212> DNA  
<213> artificial sequence

<220>  
<221> misc\_feature

<222> ()..()

<223> primer for identifying 3' flanking region of murine exon 1

<400> 63

cctgcctttt cttagctggc tgacacc

27

<210> 64

<211> 27

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying 3' flanking region of murine exon 1

<400> 64

cttgtagact cttcttgga tgagaag

27

<210> 65

<211> 27

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying 5' flanking region of murine exon 2

<400> 65

catcgtcagc tgtgttcct ccaaagc

27

<210> 66  
<211> 27  
<212> DNA  
<213> artificial sequence

<220>  
<221> misc\_feature  
<222> ()..()  
<223> primer for identifying 5' flanking region of murine exon 2

<400> 66  
aaagcaaccg agcttctgtc gagctct

27

<210> 67  
<211> 38  
<212> DNA  
<213> artificial sequence

<220>  
<221> misc\_feature  
<222> ()..()  
<223> primer for identifying murine exons 2 and 3

<400> 67  
gtaccttcct ttctctgtc gagccctgcc tccttcgg

38

<210> 68  
<211> 35  
<212> DNA  
<213> artificial sequence

<220>  
<221> misc\_feature  
<222> ()..()

100

<223> primer for identifying murine exons 2 and 3

<400> 68

agatcttgag gatccaagac ttgtttctga cttgg

35

<210> 69

<211> 34

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying murine exons 3 and 4

<400> 69

gctgactttg aactcaagag atctgcttta cccc

34

<210> 70

<211> 28

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying murine exons 3 and 4

<400> 70

ctgttgacat attcccaaaa cacgacaa

28

<210> 71

<211> 30  
<212> DNA  
<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying murine exons 4 and 5

<400> 71

gtcaagggaa aagtaatcct gttgatgctg

30

<210> 72

<211> 27

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying murine exons 4 and 5

<400> 72

tatccacaag aaagagccgt ctgggct

27

<210> 73

<211> 27

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying murine exons 5 and 6



<400> 73

agcccagacg gctctttctt gtggata

27

<210> 74

<211> 34

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying murine exons 5 and 6

<400> 74

ccagcttggg aaccaccagt ccttctgcca tctg

34

<210> 75

<211> 27

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying murine exons 6 and 7

<400> 75

ttccagaggt tggtgagaac agatggc

27

<210> 76

<211> 33

103

&lt;212&gt; DNA

&lt;213&gt; artificial sequence

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; ()..()

&lt;223&gt; primer for identifying murine exons 6 and 7

&lt;400&gt; 76

gcgatctcca tttctaccct tttctctcog tcc

33

&lt;210&gt; 77

&lt;211&gt; 28

&lt;212&gt; DNA

&lt;213&gt; artificial sequence

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; ()..()

&lt;223&gt; primer for identifying murine exon 7

&lt;400&gt; 77

caagaagaca acgtagaagg acggagag

28

&lt;210&gt; 78

&lt;211&gt; 27

&lt;212&gt; DNA

&lt;213&gt; artificial sequence

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; ()..()

&lt;223&gt; primer for identifying murine exon 7

<400> 78

tcgcattgaa gagcctcagc tatggga

27

<210> 79

<211> 27

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying exon 8

<400> 79

ccacagtga tttctgtgtg gcgatgt

27

<210> 80

<211> 28

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying murine exon 8

<400> 80

agagctgtgt cataagtgcc ttcccaca

28

<210> 81

<211> 27

<212> DNA

105

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying murine exon 8

<400> 81

gatgttttga cagtgacccc gtggaag

27

<210> 82

<211> 28

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying murine exon 8

<400> 82

tgtgggaagg cacttatgac acagctct

28

<210> 83

<211> 27

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying murine exon 9

106

&lt;400&gt; 83

agaggggttc ggtgcacgac aggcac

27

&lt;210&gt; 84

&lt;211&gt; 27

&lt;212&gt; DNA

&lt;213&gt; artificial sequence

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; ()..()

&lt;223&gt; primer for identifying murine exon 8

&lt;400&gt; 84

gtacatgtca gcagactcca gaaagtc

27

&lt;210&gt; 85

&lt;211&gt; 27

&lt;212&gt; DNA

&lt;213&gt; artificial sequence

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; ()..()

&lt;223&gt; primer for identifying 3' flanking region of murine exon 9

&lt;400&gt; 85

gactttctgg agtctgctga catgtac

27

&lt;210&gt; 86

&lt;211&gt; 27

&lt;212&gt; DNA

&lt;213&gt; artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying 3' flanking region of murine exon 9

<400> 86

gatgcctgtc gtgcacctga accctct

27

<210> 87

<211> 27

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying 3' flanking region of murine exon 9

<400> 87

aggccattgc accatcttgg tgaacag

27

<210> 88

<211> 28

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for identifying 3' flanking region of murine exon 9

<400> 88

108

gatcttacct ttgtccacag ggctctac

28

&lt;210&gt; 89

&lt;211&gt; 27

&lt;212&gt; DNA

&lt;213&gt; artificial sequence

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; ()..()

&lt;223&gt; primer for obtaining murine promoter

&lt;400&gt; 89

ccaatgcac ttttcccagt gggctct

27

&lt;210&gt; 90

&lt;211&gt; 27

&lt;212&gt; DNA

&lt;213&gt; artificial sequence

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; ()..()

&lt;223&gt; primer for isolation of transcription initiation site

&lt;400&gt; 90

cccagaacag atctgactgc ctctttc

27

&lt;210&gt; 91

&lt;211&gt; 27

&lt;212&gt; DNA

&lt;213&gt; artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for isolation of transcription initiation site

<400> 91

agttttgctt gtctgggcca ctatcgg

27

<210> 92

<211> 27

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for isolation of transcription initiation site

<400> 92

gactggagag agtgctgtcc tccttgc

27

<210> 93

<211> 29

<212> DNA

<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for cloning Rhesus alpha 1,3 GT

<400> 93

gaggtcaagc cagagaagag gtggcaaca

29



<210> 94  
<211> 30  
<212> DNA  
<213> artificial sequence

<220>  
<221> misc\_feature  
<222> ()..()  
<223> primer for cloning Rhesus alpha 1,3 GT

<400> 94  
gacttcctct tctgcatgga tgtagaccag

30

<210> 95  
<211> 29  
<212> DNA  
<213> artificial sequence

<220>  
<221> misc\_feature  
<222> ()..()  
<223> primer for cloning Rhesus alpha 1,3 GT

<400> 95  
atgtcgagaa cctgaatggg tggttcctcc

29

<210> 96  
<211> 30  
<212> DNA  
<213> artificial sequence

<220>

<221> misc\_feature

<222> ()..()

<223> primer for cloning Rhesus alpha 1,3 GT

<400> 96

ctggccaaat ggaatgcatg ctgctgactc

30

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
3 May 2001 (03.05.2001)

PCT

(10) International Publication Number  
**WO 01/30992 A3**

- (51) International Patent Classification<sup>7</sup>: C12N 15/54, 5/10, 15/85, 9/10, A01K 67/027
- (21) International Application Number: PCT/US00/29139
- (22) International Filing Date: 20 October 2000 (20.10.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/161,092 22 October 1999 (22.10.1999) US  
60/227,951 25 August 2000 (25.08.2000) US
- (71) Applicant (for all designated States except US): UNIVERSITY OF PITTSBURGH OF THE COMMONWEALTH SYSTEM OF HIGHER EDUCATION [US/US]; 200 Gardner Steel Conference Center, Pittsburgh, PA 15260 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): KOIKE, Chihiro [US/US]; 5628 Hempstead Street, Pittsburgh, PA 15206-1520 (US).
- (74) Agents: HEFNER, M., Daniel et al.; Leydig, Voit & Mayer, Ltd., Two Prudential Plaza, Suite 4900, 180 North Stetson, Chicago, IL 60601-6780 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— with international search report
- (88) Date of publication of the international search report:  
31 January 2002
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 01/30992 A3

(54) Title:  $\alpha$ 1-3 GALACTOSYLTRANSFERASE GENE AND PROMOTER

(57) Abstract: The present invention provides a recombinant expression cassette comprising an  $\alpha$  1-3 galactosyltransferase promoter operably linked to a polynucleotide for expression. The invention also provides a recombinant mutating cassette comprising a region of homology to an  $\alpha$  1-3 galactosyltransferase genomic sequence. The cassettes can be employed to express foreign genes or to disrupt the native  $\alpha$  1-3 galactosyltransferase genomic sequence, particularly within an animal. Thus, the invention also provides transgenic animals and methods for their production and use.

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/29139

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N15/54 C12N5/10 C12N15/85 C12N9/10 A01K67/027

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N A01K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, BIOSIS, EMBL

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 849 991 A (CRAWFORD ROBERT J ET AL) 15 December 1998 (1998-12-15) the whole document	13,14, 17-43
X	WO 95 28412 A (GUSTAFSSON KENTH T ;INST OF CHILD HEALTH (GB); BAETSCHER MANFRED W) 26 October 1995 (1995-10-26) claims 1-13 example 6	13,14, 17-43
A	KATAYAMA A. ET AL.: "Porcine a-1,3-galactosyltransferase: full length cDNA cloning, genomic organization and analysis of splicing variants." GLYCOCONJ. J., vol. 15, 1998, pages 583-589, XP002159948 the whole document	1-43

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

9 February 2001

Date of mailing of the international search report

29. 05. 2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Galli, I

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US 00/29139

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

see further information sheet invention 1.

Remark on Protest

☐ The additional search fees were accompanied by the applicant's protest.

☐ No protest accompanied the payment of additional search fees.

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1-12 and partly 13-43

A recombinant expression cassette comprising an alpha-1,3-galactosyltransferase promoter operably linked to a polynucleotide for expression, other than a polynucleotide encoding alpha-1,3-galactosyltransferase.

A recombinant mutating cassette comprising a first region of homology to an alpha-1,3-galactosyltransferase genomic sequence adjacent to either a second region of homology to said alpha-1,3-galactosyltransferase genomic sequence or a polynucleotide for insertion, WHEREIN a region of homology is homologous to a promoter of said A alpha-1,3-galactosyltransferase gene.

Corresponding vectors, recombinant chromosomes, transgenic cells, embryos, organs and animals.

2. Claims: 13-43, partly

As far as not covered by invention 1:

A recombinant mutating cassette comprising a first region of homology to an alpha-1,3-galactosyltransferase genomic sequence adjacent to either a second region of homology to said alpha-1,3-galactosyltransferase genomic sequence or a polynucleotide for insertion.

Said recombinant cassette, wherein the alpha-1,3-galactosyltransferase sequence is from pig.

Corresponding vectors, recombinant chromosomes, transgenic cells, embryos, organs and animals.

3. Claims: 13-43, partly

Idem as subject matter 2, but wherein the alpha-1,3-galactosyltransferase sequence is from mouse.

4. Claims: 13-43, partly

Idem as subject matter 2, but wherein the alpha-1,3-galactosyltransferase sequence is from man.

**INTERNATIONAL SEARCH REPORT**

Information on patent family members

International Application No

PCT/US 00/29139

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5849991 A	15-12-1998	AU 695373 B	13-08-1998
		BR 9506652 A	02-09-1997
		CA 2181433 A	03-08-1995
		EP 0755451 A	29-01-1997
		AU 1544595 A	15-08-1995
		AU 711144 B	07-10-1999
		AU 7742898 A	01-10-1998
		WO 9520661 A	03-08-1995
		JP 9508277 T	26-08-1997
-----			
WO 9528412 A	26-10-1995	AU 1850599 A	29-04-1999
		AU 2233295 A	10-11-1995
		CA 2187802 A	26-10-1995
		EP 0755402 A	29-01-1997
		JP 10504442 T	06-05-1998
		US 6153428 A	28-11-2000
-----			

**THIS PAGE BLANK (USPTO)**